



54W/840 Min Bipin T5 HO ALTO UNP


Product family description

| Product data | |
|--------------------------|----------------------------------|
| Product Number | 290833 |
| Full product name | 54W/840 Min Bipin T5 HO ALTO UNP |
| Ordering Code | F54T5/841/HO/ALTO |
| Pack type | Unpacked |
| Pieces per Sku | 1 |
| Skus/Case | 40 |
| Pack UPC | 046677290832 |
| EAN2US | |
| Case Bar Code | 50046677290837 |
| Successor Product number | |
| System Description | High Output |
| Base | Miniature Bipin |
| Base Information | Green [Green Base] |
| Bulb | T5 [16mm] |
| Packing Type | UNP [Unpacked] |
| Packing Configuration | 40 |
| Rated Avg. Life | 24000 hr |
| Type | na |
| Feature | na [Not Applicable] |
| Ordering Code | F54T5/841/HO/ALTO |
| Pack UPC | 046677290832 |
| Case Bar Code | 50046677290837 |
| Watts | 54W |
| Dimmable | Yes |
| Mercury (Hg) Content | |
| Color Code | 840 [CCT of 4000K] |
| Color Rendering Index | 85 Ra8 |


| Product data | |
|-------------------|----------------|
| Color Designation | Cool White |
| Color Description | 840 Cool White |
| Color Temperature | 4000 K |
| Initial Lumens | - Lm |
| Overall Length C | 1163.2 mm |
| Diameter D | 17 mm |
| Special packing | ALTO |
| Product Number | 290833 |



TL5 HO




Base Miniature Bipin




Life Expectancy 3h cycle

TL5 HO




Life Expectancy 12h cycle

TL5 HO




Service Life 3h cycle


TL5 HO



TL5 HO/840




TL5 HO



Service Life 12h cycle

TL5 HO



TL5 HO/840

