



**PL-C15mm 22W/827
GX32d-2 1CT**

Product family description
PL-C Cluster 2pin 15mm Fluorescent Lamp.

Features/Benefits

- Low Temperature (-20F) starting for outdoor applications.
- Quad Tube Design - available in 20W and 27W.
- Excellent Color Rendering - 82 Color Rendering Index (CRI).
- Available in 2700K.
- Long Life - 10,000 hours.
- Low starting temperature (-20°F); ideal for outdoor applications.
- Designed for use with magnetic ballasts.

Applications

- Ideal for general outdoor lighting.


Notes

- For expected lamp lumen output, commercial ballast manufacturers can advise the appropriate ballast factor for each of their ballasts when they are informed of the designated lamp. The ballast factor is a multiplier applied to the designated lamp lumen output. (204)
- Low temperature starting down to -20 degrees F at nominal line voltage. (222)
- Rated average life under specified test conditions with lamps turned off and restarted no more frequently than once every 3 operating hours. Lamp life is appreciably longer if lamps are started less frequently. (202)
- Approximate Initial Lumens. The lamp lumen output is based upon lamp performance after 100 hours of operating life, when the output is measured during operation on a reference ballast under standard laboratory conditions. (203)
- Design Lumens are the approximate lamp lumen output at 40% of the lamp's Rated Average Life. This output is based upon measurements obtained during lamp operation on a reference ballast under standard laboratory conditions. (208)

Product data	
Product Number	204784
Full product name	PL-C15mm 22W/827 GX32d-2 1CT
Ordering Code	PL-C 15MM/22W/827/2P
Pack type	1 Lamp in a Folding Carton
Pieces per Sku	1
Skus/Case	40
Pack UPC	046677116491



Product data	
EAN2US	
Case Bar Code	50046677116496
Successor Product number	
Base	GX32d-2
Bulb	PL-C
Packing Type	1CT [1 Lamp in a Folding Carton]
Packing Configuration	40
Rated Avg. Life [3 hr Start]	10000 hr
Ordering Code	PL-C 15MM/22W/827/2P
Pack UPC	046677116491
Case Bar Code	50046677116496
Energy Saving	Energy Saving
Watts	22W
Color Code	827 [CCT of 2700K]
Color Rendering Index	82 Ra8
Color Temperature	2700 K
Initial Lumens	1200 Lm
Design Mean Lumens	995 Lm
Max Overall Length (MOL) - C	6.00 in
Product Number	204784



Energy Saving Energy Saving

CnI-PLC2

