Product Details Page 1 of 2

## Return to search



## Print Page

Product Number: 29409

Order

CF13EL/MINITWIST/2700K

Abbreviation: General

**General**DULUX EL 13W Mini Twist Spiral compact fluorescent lamp
with integral 120V ballast, medium screw base, 2700K color

temperature, 82cri, , packaged 6/carton.

**Product Information** 

Abbrev. With Packaging Info. CF13ELMINITWIST2700K 120V 6/CS 1/SKU

Average Rated Life (hr) 10000

Base Medium

Bulb MINI TWIST

Color Rendering Index (CRI) 82 Color Temperature/CCT (K) 2700 Diameter (in) 1.82 Diameter (mm) 46 Initial Lumens at 25C 800 Mean Lumens at 25C 640 Maximum Overall Length - MOL (in) 4.6 Maximum Overall Length - MOL (mm) 117 Nominal Voltage (V) 120.00 13.00 Nominal Wattage (W)

## **Additional Product Information**

**Product Documents, Graphs, and Images** 

**Packaging Information** 



Product Details Page 2 of 2

## **Footnotes**

- Approximate initial lumens after 100 hours operation.
- Minimum starting temperature for DULUX EL lamps is 0° F, unless otherwise specified in product literature.
- DULUX Els meet CSA, FCC and UL requirements.
- Caution: DULUX EL units cannot be used on dimming circuits (unless the lamp is labeled dimmable), emergency exit fixtures or lights, electronic timers, photocells, lighted switches or any other switches that do not meet UL20 Sec. 7.6.15. In outdoor applications, use only in enclosed fixtures to avoid exposure to weather. Use only on 120V, 60 Hz circuits. Never disassemble or modify lamp. Install or remove unit from fixture by grasping plastic base. Best performance achieved when operated at 77degrees F (25 degrees C). 40 Watt lamp is designed for base down orientation only
- The life ratings of fluorescent lamps are based on 3 hr. burning cycles under specified conditions and with ballast meeting ANSI specifications. If burning cycle is increased, there will be a corresponding increase in the average hours life.
- Minimum starting temperature for DULUX EL lamps is 0 degrees F
- Rule of Thumb for Compact Fluorescent Lamps: Divide wattage of incandescent lamp by 4 to determine approximate wattage of compact fluorescent lamp that will provide similar light output.

Print Page