

PL-T 32W/830/4P 1CT

Product family description PL-T Triple 4pin Fluorescent Lamp with Amalgam.

Features/Benefits

- ALTO® Lamp Technology Passes EPA's TCLP test for non-hazardous waste.
- Utilizes amalgam technology to provide > 90% of rated lumens in ambient temperatures from 23F to 130F.
- Triple tube design available in 18, 26, 32, and 42W.
- Excellent Color Rendering 82 Color Rendering Index (CRI).
- Broad Range of Color Temperature Available in 2700, 3000, 3500 and 4100K.
- Dimmable PL-T 4-pin lamps may be used with electronic dimming ballasts.
- Long Life 12,000 hours.
- Energy Saving Designed for use with electronic ballasts for lower operating costs and flicker-free starting.

Applications

· Ideal for downlights and medium bay multi-lamp fixtures for general lighting.

Notes


- Rated average life under specified test conditions with lamps turned off and restarted no more frequently than once every 3 operating hours. Lamp life is appreciably longer if lamps are started less frequently. (202)
- Approximate Initial Lumens. The lamp lumen output is based upon lamp performance after 100 hours of operating life, when the output is measured during operation on a reference ballast under standard laboratory conditions. (203)
- Design Lumens are the approximate lamp lumen output at 40% of the lamp's Rated Average Life. This output is based upon measurements obtained during lamp operation on a reference ballast under standard laboratory conditions. (208)


Product data		
Product Number	268326	
Full product name	PL-T 32W/830/4P 1CT	
Ordering Code	268326	
Pack type	1 Lamp in a Folding Carton	
Pieces per Sku	1	
Skus/Case	12	
Pack UPC	046677268329	
EAN2US		




Product data		
Case Bar Code	50046677268324	
Successor Product number		
Base	GX24q-3	
Base Information	4P	
Execution	/4P [4 Pins]	
Packing Type	1CT [1 Lamp in a Folding Carton]	
Packing Configuration	12	
Avg. Hrs. Life	16000 hr	
Ordering Code	PL-T 32W/830/4P/ALTO	
Pack UPC	046677268329	
Case Bar Code	50046677268324	
Watts	32W	
Lamp Voltage	- V	
Dimmable	Yes	
Color Code	830 [CCT of 3000K]	
Color Rendering Index	82 Ra8	
Color Designation	Warm White	
Color Description	830 Warm White	
Color Temperature	3000 K	
Initial Lumens	- Lm	
Initial Lumens	2400 Lm	
Overall Length C	141.4 mm	
Diameter D	39.85 mm	
Diameter D1	39.65 mm	
Product Number	268326	








Base GX24q-3



PL-T/830

11

PL-T 32W



PL-T/830

