

# EnduraLED 12W 2700K PAR30S Dimmable

# Product family description

The Philips EnduraLED™ PAR indoor reflectors with high brightness LEDs are suited for track and recessed lighting. Energy saving, long life LED PAR long and short lamps install into existing fixtures, can lower cost with reduced wattage and re-lamping frequency.

### **Features**

- · Soft white light.
- · Ideal for overhead track fixtures.
- High brightness indoor flood lamps.
- Application performance close to 50W Halogen PAR.
- Offers 15 year rated average life, if operated 8 hours per day, 7 days per week.
- Smooth dimming to 10% of full light levels (Designed for "Leading Edge" TRIAC dimming systems)
- Available in 11Watt Par30L and Par30S in Soft White, Warm White, and Cool White versions

### **Benefits**

- Philips is the global leader in light and a leader in LED technology.
- Philips knows LED light and stands behind the EnduraLED products with a warranty.
- Philips' commitment to innovation and quality provides the confidence of partnering with an industry leader.

## **Application**

· Perfect for track and recessed lighting.


Product data		
Product Number	410118	
Full product name	EnduraLED 12W 2700K PAR30S Dimmable	
Ordering Code	410118	
Pack type		
Pieces per Sku		
Skus/Case	6	
Pack UPC	046677410117	



Product data		
EAN2US		
Case Bar Code	50046677410112	
Successor Product number		
Additional Information	Dimmable	
Bulb	PAR30S [PAR30S mm]	
Average Lifetime	45000 hr	
Pack UPC	046677410117	
Case Bar Code	50046677410112	
Ordering Code	12PAR30S/END/2700 DIMM/22D	
Wattage	I2W	
Dimmable	Yes	
Color Code	WW	
Color Designation (text)	Warm White	
Correlated Color Temperature	2700 K	
Luminous Flux	660 Lm	
Luminous Intensity	2900 cd	
Color Temperature	2700K [CCT 2700K]	
Product Number	410118	



**EnduraLED E26 PAR30S** 



EnduraLED E26/E27 PAR30L/PAR30S



# $@2009\ Koninklijke\ Philips\ Electronics\ N.V.$

All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liablity will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights.

Document order number : 0000 000 00000