

# EnduraLED 2.5W 3000K 120V B10.5 Frosted

## Product family description

The Philips EnduraLED™ Candles offer decorative energy saving ambience with the elegant effect of incandescent candles. Available in bent and blunt tip shapes, their unique design provides light in all directions, giving lighting designers a long life alternative to incandescent sources. Energy saving, long life decorative LED candles lower cost with reduced wattage and re-lamp frequency.

## **Features**

- · Instant-on light.
- Emits virtually no UV/IR light in the beam.
- Similar ambience as traditional incandescent candles.
- 3000K color temperature.
- Designed to last 15,000 hours rated average life (1,2)
- 3-year Warranty period.
- · Contains no mercury
- Rated average life is the length of operation (in hours) at which point an average of 50% of the lamps will still be operational and 50% will not.
- Available in 3 Watt Clear and Frost, Blunt and Bent tip.

#### **Benefits**

- Philips is the global leader in light and a leader in LED technology.
- Philips knows LED light and stands behind the EnduraLED products with a warranty.
- Philips' commitment to innovation and quality provides the confidence of partnering with an industry leader.

### **Application**

Ideal for wall sconces and decorative lighting.


Product data	
Product Number	406082
Full product name	EnduraLED 2.5W 3000K I20V BI0.5 Frosted
Ordering Code	406082



Product data		
Pack type		
Pieces per Sku	I .	
Skus/Case	8	
Pack UPC	046677406080	
EAN2US		
Case Bar Code	50046677406085	
Successor Product number		
Cap-Base	EI2	
Bulb	B10.5	
Pack UPC	046677406080	
Case Bar Code	50046677406085	
Ordering Code	3B10 1/2 END/FR WW 120V 8/I	
Wattage	2.5W	
Dimmable	No	
Color Code	WH	
Color Designation (text)	White	
Correlated Color Temperature	3000 K	
Luminous Flux	30 Lm	
Color rendering index	80	
Color Temperature	3000K [CCT 3000K]	
Product Number	406082	



LED E12 B10.5 frosted





# $\hbox{@2009 Koninklijke Philips Electronics N.V.}\\$

All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liablity will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights.

Document order number : 0000 000 00000