
**Product Details** Page 1 of 2

## Return to search

## Print Page



14861 Product

**Number:** 

Order

120PAR38/HAL/FL30 130V

Abbreviation:

Tungsten Halogen CAPSYLITE PAR38 Reflector Lamp General Description:

Medium Skirt Base 120Watt 130Volt Flood Beam

**Product Information** 

120PAR38HALFL30 130V 15/CS 1/SKU Abbrev. With Packaging Info.

1800 Approx. Lumens 3000 Average Rated Life (hr)

Base E26 Medium Skirted

30 Beam Angle (deg) Beam Type FL Bulb PAR38 Centerbeam Candlepower (cp) 4600 C (gas) Color Rendering Index (CRI) 100 Color Temperature/CCT (K) 2950 Diameter (in) 4.75

Diameter (mm) 120.65 Ecologic YES


Family Brand Name CAPSYLITE® PAR38 SPL

Filament CC-8 Horizontal Beam Angle (deg) 30 Maximum Overall Length - MOL (in) 5.313 Maximum Overall Length - MOL (mm) 134.9375 Nominal Voltage (V) 130.00 Nominal Wattage (W) 120.00 Vertical Beam Angle (deg)

## **Additional Product Information**

**Product Documents, Graphs, and Images** 

**Packaging Information** 



Product Details Page 2 of 2



## **Footnotes**

- State of the Art SPL Optics
- To avoid electric shock and/or skin burns, turn off power and allow bulb to cool before handling or attempting replacement.
- In base up operation, heat may eventually deteriorate paper-lined or plastic sockets.
- Approximate life for 130 volt tungsten halogen lamps operated at 120 volts is within the
  value calculated using the recommended equations for standard incandescent lamps, as
  set forth in the IES Handbook, 8th edition. Because of the uncertain nature of the
  halogen cycle on the coil when operated at less than rated voltage, life of tungsten
  halogen lamps varies considerably and unpredictably. OSRAM SYLVANIA does not
  recommend operation at other than rated voltage.
- @ 120 volts, approximate 105 watts, 1370 lumens, 6000 hours

Print Page