



Product Number: 54277

Order Abbreviation: FDS/DZE 64643

General Description: 150 WATT, TUNGSTEN HALOGEN, LOW VOLTAGE WITHOUT REFLECOR

Product Information	
Abbrev. With Packaging Info.	FDS/DZE64643 24V 12/CS 1/SKU
ANSI Code	FDS
Application	Projector, Microfilm, Microscope, Studio
Average Rated Life (hr)	100
Base	GY9.5 BIPIN
Bulb	T13,5
Class	C (gas)
Color Rendering Index (CRI)	100
Color Temperature (K)	3450
Diameter d (in)	0.591
Diameter d (mm)	15.00
Distance a (in)	1.32
Distance a (mm)	33.5
Filament Dimensions Length (in)	0.117
Filament Dimensions Length (mm)	3.0
Filament Dimensions Width (in)	0.234
Filament Dimensions Width (mm)	6.0
Lamp Finish	Clear
Length l (in)	2.223
Length l (mm)	57
LIF Code	A1/262
Light Center Length - LCL (in)	1.32
Light Center Length - LCL (mm)	33.5
Luminous Flux (lm)	5000
Maximum Overall Length - MOL (in)	2.223
Maximum Overall Length - MOL (mm)	57
Nominal Voltage (V)	24.00
Nominal Wattage (W)	150.00

Operating Position	s 90
Reflector Coating	15.00
Type of Current	AC

Footnotes

- s (Operating Position) = Vertical, base down