



# MasterColor CDM ED17 Elite

## MasterColor CDM 70W ED17 ELITE

MasterColor Ceramic Metal Halide ED-17 Elite lamps provide excellent lumen maintenance and outstanding performance over time in the familiar ED-17 lamp shape.

### Product data

#### • General Characteristics

Base	Medium [Single Contact Medium Screw]
Base Information	Brass [Brass Base]
Bulb	ED17
Bulb Material	Hard Glass
Bulb Finish	Clear
Operating Position	Universal [Any or Universal (U)]
Main Application	General and Street Lighting
RatedAvgLife(See Family Notes)	16000 hr

#### • Light Technical Characteristics

Color Code	930 [CCT of 3000K]
Color Rendering Index	88 (min), 90 (nom) Ra8
Color Designation	Warm White
Color Temperature	2900 K
Color Temperature technical	2900 K
Initial Lumens	6700 Lm
Luminous Efficacy Lamp EM	95 Lm/W
Lumen Maintenance - 10% life	95 %
Lumen Maintenance - 40% life	90 %
Design Mean Lumens	5360 Lm
Chromaticity Coordinate X	0.433 (min), 0.442 (nom), 0.451 (max)
Chromaticity Coordinate Y	0.394 (min), 0.400 (nom), 0.406 (max)

#### • Electrical Characteristics

Watts	70 W
-------	------

Lamp Voltage	100 V
Lamp Current	0.92 A
Ignition Time	10 (max) s
Re-ignition Time [min]	8 (max) min

#### • Environmental Characteristics

Mercury (Hg) Content	8.0 (max) mg
Picogram per Lumen Hour	88.6 p/LuHr

#### • UV-related Characteristics

Damage Factor D/fc	0.14 -
PET (NIOSH)	1045 h500lx
UV A	3.5 mW/cm <sup>2</sup>
UV B	0 mW/cm <sup>2</sup>
UV C	0 mW/cm <sup>2</sup>

#### • Luminaire Design Requirements

Cap-Base Temperature	190 (max) C
Bulb Temperature	400 (max) C

#### • Product Dimensions

Light Center Length L	3.39 in
Max Overall Length (MOL) - C	5.438 (max) in
Diameter D	2.125 in

# MasterColor CDM ED17 Elite

## Footnotes

Footnotes HID 902 [Exclusive to Philips Lighting Company.]

## Product Data

Product number 423707  
Full product name MasterColor CDM 70W ED17 ELITE

Short product name MHC70/U/MP/3K ELITE  
Pieces per Sku 1  
Skus/Case 12  
Bar code on pack 46677423704  
Bar code on case 50046677423709  
Logistics code(s) 928601173801  
eop\_net\_weight\_pp 0.001 kg

## Warnings and Safety


- R "WARNING: These lamps can cause serious skin burn and eye inflammation from short wave ultraviolet radiation if outer envelope of the lamp is broken or punctured. Do not use where people will

remain for more than a few minutes unless adequate shielding or other safety precautions are used. Certain lamps that will automatically extinguish when the outer envelope is broken or punctured are commercially available." This lamp complies with FDA radiation performance standard 21 CFR subchapter J. (USA:21 CFR 1040.30 Canada: SOR/DORS/80-381)

## Dimensional drawing

### MasterColor CDM 70W ED17 ELITE

Product	C (Max)	D (Norm)
MHC 70W/930 E26 ED17 CL U ELITE	5.438	2.125



E26



© 2013 Koninklijke Philips Electronics N.V.  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2013, May 13  
data subject to change