

GE Lighting

WORLDWIDE PARTNE

Commercial Products & Solutions

SITE SEARCH > HOME ** PRODUCTS > EDUCATION / RESOURCES > LIGHTING APPLICATIONS

Where to Buy | FAQs | Contact Us | EliteNet

₽RINT

Products > Halogen > MR > MR16 > 20865

20865 - Q50MR16C/CG55

GE ConstantColor® Precise™ MR16

UV protection

GENERAL CHARACTERISTICS		
Lamp type	Halogen - MR	
Bulb	MR16	
Base	2-Pin (GU5.3)	
Filament	C-6	
Wattage	50	
Voltage	12	
Rated Life	6000 hrs	
Lamp Enclosure Type (LET)	Covered glass	

PHOTOMETRIC CHARACTERISTICS

Center Beam Candlepower (CBCP)	850
Color Temperature	3050 K
Nominal Initial Lumens per Watt	17

ELECTRICAL CHARACTERISTICS

	position
DIMENSIONS	
Maximum Overall Length (MOL)	1.8750 in (47.6 mm)
Bulb Diameter (DIA)	2.000 in (50.8 mm)

Universal burning

PRODUCT INFORMATION

Burn Position

PRODUCT INFORMATION	
Product Code	20865
Description	Q50MR16C/CG55
ANSI Code	FNV
Standard Package	BUNDLE
Standard Package GTIN	00043168208659
Standard Package Quantity	20
Sales Unit	Unit
No Of Items Per Sales Unit	1
No Of Items Per Standard Package	20
UPC	043168994187

A CAUTIONS & WARNINGS

See list of cautions & warnings.









View Larger

ADDITIONAL RESOURCES

<u>Catalogs</u>

Testimonials

Brochures

Product Brochures

- Color
- XL Brochure

Application/Segment Brochures

- Contractor Lighting
- Healthcare Lighting
- Office Lighting
- Specialty Store Lighting

Sell Sheets

GE ConstantColor® Precise™ MR16 Lamps

IES/Photometric Download

MSDS (Material Safety Data Sheets)

Disposal Policies & Recycling Information

20865 - Specifications - GE Commercial Lighting Products	Page 2 of 2
	Return To Top

Home | Products | EliteNet | Education/Resources | Lighting Applications | Where to Buy | FAQs | Contact Us | Site Map
Products for Your Home | Press Room | Corporate | Investor Information | Privacy Policy | Accessibility Statement | Terms of Use
Copyright General Electric Company 1997-2008