



# Elite A-Lamp

## 230 Degree

High efficiency A-Lamps. Light output in all directions to suit many applications.

### Limitless options for the following applications:

- General Lighting
- Floor Lamps
- Ceiling Fixtures
- Table Lamps
- Sconces

### Great features and benefits:

- Energy Efficient: 80% more efficient than halogen alternatives.
- Smooth, uniform dimming; also available as non-dimming.
- Long life: 25,000 hours
- Replaces 40W and 60W incandescents.
- 230° full light distribution.
- NEW smooth outer housing.
- Excellent Color consistency and high color rendering (CRI).
- Available in 2400K, 2700K, 3000K, 4100K and 5000K.



11W A-Lamp



7W A-Lamp



we know light.™

TCP®

325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | tcp.com

©TCP MAR 2014/50959

<b>LED</b>	<b>25,000 Hours average rated life, 120 Volts</b>
------------	---


**Applications:**

Ideal for applications where uniform multi-directional light output is required.

- + General Lighting**
- + Table Lamps**
- + Floor Lamps**
- + Sconces**
- + Ceiling Fixtures**



Features	Benefits
Up to 80% less energy than halogen alternatives	Instant energy savings
Long life	Minimizes replacement and maintenance costs
Smooth, clean outside housing	Seemlessly blends into lighting applications.
Very low heat generation	Perfect for sensitive display lighting such as art galleries.
Excellent Color Consistency and CRI	Enhances colors of focal point while maintaining uniformity throughout lighting installation from lamp to lamp.
UL approved for damp location and enclosed fixtures	Can be used outdoors when protected from elements. Withstands humidity indoors/outdoors.
Shatter resistant	Lower the risk of injury and breakage
ANSI construction compliant	Fits all A-Lamp sockets



**Specifications**

Input Line Voltage:	120 VAC
Input Power	See Chart
Input Line Frequency	50/60HZ
Lamp Life (Rated)	25,000 hrs
Minimum Starting Temp	-20°C
Maximum Operating Temp	40°C
CRI	82



10W 230° A-Lamp



7W 230° A-Lamp




**5 YEAR WARRANTY\***

For the most up-to-date specs, please visit [www.tpci.com](http://www.tpci.com)

\*Based on 12 hours use per day



Warranties and Certifications:	Item #	Description	Voltage	Wattage	Incandescent Wattage Comparison	Lumens	LPW	CCT	CRI	M.O.L. (inches)	Diameter (inches)	Case Quantity
  <b>5 YEAR WARRANTY*</b> <small>*Based on 12 hours use per day</small>  For the most up-to-date specs, please visit <a href="http://www.tcpi.com">www.tcpi.com</a>	<b>Smooth Uniform Dimming – 230° full light distribution</b>											
	<b>10W A-Lamp</b>											
	LED10A19D24K	Dimmable 10W Smooth A19 - 2400K	120	10	60	750	75.0	2400K	82	4.5	2.6	12
	LED10A19D27K	Dimmable 10W Smooth A19 - 2700K	120	10	60	800	80.0	2700K	82	4.5	2.6	12
	LED10A19D30K	Dimmable 10W Smooth A19 - 3000K	120	10	60	825	82.5	3000K	82	4.5	2.6	12
	LED10A19D41K	Dimmable 10W Smooth A19 - 4100K	120	10	60	850	85.0	4100K	82	4.5	2.6	12
	LED10A19D50K	Dimmable 10W Smooth A19 - 5000K	120	10	60	900	90.0	5000K	82	4.5	2.6	12
	<b>7W A-Lamp</b>											
	LED7A19D24K	Dimmable 7W Smooth A19 - 2400K	120	7	40	450	64.3	2400K	82	4.3	2.4	12
	LED7A19D27K	Dimmable 7W Smooth A19 - 2700K	120	7	40	450	64.3	2700K	82	4.3	2.4	12
	LED7A19D30K	Dimmable 7W Smooth A19 - 3000K	120	7	40	475	67.9	3000K	82	4.3	2.4	12
	LED7A19D41K	Dimmable 7W Smooth A19 - 4100K	120	7	40	500	71.4	4100K	82	4.3	2.4	12
	LED7A19D50K	Dimmable 7W Smooth A19 - 5000K	120	7	40	500	71.4	5000K	82	4.3	2.4	12
	<b>Non-Dimmable Options – 230° full light distribution</b>											
	<b>10W A-Lamp</b>											
	LED10A1924K	Non-Dimmable 10W Smooth A19 - 2400K	120	10	60	800	80.0	2400K	82	4.5	2.6	12
	LED10A1927K	Non-Dimmable 10W Smooth A19 - 2700K	120	10	60	800	80.0	2700K	82	4.5	2.6	12
	LED10A1930K	Non-Dimmable 10W Smooth A19 - 3000K	120	10	60	825	82.5	3000K	82	4.5	2.6	12
	LED10A1941K	Non-Dimmable 10W Smooth A19 - 4100K	120	10	60	850	85.0	4100K	82	4.5	2.6	12
	LED10A1950K	Non-Dimmable 10W Smooth A19 - 5000K	120	10	60	900	90.0	5000K	82	4.5	2.6	12
	<b>7W A-Lamp</b>											
	LED7A1924K	Non-Dimmable 7W Smooth A19 - 2400K	120	7	40	450	64.3	2400K	82	4.3	2.4	12
	LED7A1927K	Non-Dimmable 7W Smooth A19 - 2700K	120	7	40	450	64.3	2700K	82	4.3	2.4	12
LED7A1930K	Non-Dimmable 7W Smooth A19 - 3000K	120	7	40	475	67.9	3000K	82	4.3	2.4	12	
LED7A1941K	Non-Dimmable 7W Smooth A19 - 4100K	120	7	40	500	71.4	4100K	82	4.3	2.4	12	
LED7A1950K	Non-Dimmable 7W Smooth A19 - 5000K	120	7	40	500	71.4	5000K	82	4.3	2.4	12	

# CREATING BEAUTY

TCP has a **20-year history in energy-efficient lighting.**

Thanks to our **cutting edge technology** and deep manufacturing

expertise, we have shipped literally billions of high quality lamps and

our **integrated technology** and manufacturing

provides **expedited time-to-market.** With TCP, you can

count on unique lighting products designed to meet very specific needs –

lighting that transforms your surroundings and envelopes you in warmth –

**lighting that generates beauty** with every flip of the switch.

The logo consists of the letters 'LED' in a large, white, sans-serif font. The 'E' is stylized with three horizontal bars. The 'D' is a simple outline.

For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit [tcp.com](http://tcp.com)

325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | F: 330-995-6188