



GE
Lighting



Single Ended Halogen

#EGF-Q750/4CL/P 750W/120V

88618

Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W
-Range of bases to meet the needs of OEMs -
Chromised seal protection up to 500° C.



Product data

Cap/Base	G9.5
Bulb Shape	Tubular
Bulb Diameter [mm]	18
Maximum Overall Length [mm]	152.4
Light Center Length [mm]	89
Net weight per piece [g]	102
Gross weight per piece [g]	130
Brand	General Electric (GE)
Energy efficiency class (EEC)	C

Performance data

Colour Rendering Index (CRI) [Ra]	100
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	20400
Rated Life [h]	500
Nominal power [W]	750
Weighted energy consumption [kWh/1000h]	801.78
Nominal lamp voltage [V]	120

Electrical data

Coil type	CC-8
Ballast Required	Yes

Logistic data

DUN Code	10043168886182
EAN Code	0043168886185
Pack Quantity	12
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	240 EUR, 300 UK
Layer quantity EUR	240
Layer quantity UK	300
Pallet quantity EUR (PC)	960
Pallet quantity UK (PC)	1200
Outer case size	194 x 238 x 256 (mm)
Product status	Phased-out

Application areas



Film and Broadcast



Theatre

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination