



ConstantColor<sup>TM</sup> CMH
Single Ended
CMH35/T/UVC/U/830/G12 PLUS 1/12

43272

## **Product information**

GE's low watt **CMH lamps** have opened new possibilities for lighting design, combining the power and light quality of far larger and less efficient lamps. It is now possible to achieve lighting design that could not be achieved previously with inferior technologies.

GE's new **ConstantColor<sup>TM</sup> CMH Precise<sup>TM</sup>** technology platform has been developed with specific focus to retail applications. GE Precise<sup>TM</sup> technology offers superb overall light quality, outstanding lumen maintenance, improved efficacy, whihle maintaining long life and reliability. These qualities are why GE is the leader in ceramic metal halide technology.







# ConstantColor<sup>TM</sup> CMH Single Ended CMH35/T/UVC/U/830/G12 PLUS 1/12

43272

#### **Product data**

Cap/Base	G12
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	90
Light Center Length [mm]	56
Net weight per piece [g]	23
Gross weight per piece [g]	33
Operating position	U - Universal
Mercury Content [mg]	4.8
UV radiance	Exempt
Brand	General Electric (GE)
Energy efficiency class (EEC)	A+

#### Performance data

Colour Code	830
Colour Rendering Index (CRI) [Ra]	84
Nominal correlated colour temperature (CCT) [K]	3000
Nominal lumens [lm]	3400
Rated Lumens [lm]	3520
Nominal efficacy [LpW]	97
Rated efficacy [LpW]	89.3
Nominal chromaticity coordinate X	0.435
Nominal chromaticity coordinate Y	0.4
Nominal power [W]	35
Weighted energy consumption [kWh/1000h]	43.37
Nominal lamp voltage [V]	90



#### **Electrical data**

Rated power [W]	39.4
Lamp Current [A]	0.4
Design Ambient Temperature [°C]	25
Run-up time (sec)	120
Hot restart time (sec)	420
Dimming Capability	No
Ballast Required	Yes

## Logistic data

DUN Code	10043168432723	
EAN Code	0043168432726	
Pack Quantity	12	
Inner pack type	BOX	
Outer pack type	OUTER BOX	
Layer quantity	960 EUR, 1236 UK	
Layer quantity EUR	960	
Layer quantity UK	1236	
Pallet quantity EUR (PC)	8640	
Pallet quantity UK (PC)	11124	
Outer case size	138 x 82 x 118 (mm)	
Product status	Available	

### **Application areas**






Industrial





#### Lumen maintenance data






## ConstantColor™ CMH Single Ended

CMH35/T/UVC/U/830/G12 PLUS 1/12

43272

#### Survival Data



#### **Downloads & Links**

Go to the catalog site (HTTP)

HID Lamps Spectrum Catalogue (EN) (PDF)

ConstantColor™ CMH Ultra Brochure (PDF)

ConstantColor™ White Light CMH Brochure (PDF)

ConstantColor™ CMH G12 Data sheet (PDF)

**Lighting design tools & calculators (HTTP)**