

# spotlight



The energy-efficient radiance of the GE energy smart® LED PAR30 short and long neck lamps is not just something you see, it's something you feel.

## GE energy smart® LED PAR30 short and long neck lamps

For efficient, long-lasting options for traditional downlight applications, GE energy smart® dimmable 10-watt LED PAR30 lamps are the perfect solution.

### LOW-COST OPERATION:

- Using only 12 watts of energy, save over \$104 in energy costs over the rated life of a lamp versus a standard 50-watt halogen lamp based on \$0.11 per kWh
- Energy efficiency and long life mean fewer lamp replacements versus standard incandescent and halogen light sources

### EXCELLENT COLOR RENDERING

- Available with a CRI of 80 to 92

### COLOR TEMPERATURE

- Halogen-like color
- Available in 2700K, 3000K and 4000K

### LONG LIFE

- Up to 30,000 hours rated life (L70)
- Up to 50,000 hours rated life (L70) for dimmable version

### DIMMABLE

- Dims from 100% to 10%

### BEAM PATTERNS

- Available in 20°, 24°, 25°, 35° and 40° beam patterns

### ENVIRONMENTALLY CONSCIOUS

- These lamps are energy efficient, contain no lead or mercury, and are compliant with material restriction requirements of RoHS

### GE QUALITY AND RELIABILITY

- 3-year limited warranty

To learn more about saving money and energy, go to: [gelighting.com/ThinkLED](http://gelighting.com/ThinkLED)

When you Think LED lighting, Think GE.

ecomagination<sup>SM</sup>



imagination at work

PERFORMANCE DATA

GE energy smart® LED PAR30 short and long neck lamps

BULB SHAPE	BASE TYPE	WATTS	ORDER CODE	DESCRIPTION	VOLTS	CASE QTY**	MOL (IN)	LUMENS INITIAL	CBCP	INITIAL COLOR TEMP	CRI	+RATED LIFE (YRS) 3HRS/DAY	*RATED LIFE (HRS)	ESTIMATED ENERGY COST/YR	ENERGY STAR® STATUS	ADDITIONAL INFORMATION
<b>Retail PAR30 - Dimming (Visual Comfort Lens™)</b>																
PAR30	MED	12	67922	LED12DP30R930/15	120	6	3.75	860	5900	3000	91	22.8	25,000	\$1.45	★	Accent, 15° Beam, Silver
			67923	LED12DP30R930/25	120	6	3.75	860	3400	3000	91	22.8	25,000	\$1.45	★	Accent, 25° Beam, Silver
			67924	LED12DP30R930/40	120	6	3.75	860	1500	3000	91	22.8	25,000	\$1.45	★	Accent, 40° Beam, Silver
			67925	LED12DP30R927/15	120	6	3.75	820	5700	2700	91	22.8	25,000	\$1.45	★	Accent, 15° Beam, Silver
			67926	LED12DP30R927/25	120	6	3.75	820	3300	2700	91	22.8	25,000	\$1.45	★	Accent, 25° Beam, Silver
			67927	LED12DP30R927/40	120	6	3.75	820	1400	2700	91	22.8	25,000	\$1.45	★	Accent, 40° Beam, Silver
<b>Compact PAR30 - Dimming (Concave Cover)</b>																
PAR30	MED	12	65135	LED12DP30S830/20	120	6	3.75	750	5100	3000	84	22.8	25,000	\$1.45	★	Accent, 20° Beam, Silver
			65136	LED12DP30S830/35	120	6	3.75	750	2050	3000	84	22.8	25,000	\$1.45	★	Accent, 35° Beam, Silver
			65137	LED12DP30S827/20	120	6	3.75	740	5000	2700	83	22.8	25,000	\$1.45	★	Accent, 20° Beam, Silver
			65138	LED12DP30S827/35	120	6	3.75	740	2000	2700	83	22.8	25,000	\$1.45	★	Accent, 35° Beam, Silver
			65133	LED12DP30S/FL/TP	120	3	3.75	740	2000	2700	83	22.8	25,000	\$1.45	★	Accent, 35° Beam, Silver
			65985	LED12DP30S827/25	120	6	3.75	740	3200	2700	83	22.8	25,000	\$1.45	★	Accent, 25° Beam, Silver
			65986	LED12DP30W827/25	120	6	3.75	740	3200	2700	83	22.8	25,000	\$1.45	★	Accent, 25° Beam, White
			65987	LED12DP30B827/25	120	6	3.75	740	3200	2700	83	22.8	25,000	\$1.45	★	Accent, 25° Beam, Black
			67256	LED12DP30S840/20	120	6	3.75	840	5800	4000	85	22.8	25,000	\$1.45	★	Accent, 20° Beam, Silver
			67257	LED12DP30S840/35	120	6	3.75	840	2600	4000	85	22.8	25,000	\$1.45	★	Accent, 35° Beam, Silver
<b>Compact PAR30 - Dimming (Convex Cover)</b>																
PAR30	MED	10	61922	LED10DP30S830/20	120	6	3.75	500	3720	3000	80	45.7	50,000	\$1.20	★	Accent, 20° Beam, Silver
			61923	LED10DP30S827/20	120	6	3.75	450	3450	2700	80	45.7	50,000	\$1.20	★	Accent, 20° Beam, Silver
			68013	LED10DP30S827/35	120	6	3.75	450	1240	2700	80	22.8	25,000	\$1.20	★	Accent, 35° Beam, Silver
			64326	LED10DP30W827/20	120	6	3.75	450	3450	2700	80	45.7	50,000	\$1.20	★	Accent, 20° Beam, White
			63026	LED10DP3/FL/TP	120	3	3.75	450	1240	2700	80	22.8	25,000	\$1.20	★	Accent, 20° Beam, Silver

For additional product and application information, please consult GE's website: [gelighting.com/ThinkLED](http://gelighting.com/ThinkLED)

\* The life rating is based on the hours of operation the lamp will provide before reaching 70% of its original lumen rating (L70)

\*\* Minimum order quantity = 6

★ ENERGY STAR® qualified

^ Estimated energy cost per year based on \$0.11 per kWh energy rate and 3 operating hours per day

Note: Product descriptions ending in "TP" indicate a card blister or clamshell package nested in a tray for shelf display.

Cards also designed for hook display.

ecomagination<sup>SM</sup>



imagination at work

PERFORMANCE DATA

GE energy smart® LED PAR30 short and long neck lamps

BULB SHAPE	BASE TYPE	WATTS	ORDER CODE	DESCRIPTION	VOLTS	CASE QTY*	MOL (IN)	LUMENS INITIAL	CBCP	INITIAL COLOR TEMP	CRI	+RATED LIFE (YRS) 3HRS/DAY	*RATED LIFE (HRS)	ESTIMATED ENERGY COST/YR	ENERGY STAR® STATUS	ADDITIONAL INFORMATION
<b>Retail PAR30 Long Neck - Dimming (Visual Comfort Lens™)</b>																
PAR30L MED	12	68387	LED12DP3LR930/15	120	6	4.75	860	5900	3000	91	22.8	25,000	\$1.45	★	Accent, 15° Beam, Silver	
		68388	LED12DP3LR930/25	120	6	4.75	860	3400	3000	91	22.8	25,000	\$1.45	★	Accent, 25° Beam, Silver	
		68389	LED12DP3LR930/40	120	6	4.75	860	1500	3000	91	22.8	25,000	\$1.45	★	Accent, 40° Beam, Silver	
		68390	LED12DP3LR927/15	120	6	4.75	820	5700	2700	91	22.8	25,000	\$1.45	★	Accent, 15° Beam, Silver	
		68391	LED12DP3LR927/25	120	6	4.75	820	3300	2700	91	22.8	25,000	\$1.45	★	Accent, 25° Beam, Silver	
		68392	LED12DP3LR927/40	120	6	4.75	820	1400	2700	91	22.8	25,000	\$1.45	★	Accent, 40° beam, Silver	
<b>Compact PAR30 Long Neck - Dimming (Concave Cover)</b>																
PAR30 MED	12	65139	LED12DP3LS830/20	120	6	4.75	750	5100	3000	84	22.8	25,000	\$1.45	★	Accent, 20° Beam, Silver	
		65140	LED12DP3LS830/35	120	6	4.75	750	2050	3000	84	22.8	25,000	\$1.45	★	Accent, 35° Beam, Silver	
		65141	LED12DP3LS827/20	120	6	4.75	740	5000	2700	83	22.8	25,000	\$1.45	★	Accent, 20° Beam, Silver	
		65142	LED12DP3LS827/35	120	6	4.75	740	2000	2700	83	22.8	25,000	\$1.45	★	Accent, 35° Beam, Silver	
		65134	LED12DP3LS/FL/TP	120	3	3.75	740	2000	2700	83	22.8	25,000	\$1.45	★	Accent, 35° Beam, Silver	
<b>Compact PAR30 Long Neck - Dimming (Convex Cover)</b>																
PAR30 MED	10	61924	LED10DP3LS830/20	120	6	4.75	500	3720	3000	80	45.7	50,000	\$1.20	★	Accent, 20° Beam, Silver	
		61925	LED10DP3LS827/20	120	6	4.75	450	3450	2700	80	45.7	50,000	\$1.20	★	Accent, 20° Beam, Silver	
		68014	LED10DP3LS827/35	120	6	4.75	450	1240	2700	80	22.8	25,000	\$1.20	★	Accent, 35° Beam, Silver	
		63027	LED10DP3L/FL/TP	120	3	4.75	450	1240	2700	80	22.8	25,000	\$1.20	★	Accent, 35° Beam, Silver	
<b>Compact PAR30 - Non-Dimming (Convex Cover)</b>																
PAR30 MED	10	75376	LED10DP30/NFL/TP	120	3	3.75	340	1400	3000	82	27.4	30,000	\$1.20		Accent, 24° Beam, Silver	
		75613	LED10DP30S830/24	120	6	3.75	340	1400	3000	82	27.4	30,000	\$1.20		Accent, 24° Beam, Silver	
		76144	LED10DP30S827/24	120	6	3.75	320	1300	2700	82	27.4	30,000	\$1.20		Accent, 24° Beam, Silver	
<b>Compact PAR30 Long Neck - Non-Dimming (Convex Cover)</b>																
PAR30L MED	10	75377	LED10DP30L/NFL/TP	120	3	4.75	340	1400	3000	82	27.4	30,000	\$1.20		Accent, 24° Beam, Silver	
		76145	LED10DP30LS827/24	120	6	4.75	320	1300	2700	82	27.4	30,000	\$1.20		Accent, 24° Beam, Silver	
<b>Retail Display Compact PAR30 Long Neck - Non-Dimming (High CRI - Low Glare - Visual Comfort Lens™)</b>																
PAR30L MED	12	66050	LED12P3LS930/25	120	6	4.75	660	3000	3000	92	22.8	25,000	\$1.45	★	Narrow Flood, 25° Beam, Silver	
		66051	LED12P3LS930/40	120	6	4.75	660	950	3000	92	22.8	25,000	\$1.45	★	Flood, 40° Beam, Silver	
		66052	LED12P3LS927/25	120	6	4.75	630	3000	2700	92	22.8	25,000	\$1.45	★	Narrow Flood, 25° Beam, Silver	
		66053	LED12P3LS927/40	120	6	4.75	630	900	2700	92	22.8	25,000	\$1.45	★	Flood, 40° Beam, Silver	

For additional product and application information, please consult GE's website: [gelighting.com/ThinkLED](http://gelighting.com/ThinkLED)

\* The life rating is based on the hours of operation the lamp will provide before reaching 70% of its original lumen rating (L70)

\*\* Minimum order quantity = 6

★ ENERGY STAR® qualified

^ Estimated energy cost per year based on \$0.11 per kWh energy rate and 3 operating hours per day

Note: Product descriptions ending in "TP" indicate a card blister or clamshell package nested in a tray for shelf display.

Cards also designed for hook display.





ecomagination<sup>SM</sup>



Product is compliant with material restriction requirements of RoHS

Information provided is subject to change without notice. Please verify all details with GE. All values are design or typical values when measured under laboratory conditions, and GE makes no warranty or guarantee, express or implied, that such performance will be obtained under end-use conditions.

energy smart<sup>®</sup> is a registered trademark of GE  
ENERGY STAR<sup>®</sup> and the ENERGY STAR<sup>®</sup> logo are registered U.S. marks  
© 2012 GE 76221 12/06/2012 Printed in USA