

## LED 12-watt and 20-watt dimmable indoor/outdoor PAR 38 lamps

| Code  | Description      | Code  | Description      |
|-------|------------------|-------|------------------|
| 64827 | LED20DP38S830/15 | 66111 | LED12DP38S830/12 |
| 64391 | LED20DP38S830/25 | 66112 | LED12DP38S830/25 |
| 64392 | LED20DP38S830/40 | 66113 | LED12DP38S830/35 |
| 64828 | LED20DP38S827/15 | 66114 | LED12DP38S827/12 |
| 64829 | LED20DP38S827/25 | 66115 | LED12DP38S827/25 |
| 64830 | LED20DP38S827/40 | 66116 | LED12DP38S827/35 |
| 65847 | LED20DP38/FL/TP  | 66529 | LED12DP38/FL/TP  |
| 66326 | LED20DP38S840/15 | 68012 | LED12DP38FL/TP-S |
| 66327 | LED20DP38S840/25 |       |                  |
| 66328 | LED20DP38S840/40 |       |                  |

See testing notes.

| Input Voltage (VAC) | Brand   | Model         | Feature      | Power Rating (W) | Number of Lamps |      |      |      |      |
|---------------------|---------|---------------|--------------|------------------|-----------------|------|------|------|------|
|                     |         |               |              |                  | 1               | 2    | 3    | 4    | 5    |
| 120                 | Lutron  | S-10PR-WH     | Slide        | 1000             | Pass            | Pass | Pass | Pass | Pass |
|                     |         | D-600PH-DK    | Rotary       | 600              | Pass            | Pass | Pass | Pass | Pass |
|                     |         | Listed 6B38   | Lever Switch | 600              | Pass            | Pass | Pass | Pass | Pass |
|                     |         | S-600PR-LA    | Slide        | 600              | Add Lamp        | Pass | Pass | Pass | Pass |
|                     | Leviton | No.IPI10-1LM  | Slide        | 1000             | Pass            | Pass | Pass | Pass | Pass |
|                     |         | # 6681        | Rotary       | 600              | Pass            | Pass | Pass | Pass | Pass |
|                     | Ace     | SKU # 3247913 | Rotary       | 600              | Pass            | Pass | Pass | Pass | Pass |

For additional product and application information, visit [www.gelighting.com/ThinkLED](http://www.gelighting.com/ThinkLED)

Information provided is subject to change without notice. Please verify all details with GE. All values are design or typical values when measured under laboratory conditions, and GE makes no warranty or guarantee, expressed or implied, that such performance will be obtained under end-use conditions.