

Compatible Dimmers for Cree® LED bulbs

Cree® LED bulbs are designed to be dimmed with standard incandescent type dimmers. They are also compatible with most Magnetic Low Voltage (MLV) and Electronic Low Voltage (ELV) dimmers. This list was generated from lab testing of samples and your results could vary.*



| Company Name | Series | Part Number | Load Type | Phase Cut Edge | Dial Control | Rating (W) | bulbs per dimmer | |
|--------------|---------------|-------------|------------------|----------------|--------------|------------|------------------|-----|
| | | | | | | | min | max |
| Cooper | Architectural | RAI10 | Incandescent | Leading | Rotary | 1000 | 2 | 19 |
| Cooper | Aspire® | 9530WS | Incandescent/MLV | Leading | Slide | 600 | 1 | 8 |
| Cooper | Aspire® | 9532WS | Incandescent/MLV | Leading | Slide | 1000 | 1 | 19 |
| Cooper | Aspire® | 9534WS | Incandescent/MLV | Leading | Slide | 600 | 1 | 8 |
| Cooper | Aspire® | 9540WS | Incandescent/MLV | Leading | Slide | 1000 | 1 | 19 |
| Cooper | Devine® | DI06P-W | Incandescent/MLV | Leading | Slide | 600 | 1 | 8 |
| Cooper | Devine® | DI10P | Incandescent/MLV | Leading | Slide | 1000 | 1 | 19 |
| Cooper | React® | RI101 | Incandescent | Leading | Rotary | 1000 | 1 | 19 |
| Cooper | Skye® | SI061-W | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Cooper | Skye® | SI06P | Incandescent/MLV | Leading | Slide | 600 | 1 | 8 |
| Cooper | Skye® | SI10P | Incandescent/MLV | Leading | Slide | 1000 | 1 | 19 |
| Cooper | Skye® | SLC03P | LED/CFL/INC | Leading | Slide | 600 | 1 | 8 |
| Cooper | Trace® | TI061-W | Incandescent | Leading | Toggle | 600 | 1 | 8 |
| Leviton | Acenti® | ACE06 | ELV | Trailing | Button | 600 | 1 | 15 |
| Leviton | Acenti® | ATI06-1L | Incandescent | Leading | Button | 600 | 1 | 8 |
| Leviton | Decora® | 6631-L | Incandescent | Leading | Slide | 600 | 2 | 8 |
| Leviton | Illumatech® | IPE04 | ELV | Trailing | Slide | 300 | 1 | 7 |
| Leviton | Illumatech® | IPI06 | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Leviton | Illumatech® | IPI10 | Incandescent | Leading | Slide | 1000 | 1 | 19 |
| Leviton | Illumatech® | IPL06 | LED/CFL/INC | Leading | Slide | 600 | 1 | 8 |
| Leviton | Illumatech® | IPM10 | MLV | Leading | Slide | 750 | 1 | 10 |
| Leviton | Intellisense® | HCM06-IDW | Incandescent/MLV | Leading | Rocker | 600 | 1 | 8 |
| Leviton | Mural® | MDE03-1LW | ELV | Trailing | Rocker | 350 | 1 | 8 |
| Leviton | Specialty® | 6161 | Incandescent | Leading | Slide | 500 | 3 | 6 |
| Leviton | Specialty® | TBL03 | LED/CFL/INC | Leading | Slide | 300 | 1 | 3 |
| Leviton | SureSlide® | 6613 | MLV | Leading | Slide | 450 | 1 | 6 |

Cree LED bulbs are different. Cree LED bulbs look and light like an incandescent and are priced affordably.

www.creebulb.com



Dimmer compatibility list continued on page 2.

ELV Electronic Low Voltage (transformer)
 CFL/LED Compact Fluorescent Lamp/Light Emitting Diode
 MLV Magnetic Low Voltage (transformer)
 Incandescent Incandescent or halogen lamp
 Fluorescent Fluorescent lamp

The Biggest Thing Since the Light Bulb.™

Compatible Dimmers for Cree® LED bulbs (cont.)

| Company Name | Series | Part Number | Load Type | Phase Cut Edge | Dial Control | Rating (W) | bulbs per dimmer | |
|--------------|------------------|-------------|--------------|----------------|--------------|------------|------------------|-----|
| | | | | | | | min | max |
| Leviton | SureSlide® | 6615 | ELV | Trailing | Slide | 300 | 1 | 7 |
| Leviton | SureSlide® | 6633 | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Leviton | SureSlide® | 6674 | LED/CFL/INC | Leading | Slide | 600 | 1 | 8 |
| Leviton | SureSlide® | 6631-LW | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Leviton | SureSlide® | 6673-P | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Leviton | Trimatron® | 6681 | Incandescent | Leading | Rotary | 600 | 1 | 8 |
| Leviton | Trimatron® | 6684 | Incandescent | Leading | Rotary | 600 | 1 | 8 |
| Leviton | True Touch® | 6606 | Incandescent | Leading | Rotary | 600 | 1 | 8 |
| Leviton | Vizia® | VPE04 | ELV | Trailing | Button | 400 | 1 | 10 |
| Leviton | Vizia® | VPE06 | ELV | Trailing | Button | 600 | 1 | 15 |
| Leviton | Vizia® | VPI06 | Incandescent | Leading | Button | 600 | 1 | 8 |
| Leviton | | 6641 | Incandescent | Leading | Button | 600 | 1 | 8 |
| Leviton | | ISPD6 | LED/CFL/INC | Leading | Button | 600 | 1 | 8 |
| Lutron | Abella® | AB-600M | Incandescent | Leading | Slide | 600 | 3 | 8 |
| Lutron | Ariadni® | AY-600P | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Lutron | Caseta Wireless® | PD-3PCL | LED/CFL/INC | Leading | Button | 300 | 1 | 5 |
| Lutron | Caseta Wireless® | PD-6WCL | CFL/LED | Leading | Button | 600 | 1 | 8 |
| Lutron | Ceana® | CN-600P | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Lutron | Ceana® | CNLV-600P | MLV | Leading | Slide | 600 | 1 | 8 |
| Lutron | Centurion® | C-600 | Incandescent | Leading | Rotary | 600 | 1 | 8 |
| Lutron | Contour® | CT-600 | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Lutron | Contour® | CTCL-153P | CFL/LED | Leading | Slide | 600 | 1 | 8 |
| Lutron | Credenza® | TTCL-100 | CFL/LED | Leading | Slide | 250 | 1 | 2 |
| Lutron | Dalia® | DL-603 | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Lutron | Diva® | DV-10P | Incandescent | Leading | Slide | 1000 | 1 | 19 |
| Lutron | Diva® | DV-600P | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Lutron | Diva® | DV-603PG | Incandescent | Leading | Slide | 600 | 1 | 8 |

Dimmer compatibility list continued on page 3.

| | |
|--------------|---|
| ELV | Electronic Low Voltage (transformer) |
| CFL/LED | Compact Fluorescent Lamp/Light Emitting Diode |
| MLV | Magnetic Low Voltage (transformer) |
| Incandescent | Incandescent or halogen lamp |
| Fluorescent | Fluorescent lamp |

The Biggest Thing Since the Light Bulb.™



866.924.3645

www.cree.com

5/15/15

Compatible Dimmers for Cree® LED bulbs (cont.)

| Company Name | Series | Part Number | Load Type | Phase Cut Edge | Dial Control | Rating (W) | bulbs per dimmer | |
|--------------|-------------------|-------------|--------------|----------------|--------------|------------|------------------|-----|
| | | | | | | | min | max |
| Lutron | Diva | DVCL-153P | CFL/LED | Leading | Slide | 600 | 1 | 8 |
| Lutron | Diva® | DVELV-300P | ELV | Trailing | Slide | 300 | 1 | 7 |
| Lutron | Diva® | DVF-103P | Fluorescent | Leading | Slide | 1000 | 1 | 19 |
| Lutron | Diva® | DVLV-600P | MLV | Leading | Slide | 450 | 1 | 6 |
| Lutron | Diva® | DVWCL-153PH | C.L | Leading | Slide | 600 | 1 | 8 |
| Lutron | Faetra® | FAELV-500 | ELV | Trailing | Rocker | 500 | 1 | 12 |
| Lutron | Glyder® | GL-600 | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Lutron | Lumea® | LG-603P | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Lutron | Lumea® | LGCL-153P | CFL/LED | Leading | Slide | 600 | 1 | 8 |
| Lutron | Lyneo® | LX-10PL | Incandescent | Leading | Slide | 1000 | 1 | 13 |
| Lutron | Lyneo® | LX-600P | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Lutron | Maestro® | MA-1000 | Incandescent | Leading | Button | 1000 | 2 | 19 |
| Lutron | Maestro® | MACL-153M | CFL/LED | Leading | Button | 600 | 1 | 8 |
| Lutron | Maestro® | MALV-600** | MLV | Leading | Rocker | 600 | 2 | 8 |
| Lutron | Maestro® | MAW-600 | Incandescent | Leading | Button | 600 | 2 | 8 |
| Lutron | Maestro® | MAW-603 | Incandescent | Leading | Rocker | 600 | 1 | 8 |
| Lutron | Maestro® | MAW-R | Incandescent | Leading | Rocker | 600 | 2 | 8 |
| Lutron | Maestro® | MALV-1000 | MLV | Leading | Rocker | 800 | 2 | 15 |
| Lutron | Maestro® | MALV-1000 | MLV | Leading | Button | 1000 | 1 | 19 |
| Lutron | Maestro Sensor® | MSCL-OP153M | CFL/LED | Leading | Button | 600 | 1 | 8 |
| Lutron | Maestro Sensor® | MSCL-VP153M | CFL/LED | Leading | Button | 600 | 1 | 8 |
| Lutron | Maestro Wireless® | MRF2-6CL | LED/CFL/INC | Leading | Button | 600 | 1 | 8 |
| Lutron | Maestro Wireless® | MRF2-6ND | MLV | Leading | Button | 600 | 1 | 8 |
| Lutron | Nova® | N-600 | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Lutron | Nova® | NLV-1503P | MLV | Leading | Slide | 1200 | 1 | 30 |
| Lutron | Nova® | NLV-1503P | Incandescent | Leading | Slide | 1200 | 1 | 25 |
| Lutron | Nova T® | NT-603P | Incandescent | Leading | Slide | 600 | 1 | 8 |

**Dimmer not compatible with Cree 65W replacement BR30 LED bulb

ELV Electronic Low Voltage (transformer)
 CFL/LED Compact Fluorescent Lamp/Light Emitting Diode
 MLV Magnetic Low Voltage (transformer)
 Incandescent Incandescent or halogen lamp
 Fluorescent Fluorescent lamp

The Biggest Thing Since the Light Bulb.™



866.924.3645
 www.cree.com
 5/15/15

Compatible Dimmers for Cree® LED bulbs (cont.)

| Company Name | Series | Part Number | Load Type | Phase Cut Edge | Dial Control | Rating (W) | bulbs per dimmer | |
|----------------|------------|-------------|-------------------|----------------|--------------|------------|------------------|-----|
| | | | | | | | min | max |
| Lutron | Nova T® | NTB-600 | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Lutron | Nova T® | NTELV-600 | ELV | Trailing | Slide | 600 | 1 | 15 |
| Lutron | RadioRA 2® | RA-6ND | Incandescent/MLV | Leading | Button | 600 | 1 | 15 |
| Lutron | RadioRA 2® | RRD-10ND | Incandescent/MLV | Leading | Button | 1000 | 1 | 19 |
| Lutron | RadioRA 2® | RRD-6NA | ELV | Trailing | Button | 600 | 1 | 15 |
| Lutron | Rotary® | D-600 | Incandescent | Leading | Rotary | 600 | 1 | 8 |
| Lutron | Skylark® | S-10P | Incandescent | Leading | Slide | 1000 | 1 | 19 |
| Lutron | Skylark® | S2-L | Incandescent Dual | Leading | Slide | 300 | 1 | 3 |
| Lutron | Skylark® | S-600P | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Lutron | Skylark® | SCL-153P | C.L | Leading | Slide | 600 | 1 | 8 |
| Lutron | Skylark® | SELV-300P | ELV | Trailing | Slide | 300 | 1 | 7 |
| Lutron | Skylark® | SLV-600P | Incandescent/MLV | Leading | Slide | 600 | 1 | 8 |
| Lutron | Toggler® | TG-600P | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Lutron | Toggler® | TG-603 | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Lutron | Toggler® | TGCL-153P | CFL/LED | Leading | Slide | 600 | 1 | 8 |
| Pass & Seymour | Decorator® | LS600 | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Pass & Seymour | WideSlide® | 90680-W | Incandescent | Leading | Slide | 600 | 1 | 8 |
| Wattstopper | Miro® | MCD267-W | Incandescent | Leading | Button | 600 | 1 | 8 |

*The presence of a dimmer on this chart is not a guarantee or warranty of the compatibility of the LED bulb in any particular installation. Absence of a dimmer from this chart does not imply incompatibility. Please reference the dimmer manufacturer's instructions for installation and further information.

©2015 Cree, Inc. All rights reserved. For informational purposes only. Not a warranty or specification. Subject to change without notice. See creebulb.com for warranty. Cree® is a registered trademark, and the Cree logo and The Biggest Thing Since the Light Bulb™ are trademarks of Cree, Inc.

ELV Electronic Low Voltage (transformer)
 CFL/LED Compact Fluorescent Lamp/Light Emitting Diode
 MLV Magnetic Low Voltage (transformer)
 Incandescent Incandescent or halogen lamp
 Fluorescent Fluorescent lamp

The Biggest Thing Since the Light Bulb.™



866.924.3645
 www.cree.com

5/15/15