



MSD

MSD 200W 1CT

These single ended, compact lamps enable optimal light collection and accurate beam control, while they also provide true daylight color temperatures – all to create great stage brightness and vivid entertainment. And since they offer long lifetime usage they help minimize the cost of ownership via fewer lamp replacements and fewer maintenance man hour costs.

Product data

• General Characteristics

System Description	-
Cap-Base	GY9.5
Cap-Base Information	-
Operating Position	any
Main Application	Studio/Disco
Life to 50% failures EM	2000 hr

• Light Technical Characteristics

Color Code	-
Color Rendering Index	80 Ra8
Color Temperature	6000 K
Color Temperature Technical	5990 K
Chromaticity Coordinate X	323 -
Chromaticity Coordinate Y	328 -
Luminous Flux Lamp EM	11500 (min), 13500 (nom) Lm
Luminous Efficacy Lamp EM	67 Lm/W

• Electrical Characteristics

Watts	200 W
Lamp Wattage Technical	200 W

Lamp Current	3.4 A
Ignition Supply Voltage	207 (min) V
Dimmable	No

• Luminaire Design Requirements

Pinch Temperature	350 (max) C
Bulb Temperature	500 (max) C

• Product Dimensions

Overall Length C	108 (max) mm
Diameter D	23 (max) mm
Width F	27 (min), 28 (nom), 29 (max) mm
Light Center Length L	54 (min), 55 (nom), 56 (max) mm
Arc Length O	5 mm

• Product Data


Product number	245118
Full product name	MSD 200W 1CT
Short product name	MSD 200 1CT/40
Pieces per Sku	1
eop_pck_cfg	40
Skus/Case	40
Bar code on pack	8727900914702
Bar code on case	8727900914719
Logistics code(s)	928097205114
eop_net_weight_pp	0.030 kg



PHILIPS


sense and simplicity

Dimensional drawing




MSD 200(/2), MSD 250(/2)

Product	C (Max)	D (Max)	F (Min)	F (Norm)	F (Max)	L (Min)	L (Norm)	L (Max)	O (Norm)	O (Max)	T (Max)
MSD 200	108	23	27	28	29	54	55	56	5	-	-



Photometric data



© 2012 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2012, April 13
data subject to change