



GREENCREATIVE

Bringing You the Latest in LED Technology



2015 SPRING PRODUCT CATALOG



GREENCREATIVE

GREEN CREATIVE is a 5-year-old solid state lighting development and manufacturing company based in Silicon Valley, CA. The company offers a comprehensive line of high-performance LED lighting solutions which has been widely adopted by some of the largest companies in the world.



Bringing you the latest in LED technology


Anchored by strong integrated R&D capabilities, GREEN CREATIVE innovation, performance and reliability have been recognized year after year by the Illuminating Engineering Society Progress Report and the LEDs Magazine Sapphire Awards.




A complete line with national distribution

GREEN CREATIVE's full product line of ENERGY STAR, DLC and CEC certified indoor retrofit and new construction lighting solutions serves the Retail, Hospitality, Food & Beverage, Office and Education industries through multiple distribution centers and sales networks across the USA.

GREEN CREATIVE FULL PRODUCT FAMILY



PAR LINE TITANIUM LED SERIES



SPECIFICATIONS*

| | Model | Product | CCT | Lumens (lm) | Equiv. | LPW | Beam Angle | CBCP (cd) | CRI (typ.) | Dim | Life (hrs) | Voltage | Encl. | |
|--|---------------------------|---------|-------|-------------|--------|-----|------------|-----------|------------|-----|------------|----------|-------|------|
| | 18.5PAR38G4DIM/927SP15 | 16147 | 2700K | 950 | 100W | 51 | 15° | 10,500 | 90 | Yes | 40,000 | 120V | Yes | June |
| | 18.5PAR38G4DIM/927NF25 | 16148 | 2700K | 950 | 120W | 51 | 25° | 5390 | 90 | Yes | 40,000 | 120V | Yes | June |
| | 17PAR38G4DIM/927FL40 | 16149 | 2700K | 1105 | 120W | 65 | 40° | 2400 | 90 | Yes | 40,000 | 120V | Yes | June |
| | 18.5PAR38G4DIM/930SP15 • | 16150 | 3000K | 1000 | 100W | 54 | 15° | 11,000 | 90 | Yes | 40,000 | 120V | Yes | June |
| | 18.5PAR38G4DIM/930NF25 • | 16151 | 3000K | 1000 | 120W | 54 | 25° | 5400 | 90 | Yes | 40,000 | 120V | Yes | June |
| | 17PAR38G4DIM/930FL40 • | 16152 | 3000K | 1150 | 120W | 68 | 40° | 2500 | 90 | Yes | 40,000 | 120V | Yes | June |
| | 17PAR38G4DIM/940FL40 | 16155 | 4000K | 1200 | 120W | 71 | 40° | 2650 | 90 | Yes | 40,000 | 120V | Yes | June |
| | 17PAR38G4/930FL40/277V | 16161 | 3000K | 1150 | 120W | 68 | 40° | 2500 | 90 | No | 40,000 | 120-277V | Yes | June |
| | 17PAR38G4/940FL40/277V | 16164 | 4000K | 1200 | 120W | 71 | 40° | 2650 | 90 | No | 40,000 | 120-277V | Yes | June |
| | 17PAR38G4DIM/927FL40/GU24 | 16303 | 2700K | 1105 | 120W | 65 | 40° | 2400 | 90 | Yes | 40,000 | 120V | Yes | June |
| | 17PAR38G4DIM/930FL40/GU24 | 16306 | 3000K | 1150 | 120W | 68 | 40° | 2500 | 90 | Yes | 40,000 | 120V | Yes | June |
| | 14.5PAR30G4DIM/927SP15 | 16111 | 2700K | 725 | 75W | 50 | 15° | 6155 | 90 | Yes | 40,000 | 120V | Yes | June |
| | 12.5PAR30G4DIM/927NF25 | 16112 | 2700K | 815 | 75W | 65 | 25° | 3350 | 90 | Yes | 40,000 | 120V | Yes | June |
| | 12.5PAR30G4DIM/927FL40 | 16113 | 2700K | 815 | 75W | 65 | 40° | 1750 | 90 | Yes | 40,000 | 120V | Yes | June |
| | 14.5 PAR30G4DIM/930SP15 • | 16114 | 3000K | 760 | 75W | 52 | 15° | 6250 | 90 | Yes | 40,000 | 120V | Yes | June |
| | 12.5PAR30G4DIM/930NF25 • | 16115 | 3000K | 850 | 75W | 68 | 25° | 3600 | 90 | Yes | 40,000 | 120V | Yes | June |
| | 12.5PAR30G4DIM/930FL40 • | 16116 | 3000K | 850 | 75W | 68 | 40° | 1850 | 90 | Yes | 40,000 | 120V | Yes | June |
| | 12.5PAR30G4DIM/940FL40 | 16119 | 4000K | 900 | 75W | 72 | 40° | 2050 | 90 | Yes | 40,000 | 120V | Yes | June |

* Specification data is preliminary and may be subject to change

** All PAR models are suitable for use in wet locations

• For Black versions, add /B to the model number (Ex. 12.5PAR30G4DIM/930/NF25/B)