



GREENCREATIVE

Bringing You the Latest in LED Technology




2015 SPRING PRODUCT CATALOG



GREENCREATIVE

GREEN CREATIVE is a 5-year-old solid state lighting development and manufacturing company based in Silicon Valley, CA. The company offers a comprehensive line of high-performance LED lighting solutions which has been widely adopted by some of the largest companies in the world.



Bringing you the latest in LED technology


Anchored by strong integrated R&D capabilities, GREEN CREATIVE innovation, performance and reliability have been recognized year after year by the Illuminating Engineering Society Progress Report and the LEDs Magazine Sapphire Awards.



A complete line with national distribution

GREEN CREATIVE's full product line of ENERGY STAR, DLC and CEC certified indoor retrofit and new construction lighting solutions serves the Retail, Hospitality, Food & Beverage, Office and Education industries through multiple distribution centers and sales networks across the USA.

GREEN CREATIVE FULL PRODUCT FAMILY






High CRI Version Available in E26 and GU24 Bases



Omnidirectional Lighting



A19 9W - CRI & CA Quality Specification



- ⌚ Omnidirectional: 300° beam angle
- ⌚ 40% more energy savings than CFL
- ⌚ Natural A-lamp shape fits all applications
- ⌚ Comfortable warm diffused light

SPECIFICATIONS

| Model | Product | CCT | Lumens (lm) | Equiv. | LPW | Beam Angle | CBCP (cd) | CRI (typ.) | Dim | Life (hrs) | Voltage | Encl. | Energy Star |
|-------------------------------|------------------|-------|-------------|--------|------|------------|-----------|------------|-----|------------|---------|-------|-------------|
| A21 17W | 17A21G4DIM/827 | 16179 | 2700K | 1600 | 100W | 94 | 330° | N.A. | 80 | Yes | 25,000 | 120V | Yes ✓ |
| | 17A21G4DIM/830 | 16180 | 3000K | 1650 | 100W | 97 | 330° | N.A. | 80 | Yes | 25,000 | 120V | Yes ✓ |
| | 17A21G4DIM/840 | 16181 | 4000K | 1700 | 100W | 100 | 330° | N.A. | 80 | Yes | 25,000 | 120V | Yes ✓ |
| A21 3-WAY 5.5/10.5/17W | 17A21G4/827/3WAY | 16335 | 2700K | 500 | 40W | 91 | 330° | N.A. | 80 | No | 25,000 | 120V | No Aug. |
| | | | | 1000 | 75W | 95 | 330° | N.A. | 80 | No | 25,000 | 120V | No Aug. |
| A19 12W | 12A19G4DIM/827 | 16175 | 2700K | 1100 | 75W | 92 | 330° | N.A. | 80 | Yes | 25,000 | 120V | Yes ✓ |
| | 12A19G4DIM/830 | 16176 | 3000K | 1150 | 75W | 96 | 330° | N.A. | 80 | Yes | 25,000 | 120V | Yes ✓ |
| | 12A19G4DIM/840 | 16177 | 4000K | 1180 | 75W | 98 | 330° | N.A. | 80 | Yes | 25,000 | 120V | Yes ✓ |
| A19 9W | 9A19G4DIM/824 | 40741 | 2400K | 700 | 60W | 78 | 300° | N.A. | 80 | Yes | 25,000 | 120V | No N.A. |
| | 9A19G4DIM/827 | 40742 | 2700K | 800 | 60W | 89 | 300° | N.A. | 80 | Yes | 25,000 | 120V | No ✓ |
| | 9A19G4DIM/830 | 40743 | 3000K | 800 | 60W | 89 | 300° | N.A. | 80 | Yes | 25,000 | 120V | No ✓ |
| | 9A19G4DIM/840 | 40744 | 4000K | 850 | 60W | 94 | 300° | N.A. | 80 | Yes | 25,000 | 120V | No ✓ |
| A19 9W | 9A19G4DIM/927 | 40746 | 2700K | 800 | 60W | 89 | 300° | N.A. | 92 | Yes | 25,000 | 120V | No ✓ |

SPECIFICATIONS

| Model | Product | CCT | Lumens (lm) | Equiv. | LPW | Beam Angle | CBCP (cd) | CRI (typ.) | Dim | Life (hrs) | Voltage | Encl. | Energy Star |
|----------------------|----------------------|-------|-------------|--------|-----|------------|-----------|------------|-----|------------|---------|----------|-------------|
| A19 9W 277V | 9A19G4/827/277V | 40750 | 2700K | 800 | 60W | 89 | 300° | N.A. | 80 | No | 25,000 | 120-277V | No ✓ |
| | 9A19G4/830/277V | 40751 | 3000K | 800 | 60W | 89 | 300° | N.A. | 80 | No | 25,000 | 120-277V | No ✓ |
| | 9A19G4/840/277V | 40752 | 4000K | 850 | 60W | 94 | 300° | N.A. | 80 | No | 25,000 | 120-277V | No ✓ |
| A19 9.5W GU24 | 9.5A19G4DIM/827/GU24 | 40735 | 2700K | 800 | 13W | 84 | 300° | N.A. | 80 | Yes | 25,000 | 120V | Yes ✓ |
| | 9.5A19G4DIM/830/GU24 | 40736 | 3000K | 800 | 13W | 84 | 300° | N.A. | 80 | Yes | 25,000 | 120V | Yes ✓ |
| | 9.5A19G4DIM/840/GU24 | 40737 | 4000K | 850 | 13W | 89 | 300° | N.A. | 80 | Yes | 25,000 | 120V | Yes ✓ |
| A19 11W GU24 | 11A19G4DIM/927/GU24 | 40739 | 2700K | 800 | 13W | 73 | 300° | N.A. | 80 | Yes | 25,000 | 120V | No ✓ |
| A19 8.5W | 8.5A19G4/827 | 40745 | 2700K | 800 | 60W | 94 | 220° | N.A. | 80 | No | 25,000 | 120V | Yes N.A. |
| A19 6.5W | 6.5A19G4DIM/827 | 40732 | 2700K | 470 | 40W | 72 | 300° | N.A. | 80 | Yes | 25,000 | 120V | Yes ✓ |
| | 6.5A19G4DIM/830 | 40733 | 3000K | 480 | 40W | 74 | 300° | N.A. | 80 | Yes | 25,000 | 120V | Yes ✓ |