

| Base                        | Lamp Type | Replaces | Base Type                   | Pin #   | Installation   | GREEN CREATIVE Model | Product | CFL CROSS REFERENCE  |  |  |
|-----------------------------|-----------|----------|-----------------------------|---------|--|----------------------|---------|--|--|--|
|                             |           |          |                             |         |  |                      |         | Philips  | GE   | Sylvania   |
| <b>PLC LINE</b>             |           |          |                             |         |  |                      |         |  |  |  |
|                             | PLC       | 13W      | E26                         | -       | Bypass   | 6PLH/830/BYP/E26     | 57925   | E26 downlight & sconce applications  | E26 downlight & sconce applications  | E26 downlight & sconce applications  |
|                             | PLC       | 13W      | E26                         | -       | Bypass   | 6PLH/835/BYP/E26     | 57926   | E26 downlight & sconce applications  | E26 downlight & sconce applications  | E26 downlight & sconce applications  |
|                             | PLC       | 13W      | E26                         | -       | Bypass   | 6PLH/840/BYP/E26     | 57927   | E26 downlight & sconce applications  | E26 downlight & sconce applications  | E26 downlight & sconce applications  |
|                             | PLC       | 13W      | GU24                        | -       | Bypass   | 6PLH/830/BYP/GU24    | 57928   | GU24 downlight & sconce applications   | GU24 downlight & sconce applications   | GU24 downlight & sconce applications   |
|                             | PLC       | 13W      | GU24                        | -       | Bypass   | 6PLH/835/BYP/GU24    | 57929   | GU24 downlight & sconce applications   | GU24 downlight & sconce applications   | GU24 downlight & sconce applications   |
|                             | PLC       | 13W      | GU24                        | -       | Bypass   | 6PLH/840/BYP/GU24    | 57930   | GU24 downlight & sconce applications   | GU24 downlight & sconce applications   | GU24 downlight & sconce applications   |
| <br>Horizontal Installation | PLC       | 13-18W   | G24q, GX24q                 | 4-pin   | Direct<br>Electronic Ballast                             | 5.5PLH/827/DIR       | 57895   | PL-C 13W/827/4P/Alto<br>PL-T 13W/827/X/4P/Alto<br>PL-C 18W/827/4P/Alto<br>PL-T 18W/827/X/4P/Alto   | F13DBX/827/ECO4P<br>F13TBX/827/4P/ECO<br>F13TBX/827/A/ECO<br>F18DBX/827/ECO4P<br>F18TBX/827/4P/ECO   | CF13DD/E/827<br>CF13DT/E/827<br>CF18DD/E/827<br>CF18DT/E/827   |
|                             | PLC       | 13-18W   | G24q, GX24q                 | 4-pin   | Direct<br>Electronic Ballast                             | 5.5PLH/830/DIR       | 57896   | PL-C 13W/830/4P/Alto<br>PL-C 18W/830/4P/Alto<br>PL-T 18W/830/4P/Alto   | F13DBX/830/ECO4P<br>F13TBX/830/A/ECO<br>F18DBX/830/ECO4P<br>F18TBX/830/A/ECO   | CF13DD/E/830<br>CF18DD/E/830<br>CF18DT/E/IN/830  |
|                             | PLC       | 13-18W   | G24q, GX24q                 | 4-pin   | Direct<br>Electronic Ballast                             | 5.5PLH/835/DIR       | 57897   | PL-C 13W/835/4P/Alto<br>PL-C 18W/835/4P/Alto<br>PL-T 18W/835/4P/Alto   | F13DBX/835/ECO4P<br>F13TBX/835/A/ECO<br>F18DBX/835/ECO4P<br>F18TBX/835/A/ECO   | CF13DD/E/835<br>CF18DD/E/835<br>CF18DT/E/IN/835  |
|                             | PLC       | 13-18W   | G24q, GX24q                 | 4-pin   | Direct<br>Electronic Ballast                             | 5.5PLH/840/DIR       | 57898   | PL-C 13W/841/4P/Alto<br>PL-C 18W/841/4P/Alto<br>PL-T 18W/841/4P/Alto   | F13DBX/841/ECO4P<br>F13TBX/841/A/ECO<br>F18DBX/841/ECO4P<br>F18TBX/841/A/ECO   | CF13DD/E/841<br>CF18DD/E/841<br>CF18DT/E/IN/841  |
| <br>Vertical Installation   | PLC       | 13-18W   | G24q, GX24q                 | 4-pin   | Direct<br>Electronic Ballast                             | 6.5PLV/827/DIR       | 57910   | PL-C 13W/827/4P/Alto<br>PL-T 13W/827/X/4P/Alto<br>PL-C 18W/827/4P/Alto<br>PL-T 18W/827/X/4P/Alto   | F13DBX/827/ECO4P<br>F13TBX/827/4P/ECO<br>F13TBX/827/A/ECO<br>F18DBX/827/ECO4P<br>F18TBX/827/4P/ECO   | CF13DD/E/827<br>CF13DT/E/827<br>CF18DD/E/827<br>CF18DT/E/827   |
|                             | PLC       | 13-18W   | G24q, GX24q                 | 4-pin   | Direct<br>Electronic Ballast                             | 6.5PLV/830/DIR       | 57911   | PL-C 13W/830/4P/Alto<br>PL-C 18W/830/4P/Alto<br>PL-T 18W/830/4P/Alto   | F13DBX/830/ECO4P<br>F13TBX/830/A/ECO<br>F18DBX/830/ECO4P<br>F18TBX/830/A/ECO   | CF13DD/E/830<br>CF18DD/E/830<br>CF18DT/E/IN/830  |
|                             | PLC       | 13-18W   | G24q, GX24q                 | 4-pin   | Direct<br>Electronic Ballast                             | 6.5PLV/835/DIR       | 57912   | PL-C 13W/835/4P/Alto<br>PL-C 18W/835/4P/Alto<br>PL-T 18W/835/4P/Alto   | F13DBX/835/ECO4P<br>F13TBX/835/A/ECO<br>F18DBX/835/ECO4P<br>F18TBX/835/A/ECO   | CF13DD/E/835<br>CF18DD/E/835<br>CF18DT/E/IN/835  |
|                             | PLC       | 13-18W   | G24q, GX24q                 | 4-pin   | Direct<br>Electronic Ballast                             | 6.5PLV/840/DIR       | 57913   | PL-C 13W/841/4P/Alto<br>PL-C 18W/841/4P/Alto<br>PL-T 18W/841/4P/Alto   | F13DBX/841/ECO4P<br>F13TBX/841/A/ECO<br>F18DBX/841/ECO4P<br>F18TBX/841/A/ECO   | CF13DD/E/841<br>CF18DD/E/841<br>CF18DT/E/IN/841  |
| <br>Horizontal Installation | PLC       | 13-18W   | G24d, GX24d,<br>G24q, GX24q | 2/4-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 6PLH/827/BYP         | 57941   | <b>Direct or Bypass</b><br>PL-C 13W/827/Alto<br>PL-C 18W/827/Alto<br><b>Bypass</b><br>PL-C 13W/827/4P/Alto<br>PL-T 13W/827/X/4P/Alto<br>PL-C 18W/827/4P/Alto<br>PL-T 18W/827/X/4P/Alto | <b>Direct or Bypass</b><br>F13DBX/827/ECO<br>F18DBX/827/ECO<br><b>Bypass</b><br>F13DBX/827/ECO4P<br>F13TBX/827/4P/ECO<br>F13TBX/827/A/ECO<br>F18DBX/827/ECO4P<br>F18TBX/827/4P/ECO | <b>Direct or Bypass</b><br>CF18DD/827<br><b>Bypass</b><br>CF13DD/E/827<br>CF13DT/E/827<br>CF18DD/E/827<br>CF18DT/E/827 |
|                             | PLC       | 13-18W   | G24d, GX24d,<br>G24q, GX24q | 2/4-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 6PLH/830/BYP         | 57942   | <b>Direct or Bypass</b><br>PL-C 13W/830/Alto<br>PL-C 18W/830/Alto<br><b>Bypass</b><br>PL-C 13W/830/4P/Alto<br>PL-C 18W/830/4P/Alto<br>PL-T 18W/830/4P/Alto                             | <b>Direct or Bypass</b><br>F13DBX/830/ECO<br>F18DBX/830/ECO<br><b>Bypass</b><br>F13DBX/830/ECO4P<br>F13TBX/830/A/ECO<br>F18DBX/830/ECO4P<br>F18TBX/830/A/ECO                       | <b>Direct or Bypass</b><br>CF18DD/830<br><b>Bypass</b><br>CF13DD/E/830<br>CF18DD/E/830<br>CF18DT/E/IN/830              |
|                             | PLC       | 13-18W   | G24d, GX24d,<br>G24q, GX24q | 2/4-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 6PLH/835/BYP         | 57904   | <b>Direct or Bypass</b><br>PL-C 18W/835/Alto<br><b>Bypass</b><br>PL-C 13W/835/4P/Alto<br>PL-C 18W/835/4P/Alto<br>PL-T 18W/835/4P/Alto  | <b>Direct or Bypass</b><br>F13DBX/835/ECO<br>F18DBX/835/ECO<br><b>Bypass</b><br>F13DBX/835/ECO4P<br>F13TBX/835/A/ECO<br>F18DBX/835/ECO4P<br>F18TBX/835/A/ECO                       | <b>Direct or Bypass</b><br>CF18DD/835<br><b>Bypass</b><br>CF13DD/E/835<br>CF18DD/E/835<br>CF18DT/E/IN/835              |
|                             | PLC       | 13-18W   | G24d, GX24d,<br>G24q, GX24q | 2/4-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 6PLH/840/BYP         | 57905   | <b>Direct or Bypass</b><br>PL-C 18W/841/Alto<br><b>Bypass</b><br>PL-C 13W/835/4P/Alto<br>PL-C 18W/835/4P/Alto<br>PL-T 18W/835/4P/Alto  | <b>Direct or Bypass</b><br>F13DBX/841/ECO<br>F18DBX/841/ECO<br><b>Bypass</b><br>F13DBX/841/ECO4P<br>F13TBX/841/A/ECO<br>F18DBX/841/ECO4P<br>F18TBX/841/A/ECO                       | <b>Direct or Bypass</b><br>CF18DD/841<br><b>Bypass</b><br>CF13DD/E/841<br>CF18DD/E/841<br>CF18DT/E/IN/841              |

| Base                           | Lamp Type | Replaces | Base Type                | Pin #   | Installation  | GREEN CREATIVE Model       | Product | CFL CROSS REFERENCE  |  |   |
|--------------------------------|-----------|----------|--------------------------|---------|---|----------------------------|---------|--|--|---|
|                                |           |          |                          |         |   |                            |         | Philips  | GE   | Sylvania  |
| <b>PLC LINE</b>                |           |          |                          |         |   |                            |         |  |  |   |
| <p>Vertical Installation</p>   | PLC       | 13-18W   | G24d, GX24d, G24q, GX24q | 2/4-pin | Hybrid (Direct or Bypass)<br>Direct: Magnetic Ballast | 7PLV/827/BYP               | 57943   | <b>Direct or Bypass</b><br>PL-C 13W/827/Alto<br>PL-C 18W/827/Alto<br><b>Bypass</b><br>PL-C 13W/827/4P/Alto<br>PL-T 13W/827/X/4P/Alto<br>PL-C 18W/827/4P/Alto<br>PL-T 18W/827/X/4P/Alto<br>PL-T 18W/827/4P/Alto | <b>Direct or Bypass</b><br>F13DBX/827/ECO<br>F18DBX/827/ECO<br><b>Bypass</b><br>F13DBX/827/ECO4P<br>F13TBX/827/4P/ECO<br>F13TBX/827/A/ECO<br>F18DBX/827/ECO4P<br>F18TBX/827/4P/ECO<br>F18TBX/827/A/ECO | <b>Direct or Bypass</b><br>CF18DD/827<br><b>Bypass</b><br>CF13DD/E/827<br>CF18DD/E/827<br>CF18DT/E/827<br>CF18DT/E/IN/827 |
|                                | PLC       | 13-18W   | G24d, GX24d, G24q, GX24q | 2/4-pin | Hybrid (Direct or Bypass)<br>Direct: Magnetic Ballast | 7PLV/830/BYP               | 57944   | <b>Direct or Bypass</b><br>PL-C 13W/830/Alto<br>PL-C 18W/830/Alto<br><b>Bypass</b><br>PL-C 13W/830/4P/Alto<br>PL-C 18W/830/4P/Alto<br>PL-T 18W/830/4P/Alto   | <b>Direct or Bypass</b><br>F13DBX/830/ECO<br>F18DBX/830/ECO<br><b>Bypass</b><br>F13DBX/830/ECO4P<br>F13TBX/830/A/ECO<br>F18DBX/830/ECO4P<br>F18TBX/830/A/ECO   | <b>Direct or Bypass</b><br>CF18DD/830<br><b>Bypass</b><br>CF13DD/E/830<br>CF18DD/E/830<br>CF18DT/E/IN/830                 |
|                                | PLC       | 13-18W   | G24d, GX24d, G24q, GX24q | 2/4-pin | Hybrid (Direct or Bypass)<br>Direct: Magnetic Ballast | 7PLV/835/BYP               | 57919   | <b>Direct or Bypass</b><br>PL-C 18W/835/Alto<br><b>Bypass</b><br>PL-C 13W/835/4P/Alto<br>PL-C 18W/835/4P/Alto<br>PL-T 18W/835/4P/Alto  | <b>Direct or Bypass</b><br>F13DBX/835/ECO<br>F18DBX/835/ECO<br><b>Bypass</b><br>F13DBX/835/ECO4P<br>F13TBX/835/A/ECO<br>F18DBX/835/ECO4P<br>F18TBX/835/A/ECO   | <b>Direct or Bypass</b><br>CF18DD/835<br><b>Bypass</b><br>CF13DD/E/835<br>CF18DD/E/835<br>CF18DT/E/IN/835                 |
|                                | PLC       | 13-18W   | G24d, GX24d, G24q, GX24q | 2/4-pin | Hybrid (Direct or Bypass)<br>Direct: Magnetic Ballast | 7PLV/840/BYP               | 57920   | <b>Direct or Bypass</b><br>PL-C 18W/841/Alto<br><b>Bypass</b><br>PL-C 13W/835/4P/Alto<br>PL-C 18W/835/4P/Alto<br>PL-T 18W/835/4P/Alto  | <b>Direct or Bypass</b><br>F13DBX/841/ECO<br>F18DBX/841/ECO<br><b>Bypass</b><br>F13DBX/841/ECO4P<br>F13TBX/841/A/ECO<br>F18DBX/841/ECO4P<br>F18TBX/841/A/ECO   | <b>Direct or Bypass</b><br>CF18DD/841<br><b>Bypass</b><br>CF13DD/E/841<br>CF18DD/E/841<br>CF18DT/E/IN/841                 |
| <p>Horizontal Installation</p> | PLC       | 26-42W   | G24q, GX24q              | 4-pin   | Direct<br>Electronic Ballast                          | 9.5PLH/827/DIR             | 57899   | PL-C 26W/827/4P/Alto<br>PL-T 26W/827/X/4P/Alto<br>PL-T 26W/827/4P/Alto<br>PL-T 32W/827/4P/Alto<br>PL-T 42W/827/4P/Alto   | F26DBX/827/ECO4P<br>F26TBX/827/4P/ECO<br>F26TBX/827/A/ECO<br>F32TBX/827/A/ECO<br>F42TBX/827/A/ECO  | CF26DD/E/827<br>CF26DT/E/827<br>CF26DT/E/IN/827<br>CF32DT/E/IN/827<br>CF42DT/E/IN/827                                     |
|                                | PLC       | 26-42W   | G24q, GX24q              | 4-pin   | Direct<br>Electronic Ballast                          | 9.5PLH/830/DIR             | 57900   | PL-C 26W/830/4P/Alto<br>PL-T 26W/830/4P/Alto<br>PL-T 32W/830/4P/Alto<br>PL-T 42W/830/4P/Alto   | F26DBX/830/ECO4P<br>F26TBX/830/A/ECO<br>F32TBX/830/A/ECO<br>F42TBX/830/A/ECO   | CF26DD/E/830<br>CF26DT/E/IN/830<br>CF32DT/E/IN/830<br>CF42DT/E/IN/830   |
|                                | PLC       | 26-42W   | G24q, GX24q              | 4-pin   | Direct<br>Electronic Ballast                          | 9.5PLH/835/DIR             | 57901   | PL-C 26W/835/4P/Alto<br>PL-T 26W/835/4P/Alto<br>PL-T 32W/835/4P/Alto<br>PL-T 42W/835/4P/Alto   | F26DBX/835/ECO4P<br>F26TBX/835/A/ECO<br>F32TBX/835/A/ECO<br>F42TBX/835/A/ECO   | CF26DD/E/835<br>CF26DT/E/IN/835<br>CF32DT/E/IN/835<br>CF42DT/E/IN/835   |
|                                | PLC       | 26-42W   | G24q, GX24q              | 4-pin   | Direct<br>Electronic Ballast                          | 9.5PLH/840/DIR             | 57902   | PL-C 26W/841/4P/Alto<br>PL-T 26W/841/4P/Alto<br>PL-T 32W/841/4P/Alto<br>PL-T 42W/841/4P/Alto   | F26DBX/841/ECO4P<br>F26TBX/841/A/ECO<br>F32TBX/841/A/ECO<br>F42TBX/841/A/ECO   | CF26DD/E/841<br>CF26DT/E/IN/841<br>CF32DT/E/IN/841<br>CF42DT/E/IN/841   |
| <p>Horizontal Installation</p> | PLC       | 26-42W   | G24q, GX24q              | 4-pin   | Direct<br>Electronic Ballast                          | 10.5PLH/930/DIR (High CRI) | 57903   | PL-C 26W/830/4P/Alto<br>PL-T 26W/830/4P/Alto<br>PL-T 32W/830/4P/Alto<br>PL-T 42W/830/4P/Alto   | F26DBX/830/ECO4P<br>F26TBX/830/A/ECO<br>F32TBX/830/A/ECO<br>F42TBX/830/A/ECO   | CF26DD/E/830<br>CF26DT/E/IN/830<br>CF32DT/E/IN/830<br>CF42DT/E/IN/830   |
| <p>Vertical Installation</p>   | PLC       | 26-42W   | G24q, GX24q              | 4-pin   | Direct<br>Electronic Ballast                          | 10PLV/827/DIR              | 57914   | PL-C 26W/827/4P/Alto<br>PL-T 26W/827/X/4P/Alto<br>PL-T 26W/827/4P/Alto<br>PL-T 32W/827/4P/Alto<br>PL-T 42W/827/4P/Alto   | F26DBX/827/ECO4P<br>F26TBX/827/4P/ECO<br>F26TBX/827/A/ECO<br>F32TBX/827/A/ECO<br>F42TBX/827/A/ECO  | CF26DD/E/827<br>CF26DT/E/827<br>CF26DT/E/IN/827<br>CF32DT/E/IN/827<br>CF42DT/E/IN/827                                     |
|                                | PLC       | 26-42W   | G24q, GX24q              | 4-pin   | Direct<br>Electronic Ballast                          | 10PLV/830/DIR              | 57915   | PL-C 26W/830/4P/Alto<br>PL-T 26W/830/4P/Alto<br>PL-T 32W/830/4P/Alto<br>PL-T 42W/830/4P/Alto   | F26DBX/830/ECO4P<br>F26TBX/830/A/ECO<br>F32TBX/830/A/ECO<br>F42TBX/830/A/ECO   | CF26DD/E/830<br>CF26DT/E/IN/830<br>CF32DT/E/IN/830<br>CF42DT/E/IN/830   |
|                                | PLC       | 26-42W   | G24q, GX24q              | 4-pin   | Direct<br>Electronic Ballast                          | 10PLV/835/DIR              | 57916   | PL-C 26W/835/4P/Alto<br>PL-T 26W/835/4P/Alto<br>PL-T 32W/835/4P/Alto<br>PL-T 42W/835/4P/Alto   | F26DBX/835/ECO4P<br>F26TBX/835/A/ECO<br>F32TBX/835/A/ECO<br>F42TBX/835/A/ECO   | CF26DD/E/835<br>CF26DT/E/IN/835<br>CF32DT/E/IN/835<br>CF42DT/E/IN/835   |
|                                | PLC       | 26-42W   | G24q, GX24q              | 4-pin   | Direct<br>Electronic Ballast                          | 10PLV/840/DIR              | 57917   | PL-C 26W/841/4P/Alto<br>PL-T 26W/841/4P/Alto<br>PL-T 32W/841/4P/Alto<br>PL-T 42W/841/4P/Alto   | F26DBX/841/ECO4P<br>F26TBX/841/A/ECO<br>F32TBX/841/A/ECO<br>F42TBX/841/A/ECO   | CF26DD/E/841<br>CF26DT/E/IN/841<br>CF32DT/E/IN/841<br>CF42DT/E/IN/841   |
| <p>Vertical Installation</p>   | PLC       | 26-42W   | G24q, GX24q              | 4-pin   | Direct<br>Electronic Ballast                          | 11PLV/930/DIR (High CRI)   | 57918   | PL-C 26W/830/4P/Alto<br>PL-T 26W/830/4P/Alto<br>PL-T 32W/830/4P/Alto<br>PL-T 42W/830/4P/Alto   | F26DBX/830/ECO4P<br>F26TBX/830/A/ECO<br>F32TBX/830/A/ECO<br>F42TBX/830/A/ECO   | CF26DD/E/830<br>CF26DT/E/IN/830<br>CF32DT/E/IN/830<br>CF42DT/E/IN/830   |

| Base                           | Lamp Type | Replaces | Base Type                | Pin #   | Installation  | GREEN CREATIVE Model | Product | CFL CROSS REFERENCE   |   |   |
|--------------------------------|-----------|----------|--------------------------|---------|---|----------------------|---------|---|---|---|
|                                |           |          |                          |         |   |                      |         | Philips   | GE  | Sylvania  |
| <b>PLC LINE</b>                |           |          |                          |         |   |                      |         |   |   |   |
| <p>Horizontal Installation</p> | PLC       | 26-42W   | G24d, GX24d, G24q, GX24q | 2/4-pin | Hybrid (Direct or Bypass)<br>Direct: Magnetic Ballast | 10.5PLH/827/BYP      | 57906   | <b>Direct or Bypass</b><br>PL-C 26W/827/Alto<br><b>Bypass</b><br>PL-C 26W/827/4P/Alto<br>PL-T 26W/827/X/4P/Alto<br>PL-T 26W/827/4P/Alto<br>PL-T 32W/827/4P/Alto<br>PL-T 42W/827/4P/Alto | <b>Direct or Bypass</b><br>F26DBX/827/ECO<br>F26DBX/E/827/ECO<br><b>Bypass</b><br>F26DBX/827/ECO4P<br>F26TBX/827/4P/ECO<br>F26TBX/827/A/ECO<br>F32TBX/827/A/ECO<br>F42TBX/827/A/ECO | <b>Direct or Bypass</b><br>CF26DD/827<br><b>Bypass</b><br>CF26DT/E/827<br>CF26DT/E/IN/827<br>CF32DT/E/IN/827<br>CF42DT/E/IN/827 |
|                                | PLC       | 26-42W   | G24d, GX24d, G24q, GX24q | 2/4-pin | Hybrid (Direct or Bypass)<br>Direct: Magnetic Ballast | 10.5PLH/830/BYP      | 57907   | <b>Direct or Bypass</b><br>PL-C 26W/830/Alto<br><b>Bypass</b><br>PL-C 26W/830/4P/Alto<br>PL-T 26W/830/4P/Alto<br>PL-T 32W/830/4P/Alto<br>PL-T 42W/830/4P/Alto                           | <b>Direct or Bypass</b><br>F26DBX/830/ECO<br>F26DBX/E/830/ECO<br><b>Bypass</b><br>F26DBX/830/ECO4P<br>F26TBX/830/4P/ECO<br>F26TBX/830/A/ECO<br>F32TBX/830/A/ECO<br>F42TBX/830/A/ECO | <b>Direct or Bypass</b><br>CF26DD/830<br><b>Bypass</b><br>CF26DE/E/830<br>CF26DT/E/IN/830<br>CF32DT/E/IN/830<br>CF42DT/E/IN/830 |
|                                | PLC       | 26-42W   | G24d, GX24d, G24q, GX24q | 2/4-pin | Hybrid (Direct or Bypass)<br>Direct: Magnetic Ballast | 10.5PLH/835/BYP      | 57908   | <b>Direct or Bypass</b><br>PL-C 26W/835/Alto<br><b>Bypass</b><br>PL-C 26W/835/4P/Alto<br>PL-T 26W/835/4P/Alto<br>PL-T 32W/835/4P/Alto<br>PL-T 42W/835/4P/Alto                           | <b>Direct or Bypass</b><br>F26DBX/835/ECO<br>F26DBX/E/835/ECO<br><b>Bypass</b><br>F26DBX/835/ECO4P<br>F26TBX/835/4P/ECO<br>F26TBX/835/A/ECO<br>F32TBX/835/A/ECO<br>F42TBX/835/A/ECO | <b>Direct or Bypass</b><br>CF26DD/835<br><b>Bypass</b><br>CF26DE/E/835<br>CF26DT/E/IN/835<br>CF32DT/E/IN/835<br>CF42DT/E/IN/835 |
|                                | PLC       | 26-42W   | G24d, GX24d, G24q, GX24q | 2/4-pin | Hybrid (Direct or Bypass)<br>Direct: Magnetic Ballast | 10.5PLH/840/BYP      | 57909   | <b>Direct or Bypass</b><br>PL-C 26W/841/Alto<br><b>Bypass</b><br>PL-C 26W/841/4P/Alto<br>PL-T 26W/841/4P/Alto<br>PL-T 32W/841/4P/Alto<br>PL-T 42W/841/4P/Alto                           | <b>Direct or Bypass</b><br>F26DBX/841/ECO<br>F26DBX/E/841/ECO<br><b>Bypass</b><br>F26DBX/841/ECO4P<br>F26TBX/841/4P/ECO<br>F26TBX/841/A/ECO<br>F32TBX/841/A/ECO<br>F42TBX/841/A/ECO | <b>Direct or Bypass</b><br>CF26DD/841<br><b>Bypass</b><br>CF26DE/E/841<br>CF26DT/E/IN/841<br>CF32DT/E/IN/841<br>CF42DT/E/IN/841 |
| <p>Vertical Installation</p>   | PLC       | 26-42W   | G24d, GX24d, G24q, GX24q | 2/4-pin | Hybrid (Direct or Bypass)<br>Direct: Magnetic Ballast | 11.5PLV/827/BYP      | 57921   | <b>Direct or Bypass</b><br>PL-C 26W/827/Alto<br><b>Bypass</b><br>PL-C 26W/827/4P/Alto<br>PL-T 26W/827/X/4P/Alto<br>PL-T 26W/827/4P/Alto<br>PL-T 32W/827/4P/Alto<br>PL-T 42W/827/4P/Alto | <b>Direct or Bypass</b><br>F26DBX/827/ECO<br>F26DBX/E/827/ECO<br><b>Bypass</b><br>F26DBX/827/ECO4P<br>F26TBX/827/4P/ECO<br>F26TBX/827/A/ECO<br>F32TBX/827/A/ECO<br>F42TBX/827/A/ECO | <b>Direct or Bypass</b><br>CF26DD/827<br><b>Bypass</b><br>CF26DE/E/827<br>CF26DT/E/IN/827<br>CF32DT/E/IN/827<br>CF42DT/E/IN/827 |
|                                | PLC       | 26-42W   | G24d, GX24d, G24q, GX24q | 2/4-pin | Hybrid (Direct or Bypass)<br>Direct: Magnetic Ballast | 11.5PLV/830/BYP      | 57922   | <b>Direct or Bypass</b><br>PL-C 26W/830/Alto<br><b>Bypass</b><br>PL-C 26W/830/4P/Alto<br>PL-T 26W/830/4P/Alto<br>PL-T 32W/830/4P/Alto<br>PL-T 42W/830/4P/Alto                           | <b>Direct or Bypass</b><br>F26DBX/830/ECO<br>F26DBX/E/830/ECO<br><b>Bypass</b><br>F26DBX/830/ECO4P<br>F26TBX/830/4P/ECO<br>F26TBX/830/A/ECO<br>F32TBX/830/A/ECO<br>F42TBX/830/A/ECO | <b>Direct or Bypass</b><br>CF26DD/830<br><b>Bypass</b><br>CF26DE/E/830<br>CF26DT/E/IN/830<br>CF32DT/E/IN/830<br>CF42DT/E/IN/830 |
|                                | PLC       | 26-42W   | G24d, GX24d, G24q, GX24q | 2/4-pin | Hybrid (Direct or Bypass)<br>Direct: Magnetic Ballast | 11.5PLV/835/BYP      | 57923   | <b>Direct or Bypass</b><br>PL-C 26W/835/Alto<br><b>Bypass</b><br>PL-C 26W/835/4P/Alto<br>PL-T 26W/835/4P/Alto<br>PL-T 32W/835/4P/Alto<br>PL-T 42W/835/4P/Alto                           | <b>Direct or Bypass</b><br>F26DBX/835/ECO<br>F26DBX/E/835/ECO<br><b>Bypass</b><br>F26DBX/835/ECO4P<br>F26TBX/835/4P/ECO<br>F26TBX/835/A/ECO<br>F32TBX/835/A/ECO<br>F42TBX/835/A/ECO | <b>Direct or Bypass</b><br>CF26DD/835<br><b>Bypass</b><br>CF26DE/E/835<br>CF26DT/E/IN/835<br>CF32DT/E/IN/835<br>CF42DT/E/IN/835 |
|                                | PLC       | 26-42W   | G24d, GX24d, G24q, GX24q | 2/4-pin | Hybrid (Direct or Bypass)<br>Direct: Magnetic Ballast | 11.5PLV/840/BYP      | 57924   | <b>Direct or Bypass</b><br>PL-C 26W/841/Alto<br><b>Bypass</b><br>PL-C 26W/841/4P/Alto<br>PL-T 26W/841/4P/Alto<br>PL-T 32W/841/4P/Alto<br>PL-T 42W/841/4P/Alto                           | <b>Direct or Bypass</b><br>F26DBX/841/ECO<br>F26DBX/E/841/ECO<br><b>Bypass</b><br>F26DBX/841/ECO4P<br>F26TBX/841/4P/ECO<br>F26TBX/841/A/ECO<br>F32TBX/841/A/ECO<br>F42TBX/841/A/ECO | <b>Direct or Bypass</b><br>CF26DD/841<br><b>Bypass</b><br>CF26DE/E/841<br>CF26DT/E/IN/841<br>CF32DT/E/IN/841<br>CF42DT/E/IN/841 |
| <b>PLL LINE</b>                |           |          |                          |         |   |                      |         |   |   |   |
|                                | PLL       | 36W      | 2G11                     | 4-pin   | Direct<br>Electronic Ballast                          | 14.5PLL/835/DIR      | 97750   | PL-L 36W/835  | F39BX/SPX35/RS  | FT36DL/835  |
|                                | PLL       | 40W      | 2G11                     | 4-pin   | Direct<br>Electronic Ballast                          | 17PLL/830/DIR        | 97745   | PL-L 40W/830/XEW/4P/IS 25W<br>PL-L 40W/830/RS/IS  | F40/25/BX830/IS/W/M<br>F40/30BX/SPX30   | F40DL/28W/830/SS/IS/ECO<br>FT40DL/830/RS  |
|                                | PLL       | 40W      | 2G11                     | 4-pin   | Direct<br>Electronic Ballast                          | 17PLL/835/DIR        | 97746   | PL-L 40W/835/XEW/4P/IS 25W<br>PL-L 40W/835/RS/IS  | F40/25/BX835/IS/W/M<br>F40/30BX/SPX35   | F40DL/28W/835/SS/IS/ECO<br>FT40DL/835/RS  |
|                                | PLL       | 40W      | 2G11                     | 4-pin   | Direct<br>Electronic Ballast                          | 17PLL/840/DIR        | 97747   | PL-L 40W/841/XEW/4P/IS 25W<br>PL-L 40W/841/RS/IS  | F40/25/BX841/IS/W/M<br>F40/30BX/SPX41   | F40DL/28W/841/SS/IS/ECO<br>FT40DL/841/RS  |

| Base  | Lamp Type | Replaces | Base Type | Pin # | Installation   | GREEN CREATIVE Model | Product | CFL CROSS REFERENCE                            |                                  |                                       |
|---|-----------|----------|-----------|-------|--|----------------------|---------|--|----------------------------------|---------------------------------------|
|   |           |          |           |       |  |                      |         | Philips  | GE                               | Sylvania                              |
| <b>PLS LINE</b>   |           |          |           |       |  |                      |         |  |                                  |                                       |
|    | PLS       | 7-9W     | G23       | 2-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 3.5PLS/835/HYB/G23   | 57814   | PL-S 7W/835/2P/Alto<br>PL-S 9W/835/2P/Alto     | F7BX/835/ECO<br>F9BX/835/ECO     | CF7DS/835/ECO<br>CF9DS/835/ECO        |
|    | PLS       | 7-9W     | 2G7       | 4-pin | Bypass   | 3.5PLS/835/BYP/2G7   | 57818   | MASTER PL-S 7W/840/4P<br>MASTER PL-S 9W/840/4P | F7BX/840/4P<br>F9BX/840/4P       | CF7DS/E/841<br>CF9DS/E/841            |
|    | PLS       | 13W      | GX23      | 2-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 5.5PLS/827/HYB/GX23  | 57820   | PL-S 13W/827/2P/Alto                           | F13BX/827/ECO<br>F13BX/E/827/ECO | CF13DS/827/ECO<br>CFT13WDS/EC/827/ECO |
|   | PLS       | 13W      | GX23      | 2-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 5.5PLS/830/HYB/GX23  | 57821   | PL-S 13W/830/2P/Alto                           | F13BX/830/ECO<br>F13BX/E/830/ECO | CF13DS/830/ECO<br>CFT13WDS/EC/830/ECO |
|   | PLS       | 13W      | GX23      | 2-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 5.5PLS/835/HYB/GX23  | 57822   | PL-S 13W/835/2P/Alto                           | F13BX/835/ECO<br>F13BX/E/835/ECO | CF13DS/835/ECO<br>CFT13WDS/EC/835/ECO |
|   | PLS       | 13W      | GX23      | 2-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 5.5PLS/840/HYB/GX23  | 57823   | PL-S 13W/841/2P/Alto                           | F13BX/841/ECO<br>F13BX/E/841/ECO | CF13DS/841/ECO<br>CFT13WDS/EC/841/ECO |
|   | PLS       | 13W      | GX23      | 2-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 6PLS/827/HYB/GX23    | 57962   | PL-C 13W/827/USA/Alto                          | F13DBX23/827/ECO                 | CF13DD/827<br>CF13DD/827/ECO          |
|   | PLS       | 13W      | GX23      | 2-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 6PLS/830/HYB/GX23    | 57963   | PL-C 13W/830/USA/Alto                          | F13DBX23/830/ECO                 | CF13DD/830<br>CF13DD/830/ECO          |
|   | PLS       | 13W      | GX23      | 2-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 6PLS/835/HYB/GX23    | 57964   | PL-C 13W/835/USA/Alto                          | F13DBX23/835/ECO                 | CF13DD/835<br>CF13DD/835/ECO          |
|   | PLS       | 13W      | GX23      | 2-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 6PLS/840/HYB/GX23    | 57965   | PL-C 13W/841/USA/Alto                          | F13DBX23/841/ECO                 | CF13DD/841<br>CF13DD/841/ECO          |
|  | PLS       | 13W      | GX23      | 2-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 7PLS/827/HYB/GX23    | 57931   | PL-S 13W/827/2P/Alto                           | F13BX/827/ECO<br>F13BX/E/827/ECO | CF13DS/827/ECO<br>CFT13WDS/EC/827/ECO |
|   | PLS       | 13W      | GX23      | 2-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 7PLS/830/HYB/GX23    | 57932   | PL-S 13W/830/2P/Alto                           | F13BX/830/ECO<br>F13BX/E/830/ECO | CF13DS/830/ECO<br>CFT13WDS/EC/830/ECO |
|   | PLS       | 13W      | GX23      | 2-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 7PLS/835/HYB/GX23    | 57933   | PL-S 13W/835/2P/Alto                           | F13BX/835/ECO<br>F13BX/E/835/ECO | CF13DS/835/ECO<br>CFT13WDS/EC/835/ECO |
|   | PLS       | 13W      | GX23      | 2-pin | Hybrid<br>(Direct or Bypass)<br>Direct: Magnetic Ballast | 7PLS/840/HYB/GX23    | 57934   | PL-S 13W/841/2P/Alto                           | F13BX/841/ECO<br>F13BX/E/841/ECO | CF13DS/841/ECO<br>CFT13WDS/EC/841/ECO |
|  | PLS       | 13W      | 2GX7      | 4-pin | Bypass   | 5.5PLS/835/BYP/2GX7  | 57826   | -  | -                                | CF13DS/E/841                          |