


# Elite BR Series

TCP Elite BR Series is great for illuminating large areas with smooth, attractive light.



### Color temperature options



## CRI 82

Perfect for most applications

### TCP LED

TCP LED	Incandescent Replacement
17W BR40	120W BR40
12W BR30/40	85W BR30 & BR40
10W BR30	65W BR30
8W R20	50W R20

New smooth design mimicks incandescent

Great quality light output – very smooth


New design utilizes internal air flow to help cool driver

Elite chip configuration

Dimmable (100% to 5%) and non-dimmable options

20% more energy efficient

### Uniform flood light distribution



800.324.1496 | tcp.com

LED Lamps

2013 ELITE SERIES CATALOG

Item Number	ENERGY STAR® Item Description	Voltage	Lamp Watts	Lumens	Lumens Per Watt	Beam Angle	CCT	CRI	STK/MTD	Case Quantity	Dimmable Elite LED BR Lamps
<b>12W ELITE DIMMABLE BR30 (REPLACES 85W)</b>											
LED12BR30D24K	12W Smooth BR30 - 2400K	120	12	850	70.8	110	2400K	82	STK	12	
LED12BR30D27K	★ 12W Smooth BR30 - 2700K	120	12	850	70.8	110	2700K	82	STK	12	
LED12BR30D30K	12W Smooth BR30 - 3000K	120	12	875	72.9	110	3000K	82	STK	12	
LED12BR30D41K	12W Smooth BR30 - 4100K	120	12	900	75.0	110	4100K	82	STK	12	
<b>10W ELITE DIMMABLE BR30 (REPLACES 65W)</b>											
LED10BR30D24K	10W Smooth BR30 - 2400K	120	10	650	65.0	110	2400K	82	STK	12	
LED10BR30D27K	★ 10W Smooth BR30 - 2700K	120	10	650	65.0	110	2700K	82	STK	12	
LED10BR30D30K	10W Smooth BR30 - 3000K	120	10	675	67.5	110	3000K	82	STK	12	
LED10BR30D41K	10W Smooth BR30 - 4100K	120	10	700	70.0	110	4100K	82	STK	12	

★ ENERGY STAR® Rated



5 YEAR WARRANTY

\*Based on 12 Hours per day

**Dimmable  
Elite  
LED BR  
Lamps**

Item Number	ENERGY STAR®	Item Description	Voltage	Lamp Watts	Lumens	Lumens Per Watt	Beam Angle	CCT	CRI	STK/MTD	Case Quantity
-------------	--------------	------------------	---------	------------	--------	-----------------	------------	-----	-----	---------	---------------

**17W ELITE DIMMABLE BR40 (REPLACES 120W)**



LED17BR40D24K		17W Smooth BR40 - 2400K	120	17	1200	70.6	110	2400K	82	STK	12
LED17BR40D27K		17W Smooth BR40 - 2700K	120	17	1200	70.6	110	2700K	82	STK	12
LED17BR40D30K		17W Smooth BR40 - 3000K	120	17	1250	73.5	110	3000K	82	STK	12
LED17BR40D41K		17W Smooth BR40 - 4100K	120	17	1300	76.5	110	4100K	82	STK	12

**12W ELITE DIMMABLE BR40 (REPLACES 85W)**

LED12BR40D24K		12W Smooth BR40 - 2400K	120	12	850	70.8	110	2400K	82	STK	12
LED12BR40D27K	★	12W Smooth BR40 - 2700K	120	12	850	70.8	110	2700K	82	STK	12
LED12BR40D30K		12W Smooth BR40 - 3000K	120	12	875	72.9	110	3000K	82	STK	12
LED12BR40D41K		12W Smooth BR40 - 4100K	120	12	900	75.0	110	4100K	82	STK	12

**10W ELITE DIMMABLE R20 (REPLACES 65W)**



LED10R20D24K		10W Smooth R20 - 2400K	120	10	650	65.0	110	2400K	82	STK	12
LED10R20D27K	★	10W Smooth R20 - 2700K	120	10	650	65.0	110	2700K	82	STK	12
LED10R20D30K		10W Smooth R20 - 3000K	120	10	675	67.5	110	3000K	82	STK	12
LED10R20D41K		10W Smooth R20 - 4100K	120	10	700	70.0	110	4100K	82	STK	12

**8W ELITE DIMMABLE R20 (REPLACES 50W)**

LED8R20D24K		8W Smooth R20 - 2400K	120	8	500	62.5	110	2400K	82	STK	12
LED8R20D27K	★	8W Smooth R20 - 2700K	120	8	500	62.5	110	2700K	82	STK	12
LED8R20D30K		8W Smooth R20 - 3000K	120	8	515	64.4	110	3000K	82	STK	12
LED8R20D41K		8W Smooth R20 - 4100K	120	8	530	66.3	110	4100K	82	STK	12

★ ENERGY STAR® Rated



**5 YEAR WARRANTY**

\*Based on 12 Hours per day



BR40



BR30



R20

**BR40, BR30 & R20**

**Features & Benefits**

- Energy efficient: up to 85% less energy than standard halogen replacement.
- Smooth, uniform dimming.
- Smooth, clean outside housing.
- Very low heat generation.
- Excellent Color Consistency and CRI.



**Non Dimmable  
Elite  
LED BR  
Lamps**

Item Number	ENERGY STAR®	Item Description	Voltage	Lamp Watts	Lumens	Lumens Per Watt	Beam Angle	CCT	CRI	STK/MT0	Case Quantity
<b>12W ELITE NON DIMMABLE BR30 (REPLACES 85W)</b>											
LED12BR3024K		12W Smooth BR30 - 2400K	120	12	850	70.8	110	2400K	82	STK	12
LED12BR3027K	★	12W Smooth BR30 - 2700K	120	12	850	70.8	110	2700K	82	STK	12
LED12BR3030K		12W Smooth BR30 - 3000K	120	12	875	72.9	110	3000K	82	STK	12
LED12BR3041K		12W Smooth BR30 - 4100K	120	12	900	75.0	110	4100K	82	STK	12
<b>10W ELITE NON DIMMABLE BR30 (REPLACES 65W)</b>											
LED10BR3024K		10W Smooth BR30 - 2400K	120	10	650	65.0	110	2400K	82	STK	12
LED10BR3027K	★	10W Smooth BR30 - 2700K	120	10	650	65.0	110	2700K	82	STK	12
LED10BR3030K		10W Smooth BR30 - 3000K	120	10	675	67.5	110	3000K	82	STK	12
LED10BR3041K		10W Smooth BR30 - 4100K	120	10	700	70.0	110	4100K	82	STK	12
<b>17W ELITE NON DIMMABLE BR40 (REPLACES 120W)</b>											
LED17BR4024K		17W Smooth BR40 - 2400K	120	17	1200	70.6	110	2400K	82	STK	12
LED17BR4027K	★	17W Smooth BR40 - 2700K	120	17	1200	70.6	110	2700K	82	STK	12
LED17BR4030K		17W Smooth BR40 - 3000K	120	17	1250	73.5	110	3000K	82	STK	12
LED17BR4041K		17W Smooth BR40 - 4100K	120	17	1300	76.5	110	4100K	82	STK	12
<b>12W ELITE NON DIMMABLE BR40 (REPLACES 85W)</b>											
LED12BR4024K		12W Smooth BR40 - 2400K	120	12	850	70.8	110	2400K	82	STK	12
LED12BR4027K		12W Smooth BR40 - 2700K	120	12	850	70.8	110	2700K	82	STK	12
LED12BR4030K		12W Smooth BR40 - 3000K	120	12	875	72.9	110	3000K	82	STK	12
LED12BR4041K		12W Smooth BR40 - 4100K	120	12	900	75.0	110	4100K	82	STK	12
<b>10W ELITE NON DIMMABLE R20 (REPLACES 65W)</b>											
LED10R2024K		10W Smooth R20 - 2400K	120	10	650	65.0	110	2400K	82	STK	12
LED10R2027K		10W Smooth R20 - 2700K	120	10	650	65.0	110	2700K	82	STK	12
LED10R2030K		10W Smooth R20 - 3000K	120	10	675	67.5	110	3000K	82	STK	12
LED10R2041K		10W Smooth R20 - 4100K	120	10	700	70.0	110	4100K	82	STK	12
<b>8W ELITE NON DIMMABLE R20 (REPLACES 50W)</b>											
LED8R2024K		8W Smooth R20 - 2400K	120	8	500	62.5	110	2400K	82	STK	12
LED8R2027K		8W Smooth R20 - 2700K	120	8	500	62.5	110	2700K	82	STK	12
LED8R2030K		8W Smooth R20 - 3000K	120	8	515	64.4	110	3000K	82	STK	12
LED8R2041K		8W Smooth R20 - 4100K	120	8	530	66.3	110	4100K	82	STK	12



★ ENERGY STAR® Rated



**5 YEAR WARRANTY**

\*Based on 12 Hours per day

800.324.1496 | tcp.com

LED Lamps

**2013 ELITE SERIES CATALOG**