

Ballast Compatible, T8-8ft-33W compatibility test

P P,F<0.85

T THD >30%

C compatible

| No | Ballast No. | Ballast Brand | Part Number | Start Method | # of Lamps | Lamp Connectio | 1-Lamp | | 2-Lamp | |
|----|-------------|--------------------------------|-----------------------|--------------|------------|----------------|--------|--------|--------|--------|
| | | | | | | | 120Vac | 277Vac | 120Vac | 277Vac |
| 1 | 501 | KEYSTONE | KTEB-259-UV-IS-N | IS | 2 | Parallel | C | C | C | C |
| 2 | 502 | KEYSTONE | KTEB-259-UV-IS-N | IS | 2 | Parallel | C | P | C | P |
| 3 | 503 | Universal Lighting Technologie | B259IUNVHP-A | IS | 2 | Parallel | C | C | C | C |
| 4 | 504 | General Electric | GE259MAX-N/ULTRA | IS | 2 | Parallel | C | P | C | C |
| 5 | 505 | General Electric | GE259MAX-L/ULTRA | IS | 2 | Parallel | C | P | C | C |
| 6 | 506 | General Electric | GE286MAX-HO-N | IS | 2 | Parallel | C | C | C | C |
| 7 | 507 | General Electric | GE-159-MAX-N/Ultra | IS | 2 | Parallel | C | C | C | C |
| 8 | 508 | OSRAM SYLVANIA | QHE 2×59T8/UNV ISH | IS | 2 | Parallel | C | C | C | C |
| 9 | 509 | OSRAM SYLVANIA | QHE 2×59T8/UNV ISN-SC | IS | 2 | Parallel | C | P,T | C | C |
| 10 | 510 | OSRAM SYLVANIA | QHE 2×59T8/UNV ISL-SC | IS | 2 | Parallel | C | C | C | C |
| 11 | 511 | OSRAM SYLVANIA | QTP 2×59T8/UNV ISN-SC | IS | 2 | Parallel | C | C | C | C |
| 12 | 512 | Universal Lighting Technologie | B259IUNVHP-A | IS | 2 | Parallel | C | C | C | C |
| 13 | 513 | KEYSTONE | KTEB-286HO-UV-IS-N | IS | 2 | Parallel | C | P | C | C |
| 14 | 514 | General Electric | GE-286-HO-MV-N | IS | 2 | Parallel | C | C | C | C |
| 15 | 515 | KEYSTONE | KTEB-259-1-IS-N | IS | 2 | Parallel | C | C | C | C |
| 16 | 516 | ESPEN | VE259MVHIP | IS | 2 | Parallel | C | C | C | C |

C
P T

P,T