

naturalLED®

Turning Light into Savings ▶▶▶



BFS/BFD/SFD Wall Lights, Floodlights 10W, 20W

With a full array of Wall and Flood Lights, naturalLED has a wide selection of bullet floodlights (double head), bulkhead wall lights, and decorative wall sconces.

Our Floodlights and Wall Lights come in 10-watt and 20-watt to replace your existing incandescent up to 180-watt, saving up to 80% of energy. It is a great value energy efficient LED, using less energy and lasts up to 50,000 hours average life.

naturalLED® wall light are ideal lighting solution for security lights, residential and commercial, retail and any outdoor applications.



50,000
Rated
Life Hours

BEAM
ANGLE
70°

Key Features & Benefits

- ▶ UL Wet Locations
- ▶ Direct replacement and Instant On
- ▶ Up to 80% energy savings
- ▶ Contains no mercury or lead
- ▶ UL/cUL Listed
- ▶ Rated 50,000 hours average life
- ▶ 5 Years Limited Warranty
- ▶ Motion Sensor included

Applications

- ▶ Security Lighting
- ▶ Accent Lighting
- ▶ General Lighting
- ▶ Residential Lighting
- ▶ Restaurant Lighting
- ▶ Outdoor Lighting
- ▶ Wall Lighting

Color Choices







White



Black





Qualifications



Item Code	Description	Color Temp	Wattage	Lumen Output	Equivalent Wattage	Beam Angle	Voltage	Color	Rated Hours	Sensor	
	Double Head Flood light with Motion Sensor										
★ 7030	LED-FXBFD20/830/BK-SEN	3000K	20	1,400	180	70°	120-277	Black	50,000	•	•
★ 7031	LED-FXBFD20/850/BK-SEN	5000K	20	1,400	180	70°	120-277	Black	50,000	•	•
★ 7066	LED-FXBFD20/830/WH-SEN	3000K	20	1,400	180	70°	120-277	White	50,000	•	•
★ 7067	LED-FXBFD20/850/WH-SEN	5000K	20	1,400	180	70°	120-277	White	50,000	•	•
	Double Head Flood light with Motion Sensor										
★ 7032	LED-FXSFD20/830/WH-SEN	3000K	20	1,400	180	70°	120-277	White	50,000	•	•
★ 7033	LED-FXSFD20/850/WH-SEN	5000K	20	1,400	180	70°	120-277	White	50,000	•	•
	Bulkhead Wall Light										
★ 7024	LED-FXBWL10/830/BK	3000K	10	900	90	--	120-277	Black	50,000		•
★ 7025	LED-FXBWL10/850/BK	5000K	10	900	90	--	120-277	Black	50,000		•
★ 7062	LED-FXBWL10/830/WH	3000K	10	900	90	--	120-277	White	50,000		•
	Decorative Wall Scone										
★ 7026	LED-FXDWS10/830/BK	3000K	10	700	90	--	120-277	Black	50,000		•
★ 7027	LED-FXDWS10/850/BK	5000K	10	700	90	--	120-277	Black	50,000		•
★ 7064	LED-FXDWS20/830/BK	3000K	20	1,400		--	120-277	Black	50,000		•
★ 7065	LED-FXDWS20/850/BK	5000K	20	1,400		--	120-277	Black	50,000		•

★ ETA September 2016

► Dimensions

 <p>FXBFD</p>	Item	A	B	C	Weight (lbs)
 <p>FXSFD</p>	FXSFD	9.29-in	6.89-in	5.75-in	1.76
 <p>FXBWL</p>	FXBWL	7.08-in	11.25-in	5.55-in	3.53-lb
 <p>FXDWS</p>	FXDWS 10W	5.00-in	6.70-in	3.15-in	1.54-lb
	FXDWS 20W	5.00-in	11.69-in	3.54-in	2.43-lb