

# naturalLED®

Turning Light into Savings ▶▶▶



## BFS/BFD/SFD Wall Lights, Floodlights

### 10W, 20W

With a full array of Wall and Flood Lights, naturalLED has a wide selection of bullet floodlights (double head), bulkhead wall lights, and decorative wall sconces.

Our Floodlights and Wall Lights come in 10-watt and 20-watt to replace your existing halogen up to 180-watt, saving up to 80% of energy. It is a great value energy efficient LED, using less energy and lasts up to 50,000 hours average life.

naturalLED® wall light are ideal lighting solution for security lights, residential and commercial, retail and any outdoor applications.



50,000  
Rated  
Life Hours

BEAM  
ANGLE  
70°

#### Key Features & Benefits

- ▶ UL Wet Locations
- ▶ Direct replacement and Instant On
- ▶ Up to 80% energy savings
- ▶ Contains no mercury or lead
- ▶ UL/cUL Listed
- ▶ Rated 50,000 hours average life
- ▶ 5 Years Limited Warranty
- ▶ Motion Sensor included

#### Applications

- ▶ Security Lighting
- ▶ Accent Lighting
- ▶ General Lighting
- ▶ Residential Lighting
- ▶ Restaurant Lighting
- ▶ Outdoor Lighting
- ▶ Wall Lighting

#### Color Choices



White



Black

#### Qualifications



Item Code	Description	Color Temp	Wattage	Lumen Output	Equivalent Wattage	Beam Angle	Voltage	Color	Rated Hours	Sensor	
-----------	-------------	------------	---------	--------------	--------------------	------------	---------	-------	-------------	--------	--



**Double Head Flood light with Motion Sensor**

★ 7030	LED-FXBFD20/830/BK-SEN	3000K	20	1,400	180	70°	120-277	Black	50,000	•	•
★ 7031	LED-FXBFD20/850/BK-SEN	5000K	20	1,400	180	70°	120-277	Black	50,000	•	•
★ 7066	LED-FXBFD20/830/WH-SEN	3000K	20	1,400	180	70°	120-277	White	50,000	•	•
★ 7067	LED-FXBFD20/850/WH-SEN	5000K	20	1,400	180	70°	120-277	White	50,000	•	•



**Double Head Flood light with Motion Sensor**

★ 7032	LED-FXSFD20/830/WH-SEN	3000K	20	1,400	180	70°	120-277	White	50,000	•	•
★ 7033	LED-FXSFD20/850/WH-SEN	5000K	20	1,400	180	70°	120-277	White	50,000	•	•



**Bulkhead Wall Light**

★ 7024	LED-FXBWL10/830/BK	3000K	10	900	90	--	120-277	Black	50,000		•
★ 7025	LED-FXBWL10/850/BK	5000K	10	900	90	--	120-277	Black	50,000		•
★ 7062	LED-FXBWL10/830/WH	3000K	10	900	90	--	120-277	White	50,000		•







**Decorative Wall Sconce**

★ 7026	LED-FXDWS10/830/BK	3000K	10	700	90	--	120-277	Black	50,000		•
★ 7027	LED-FXDWS10/850/BK	5000K	10	700	90	--	120-277	Black	50,000		•
★ 7064	LED-FXDWS20/830/BK	3000K	20	1,400		--	120-277	Black	50,000		•
★ 7065	LED-FXDWS20/850/BK	5000K	20	1,400		--	120-277	Black	50,000		•

★ ETA September 2016

► Dimensions

 <p>FXBFD</p>	Item	A	B	C	Weight (lbs)
 <p>FXSFD</p>	FXSFD	9.29-in	6.89-in	5.75-in	1.76
 <p>FXBWL</p>	FXBWL	7.08-in	11.25-in	5.55-in	3.53-lb
 <p>FXDWS</p>	FXDWS 10W	5.00-in	6.70-in	3.15-in	1.54-lb
	FXDWS 20W	5.00-in	11.69-in	3.54-in	2.43-lb