








# LED PAR20/30/38 Reflector Dimmable Light Bulb

### LED PAR20, PAR30, PAR38

Nominal Wattage	Overdrive Model #	Description	Initial Lumen	Lm/watt	CRI	Beam Angle	СВСР	Average Rated Life(Hrs.)	Dia Inch	Length Inch	Case Qty	Equal Halogen.	Item #
7 W	L7PAR20DIM/FL/30K	7W LED PAR20 Dimmable,40°/3000K	415	59	82	40°	750	35,000	2.48"	3.23"	12	= 50W	552
11 W	L11PAR30DIM/FL/30K	11W LED PAR30 Dimmable,40°/3000K	750	68	82	40°	1360	35,000	3.74"	4.56"	12	= 75W	553
11 W	L11PAR30LNDIM/FL/30K	11W LED PAR30 Long Neck Dimmable,40°/3000K	750	68	82	40°	1360	35,000	3.74"	4.56"	12		554
14 W	L14PAR38NDIM/FL/30K	14W LED PAR38 Dimmable,40°/3000K	980	70	82	40°	1900	35,000	4.76"	5.16"	12	= 90W	555
17 W	L17PAR38NDIM/FL/30K	17W LED PAR38 Dimmable,40°/3000K	1200	71	82	40°	2400	35,000	4.76"	5.16"	12	= 120W	556



#### **Applications**





Dims down to 0%



## Features

- Designed for long product life electronics and LEDs
- Instantly bright and color stability over lifetime of product
- Environmentally friendly mercury free & lead free
- Maintenance free for more than ten years (assuming 8 hours per day 365 days per year)
- Significantly reduces maintenance costs
- Intelligently and aesthetically designed
- Low energy consumption Save up to 90% in energy cost
- Direct replacement and easy to fit
- Unique optical design for uniform illumination
- Instant On Light

#### Notes

- Available in other color temperature and angle also (upon request)
- $\bullet \ \ \mbox{Dimension with} \ + \ 0.1 \ \mbox{inch tolerance}$
- Lumen Maintenance (L70>35,000 hrs.)
- Specifications can be changed without prior notice, as LED is a dynamic & new evolving technology
- <u>CAUTION</u>: The lamp may not be compatible with all dimmer. Check www.overdriveasia.com to find up to date dimmer compatibility option.















