

LED Flame-tip/Blunt-Tip Candle



40W Incandescent equivalent
B13/CA13 Candelabra base bulbs.
Energy Saving Enhanced to 90%

Features

- B13/CA13 bulb Shapes
- Use 4 watt of energy
- Clear/Frosted lens covers
- Candelabra Base (E12)
- Up to 90% more efficient
- 2700K/3000K/4000K/5000K color temperature options
- Dimmable down to 5%
- Instant on- No warm-up period
- No UV/IR light in the beam
- Guarantee 25,000 hours rated life, it will last 22.8 years based on 3 hours per day usage
- Limited 10-year warranty
- UL rated for damp locations

Annual Overall Cost Saving

Bulb Technologies	Annual Electricity Cost	Over 25,000 hours
40W Incandescent	\$4.82	\$110
4W LED bulb	\$0.48	\$11
<i>Saving per bulb</i>	\$4.34	\$99

Based on 3 hours per day usage and \$0.11 per Kwh.

Application

- Chandeliers
- Decorative lighting fixtures
- Wall sconces
- Operating temperatures: between -20°C to 30°C (-4°F to 86°F)



Technical Data

Models	CM13-4101-8XX-B	CM13-4101-8XX-F
Bulb shape code	Blunt-Tip, B13	Flame-Tip, CA13
Rated Wattage	4W	4W
Incandescent Replacement	40W	40W
Cover Finish	Clear or Frosted	Clear or Frosted
CRI	>80	>80
Color Temperature	2700K/3000K/4000K/5000K	
Energy Star approval	No	Yes, for Clear cover only
Luminous Flux	300lm	300lm
Dimming	Yes	Yes
Base	E12	E12
Product Dimension	1.65" (Dia) x 4.69" (MOL)	1.49" (Dia) x 4.9" (MOL)
Input Voltage	90-135V /60Hz	
Noise level @10'	< 24 dBA	< 24 dBA

Dimmer List

Brands	Dimmer Models
Lutron	S-600P, DV-600P, DVCL-153P, MACL-153M, CTCL-153P, CT-600P
Leviton	6633-P, 057, 6674, IPL06

Packaging Info	CM13-4101-8XX-B	CM13-4101-8XX-F
Q'ty per Master carton	125 pcs	100 pcs
Master Carton Gross weight	8.5 kg	7.5 kg
Master Carton Dimension	545x230x230 mm	
Q'ty per GMA Pallet	10,000	8,000

Ordering Information

SKU Numbers	Bulb Shape	Finish	Wattages	Color Temperature
CM13-4101-8XX-BC	Blunt-Tip	Clear	4W	XX =27 for 2700K
CM13-4101-8XX-BF	Blunt-Tip	Frosted		XX =30 for 3000K
CM13-4101-8XX-FC*	Flame-Tip	Clear		XX = 40 for 4000K
CM13-4101-8XX-FF	Flame-Tip	Frosted		XX = 50 for 5000K

* Energy Star rated

Curtis Mathes. Life | Always On.™

Information provided is subject to change without notice. Please verify all details with Curtis Mathes. All values are design or typical values when measured under LM-79 laboratory conditions, and Curtis Mathes makes no warranty or guarantee, expressed or implied, that such performance will be obtained under end-use conditions