


# PAR38 17W DIM. TITANIUM CRI<sup>SP</sup> LED SERIES



**Model: 17PAR38DIM/xxx/NF25**  
**17PAR38DIM/xxx/FL40**

Where xxx means 824-965 which indicates CRI and color temperature



## DIMMER COMPATIBILITY

Brand	Series	Model	Load	Dimmability
Lutron	Rotary	D-600P	600W	OK
	Diva	DV-600PR	600W	OK
	Skylark Contour	CT-600P	600W	OK
	Toggler	TG-600P	600W	X
	Maestro	MA-600	600W	OK*
	Skylark	S-600P	600W	OK
	Skylark Contour	CTCL-153P	150W	OK
	Toggler	TGCL-153P	150W	OK
	Diva	DVCL-153P	150W	OK
	Maestro Wireless	MRF2-6CL	150W	OK
Legrand	Ariadni	AYCL-153P	150W	X
	Harmony	HCL453P	450W	OK
	Harmony	H703PTU	450W	OK
	Adorne	ADPD453L	450W	25-100%
Leviton	Adorne	ADTP703TU	700W	20-75%
	Sureslide Decora	6674	600W	OK
	Sureslide	6633	600W	OK
	Trimatron	6602	600W	X
Cooper	Vizia+	VP106	600W	X
	Devine	DAL06P	300W	30-100%
	Aspire	9540	300W	OK
	Aspire	9536	1000W	X

\*Minimum 2 lamps

\*\*GREEN CREATIVE has provided this dimmer switch compatibility chart for guidance when selecting a dimmer and lamp combination. Our lamps were tested for compatibility with the above listed dimmers. Dimmers that do not appear on the chart might still be compatible but have not been tested. All testing has been performed with a stable main supply. The quality of the local main, existing installation and wiring, as well as different manufacturer versions of the above dimmers may affect dimming performance. Since no assurance can be provided regarding these factors, it is a general recommendation to perform a test on-site prior to installing the LED lamps.