



Contractor Select™
OLMF LED
 Floodlight

The OLMF LED floodlight is designed to provide uniform illumination and energy efficiency in a traditional day form. This floodlight offers an efficacy of 90 lumens per watt and it is ideal for illuminating yards, driveways, patios, warehouses as well as for security applications.

FEATURES:

- Replaces up to 300W Quartz Halogen
- \$100 per year of savings – 90% energy savings over 300W Quartz Halogen
- Pays for itself in less than 2 years



Catalog Number	UPC	Description	Replaces Up To	Lumens	Wattage	CCT	Voltage	Finish	Pallet qty.
OLMF P1 40K 120 DDB HP17 M4	190887667363	FLOODLIGHTS	300W HALOGEN	2,500	28W	4000K	120V	DARK BRONZE	384

More configurations are available.



Specifications

INTENDED USE:

The traditional form of the OLMF floodlight with energy efficient LEDs, is great for replacing up to 300W Halogen. It is ideal for landscape, signage, and general purpose lighting in commercial and residential applications.

CONSTRUCTION:

Die-cast aluminum housing has integral heat sink fins to optimize thermal management through conductive and convective cooling. The LED driver is mounted in direct contact with the casting to promote low operating temperature and long life. Tempered glass lens is fully gasketed to keep moisture and bugs out.

ELECTRICAL:

Light engine(s) consist of LEDs directly coupled to the housing to maximize heat dissipation and promote long life (50,000 hrs).

INSTALLATION:

Mounts easily to junction box or under building cave.

LISTINGS:

Damp location listed. For use in ambient ETL Certified to US and Canadian safety standards. Wet location listed for mounting higher than 4' off the ground.

WARRANTY:

1-year limited warranty.

Note: Actual performance may differ as a result of end-user environment and application. All values are design or typical values, measured under laboratory conditions at 25 °C. Specifications subject to change without notice.


Dimensions

Depth: 3-3/16" (8.05 cm)

Width: 5-11/16" (14.4 cm)

Height: 8" (20.3 cm)

Weight: 3 lbs (1.36 kg)



All dimensions are inches (centimeters) unless otherwise indicated.