

## CLASSIC LED WALL PACK



### Product Features

- Up to 82% energy saving compared to traditional fixtures.
- Heavy-duty die cast aluminum housing.
- Architectural bronze finish, anti-corrosion spray.
- Borosilicate glass lens for long life durability, no fading, high light transmittance.
- IP66 rated, waterproofing material is used throughout the fixture.
- 0-10V dimming for 35W/50W/75W/100W, 1-10V dimming for 120W.
- Dusk to dawn sensor options.
- 5 Years Warranty.

## Performance Summary

Model#	Power	Lumens	LED Chip	CRI	CCT	Input Voltage	Operation Temp.	Life Hrs
PLTB61231/PLT-11710	35W	4375lm	Samsung 2835	>80	5000K	120-277V	-40~+113°F -40~+45°C	>50,000hrs
PLTB61131/PLT-11711	35W	4375lm	Samsung 2835	>80	4000K	120-277V	-40~+113°F -40~+45°C	>50,000hrs
PLTB62231/PLT-11712	50W	6250lm	Samsung 2835	>80	5000K	120-277V	-40~+113°F -40~+45°C	>50,000hrs
PLTB62131/PLT-11713	50W	6250lm	Samsung 2835	>80	4000K	120-277V	-40~+113°F -40~+45°C	>50,000hrs
PLTB63231/PLT-11714	75W	9375lm	Samsung 2835	>80	5000K	120-277V	-40~+113°F -40~+45°C	>50,000hrs
PLTB63131/PLT-11715	75W	9375lm	Samsung 2835	>80	4000K	120-277V	-40~+113°F -40~+45°C	>50,000hrs
PLTB64231/PLT-11716	100W	12500lm	Samsung 2835	>80	5000K	120-277V	-40~+113°F -40~+45°C	>50,000hrs
PLTB64131/PLT-11717	100W	12500lm	Samsung 2835	>80	4000K	120-277V	-40~+113°F -40~+45°C	>50,000hrs
PLTB65231/PLT-11718	120W	15000lm	Samsung 2835	>80	5000K	120-277V	-40~+113°F -40~+45°C	>50,000hrs
PLTB65131/PLT-11719	120W	15000lm	Samsung 2835	>80	4000K	120-277V	-40~+113°F -40~+45°C	>50,000hrs
With Photocell PLTB612P31/PLT-11726	35W	4375lm	Samsung 2835	>80	5000K	120-277V	-40~+113°F -40~+45°C	>50,000hrs
With Photocell PLTB622P31/PLT-11727	50W	6250lm	Samsung 2835	>80	5000K	120-277V	-40~+113°F -40~+45°C	>50,000hrs
With Photocell PLTB632P31/PLT-11728	75W	9375lm	Samsung 2835	>80	5000K	120-277V	-40~+113°F -40~+45°C	>50,000hrs


## Optional Accessory

### Photocell(Dusk to Dawn)




**1-2 footcandles ON**  
**3-8 footcandles OFF**

## Photometrics





**35W**



**120W**

## Dimensions



**35W/50W/75W/100W/120W**