



LED Classic Filament Decorative Lamps

Product Specifications



TCP's filament style LED decorative lamps create a relaxing atmosphere with decorative touches that light up the rooms. Exclusive LED technology provides unmatched longevity and perfect 5-100% dimming.

Reasons to choose the LED Classic Filament Decorative Lamps from TCP

- Smooth, Uniform Dimming from 5 – 100%
- Energy efficient — use up to 85% less energy than halogen lamps
- UL approved for damp and enclosed locations means the lamps can be used outdoors when protected from the elements and withstand humidity indoors and outdoors
- Low heat generation minimizes replacement and maintenance costs
- Long life —15,000 hours rated life
- Unique filament LED configuration provides uniform color output
- ANSI construction compliant means lamps fit most general applications

Ideal Applications

- Accent Lighting
- Chandeliers
- Wall Sconces
- Ceiling Fans
- Decorative Lighting

Specifications:

Color Temperatures	2200K, 2700K, 3000K, 4000K, 5000K	Minimum Starting Temp	-30°C
Input Line Voltage	120 VAC	Maximum Operating Temp	40°C
Input Line Frequency	50/60HZ	CRI	>80
Lamp Life (Rated)	15,000 hours	Base	E12/E26



Specifications:



ITEM #	DESCRIPTION	ENERGY STAR V2.1	LED WATTS	INCAND. WATTS	LUMENS	CRI	COLOR TEMP	GLASS TYPE	MOL (inches)	DIA (inches)	BASE
B11 Lamps											
25 Watt Replacements • Dimmable • E12 Base • 15,000 Hour											
FB11D2522KE12C	B11 25W 2200K CLEAR E12		3.0	25	225	>80	2200K	Clear	3.8	1.4	E12
FB11D2522KE12G	B11 25W 2200K AMBER E12		3.0	25	225	>80	2200K	Amber	3.8	1.4	E12
FB11D2522KE12W	B11 25W 2200K FROSTED E12		3.0	25	225	>80	2200K	Frosted	3.8	1.4	E12
FB11D2527EE12C	B11 25W 2700K CLEAR E12	★	3.0	25	250	>80	2700K	Clear	3.8	1.4	E12
FB11D2527EE12W	B11 25W 2700K FROSTED E12		3.0	25	250	>80	2700K	Frosted	3.8	1.4	E12
FB11D2527KE12G	B11 25W 2700K AMBER E12		3.0	25	250	>80	2700K	Amber	3.8	1.4	E12
FB11D2530EE12C	B11 25W 3000K CLEAR E12	★	3.0	25	250	>80	3000K	Clear	3.8	1.4	E12
FB11D2540EE12C	B11 25W 4000K CLEAR E12	★	3.0	25	250	>80	4000K	Clear	3.8	1.4	E12
FB11D2550EE12C	B11 25W 5000K CLEAR E12	★	3.0	25	250	>80	5000K	Clear	3.8	1.4	E12
FB11D2550EE12W	B11 25W 5000K FROSTED E12		3.0	25	250	>80	5000K	Frosted	3.8	1.4	E12
25 Watt Replacements • Dimmable • E26 Base • 15,000 Hour											
FB11D2522KC	B11 25W 2200K CLEAR		3.0	25	225	>80	2200K	Clear	3.5	1.4	E26
FB11D2522KW	B11 25W 2200K FROSTED		3.0	25	225	>80	2200K	Frosted	3.5	1.4	E26
FB11D2527EC	B11 25W 2700K CLEAR	★	3.0	25	250	>80	2700K	Clear	3.5	1.4	E26
FB11D2527EW	B11 25W 2700K FROSTED		3.0	25	250	>80	2700K	Frosted	3.5	1.4	E26
FB11D2550EC	B11 25W 5000K CLEAR	★	3.0	25	250	>80	5000K	Clear	3.5	1.4	E26
FB11D2550EW	B11 25W 5000K FROSTED		3.0	25	250	>80	5000K	Frosted	3.5	1.4	E26
40 Watt Replacements • Dimmable • E12 Base • 15,000 Hour											
FB11D4022KE12C	B11 40W 2200K CLEAR E12		4.0	40	300	>80	2200K	Clear	3.8	1.4	E12
FB11D4022KE12G	B11 40W 2200K AMBER E12		4.0	40	300	>80	2200K	Amber	3.8	1.4	E12
FB11D4022KE12W	B11 40W 2200K FROSTED E12		4.0	40	300	>80	2200K	Frosted	3.8	1.4	E12
FB11D4027EE12C	B11 40W 2700K CLEAR E12	★	4.0	40	300	>80	2700K	Clear	3.8	1.4	E12
FB11D4027EE12W	B11 40W 2700K FROSTED E12		4.0	40	300	>80	2700K	Frosted	3.8	1.4	E12
FB11D4027EE12CB	B11 40W 2700K CLEAR E12		4.0	40	300	>80	2700K	Clear	3.8	1.4	E12
FB11D4030EE12C	B11 40W 3000K CLEAR E12		4.0	40	300	>80	3000K	Clear	3.8	1.4	E12
FB11D4040EE12C	B11 40W 4000K CLEAR E12		4.0	40	300	>80	4000K	Clear	3.8	1.4	E12
FB11D4050EE12C	B11 40W 5000K CLEAR E12	★	4.0	40	300	>80	5000K	Clear	3.8	1.4	E12
FB11D4050EE12W	B11 40W 5000K FROSTED E12		4.0	40	300	>80	5000K	Frosted	3.8	1.4	E12



LED Classic Filament Decorative Lamps

Specifications:

ITEM #	DESCRIPTION	ENERGY STAR V2.1	LED WATTS	INCAND. WATTS	LUMENS	CRI	COLOR TEMP	GLASS TYPE	MOL (inches)	DIA (inches)	BASE
B11 Lamps (continued)											
40 Watt Replacements • Dimmable • E26 Base • 15,000 Hour											
FB11D4022KC	B11 40W 2200K CLEAR		4.0	40	295	>80	2200K	Clear	3.5	1.4	E26
FB11D4022KW	B11 40W 2200K FROSTED		4.0	40	295	>80	2200K	Frosted	3.5	1.4	E26
FB11D4027EC	B11 40W 2700K CLEAR	★	4.0	40	300	>80	2700K	Clear	3.5	1.4	E26
FB11D4027EW	B11 40W 2700K FROSTED		4.0	40	300	>80	2700K	Frosted	3.5	1.4	E26
FB11D4050EC	B11 40W 5000K CLEAR	★	4.0	40	300	>80	5000K	Clear	3.5	1.4	E26
FB11D4050EW	B11 40W 5000K FROSTED		4.0	40	300	>80	5000K	Frosted	3.5	1.4	E26
60 Watt Replacements • Dimmable • E12 Base • 15,000 Hour											
FB11D6022EE12CS	B11 60W 2200K CLEAR E12		5.0	60	500	>80	2200K	Clear	4.1	1.4	E12
FB11D6027EE12CS	B11 60W 2700K CLEAR E12	★	5.5	60	500	>80	2700K	Clear	4.1	1.4	E12
FB11D6027EE12W	B11 60W 2700K FROST E12		5.0	60	500	>80	2700K	Frosted	4.1	1.4	E12
FB11D6030EE12CS	B11 60W 3000K CLEAR E12	★	5.0	60	500	>80	3000K	Clear	4.1	1.4	E12
FB11D6040EE12CS	B11 60W 4000K CLEAR E12	★	5.0	60	500	>80	4000K	Clear	4.1	1.4	E12
FB11D6050EE12CS	B11 60W 5000K CLEAR E12		5.0	60	500	>80	5000K	Clear	4.1	1.4	E12
FB11D6050EE12W	B11 60W 5000K FROST E12		5.0	60	500	>80	5000K	Frosted	4.1	1.4	E12
60 Watt Replacements • Dimmable • E26 Base • 15,000 Hour											
FB11D6022KC	B11 60W 2200K CLEAR		5.0	60	475	>80	2200K	Clear	3.8	1.4	E26
FB11D6022KW	B11 60W 2200K FROSTED		5.0	60	475	>80	2200K	Frosted	3.8	1.4	E26
FB11D6027EC	B11 60W 2700K CLEAR	★	5.0	60	500	>80	2700K	Clear	3.8	1.4	E26
FB11D6027EW	B11 60W 2700K FROSTED		5.0	60	500	>80	2700K	Frosted	3.8	1.4	E26
FB11D6050EC	B11 60W 5000K CLEAR	★	5.0	60	500	>80	5000K	Clear	3.8	1.4	E26
FB11D6050EW	B11 60W 5000K FROSTED		5.0	60	500	>80	5000K	Frosted	3.8	1.4	E26
F11 Lamps											
25 Watt Replacements • Dimmable • E12 Base • 15,000 Hour											
FF11D2522KE12C	F11 25W 2200K CLEAR E12		3.0	25	225	>80	2200K	Clear	3.8	1.4	E12
FF11D2522KE12W	F11 25W 2200K FROSTED E12		3.0	25	225	>80	2200K	Frosted	3.8	1.4	E12
FF11D2527EE12C	F11 25W 2700K CLEAR E12	★	3.0	25	220	>80	2700K	Clear	3.8	1.4	E12
FF11D2527EE12W	F11 25W 2700K FROSTED E12		3.0	25	250	>80	2700K	Frosted	3.8	1.4	E12
FF11D2530EE12C	F11 25W 3000K CLEAR E12		3.0	25	250	>80	3000K	Clear	3.8	1.4	E12
FF11D2540EE12C	F11 25W 4000K CLEAR E12	★	3.0	25	250	>80	4000K	Clear	3.8	1.4	E12
FF11D2550EE12C	F11 25W 5000K CLEAR E12		3.0	25	250	>80	5000K	Clear	3.8	1.4	E12
FF11D2550EE12W	F11 25W 5000K FROSTED E12		3.0	25	250	>80	5000K	Frosted	3.8	1.4	E12
25 Watt Replacements • Dimmable • E26 Base • 15,000 Hour											
FF11D2522KC	F11 25W 2200K CLEAR		3.0	25	225	>80	2200K	Clear	3.6	1.4	E26
FF11D2522KW	F11 25W 2200K FROSTED		3.0	25	225	>80	2200K	Frosted	3.6	1.4	E26
FF11D2527EC	F11 25W 2700K CLEAR		3.0	25	250	>80	2700K	Clear	3.6	1.4	E26
FF11D2527EW	F11 25W 2700K FROSTED		3.0	25	250	>80	2700K	Frosted	3.6	1.4	E26
FF11D2550EC	F11 25W 5000K CLEAR		3.0	25	250	>80	5000K	Clear	3.6	1.4	E26
FF11D2550EW	F11 25W 5000K FROSTED		3.0	25	250	>80	5000K	Frosted	3.6	1.4	E26





LED Classic Filament Decorative Lamps

Specifications:

ITEM #	DESCRIPTION	ENERGY STAR V2.1	LED WATTS	INCAND. WATTS	LUMENS	CRI	COLOR TEMP	GLASS TYPE	MOL (inches)	DIA (inches)	BASE	
F11 Lamps (continued)												
40 Watt Replacements • Dimmable • E12 Base • 15,000 Hour												
FF11D4022KE12C	F11 40W 2200K CLEAR E12		4.0	40	300	>80	2200K	Clear	4.3	1.4	E12	
FF11D4027EE12C	F11 40W 2700K CLEAR E12	★	4.0	40	300	>80	2700K	Clear	4.3	1.4	E12	
FF11D4027EE12W	F11 40W 2700K FROSTED E12		4.0	40	300	>80	2700K	Frosted	4.3	1.4	E12	
FF11D4030EE12C	F11 40W 3000K CLEAR E12		4.0	40	300	>80	3000K	Clear	4.3	1.4	E12	
FF11D4040EE12C	F11 40W 4000K CLEAR E12	★	4.0	40	300	>80	4000K	Clear	4.3	1.4	E12	
FF11D4050EE12C	F11 40W 5000K CLEAR E12		4.0	40	300	>80	5000K	Clear	4.3	1.4	E12	
FF11D4050EE12W	F11 40W 5000K FROSTED E12		4.0	40	300	>80	5000K	Frosted	4.3	1.4	E12	
40 Watt Replacements • Dimmable • E26 Base • 15,000 Hour												
FF11D4027EC	F11 40W 2700K CLEAR		4.0	40	300	>80	2700K	Clear	3.9	1.4	E26	
FF11D4027EW	F11 40W 2700K FROSTED		4.0	40	300	>80	2700K	Frosted	3.9	1.4	E26	
FF11D4050EC	F11 40W 5000K CLEAR		4.0	40	300	>80	5000K	Clear	3.9	1.4	E26	
FF11D4050EW	F11 40W 5000K FROSTED		4.0	40	300	>80	5000K	Frosted	3.9	1.4	E26	
60 Watt Replacements • Dimmable • E12 Base • 15,000 Hour												
FF11D6027EE12C	F11 60W 2700K CLEAR E12	★	5.0	60	500	>80	2700K	Clear	4.3	1.4	E12	
FF11D6027EE12W	F11 60W 2700K FROST E12		5.0	60	500	>80	2700K	Frosted	4.3	1.4	E12	
FF11D6030EE12C	F11 60W 3000K CLEAR E12		5.0	60	500	>80	3000K	Clear	4.3	1.4	E12	
FF11D6050EE12C	F11 60W 5000K CLEAR E12	★	5.0	60	500	>80	5000K	Clear	4.3	1.4	E12	
60 Watt Replacements • Dimmable • E26 Base • 15,000 Hour												
FF11D6022KC	F11 60W 2200K CLEAR		5.0	60	475	>80	2200K	Clear	4.1	1.4	E26	
FF11D6022KW	F11 60W 2200K FROSTED		5.0	60	475	>80	2200K	Frosted	4.1	1.4	E26	
FF11D6027EC	F11 60W 2700K CLEAR		5.0	60	500	>80	2700K	Clear	4.1	1.4	E26	
FF11D6027EW	F11 60W 2700K FROSTED		5.0	60	500	>80	2700K	Frosted	4.1	1.4	E26	
FF11D6050EC	F11 60W 5000K CLEAR		5.0	60	500	>80	5000K	Clear	4.1	1.4	E26	
FF11D6050EW	F11 60W 5000K FROSTED		5.0	60	500	>80	5000K	Frosted	4.1	1.4	E26	

