Reduce energy costs by replacing halogen PAR20s in your recessed and track lighting with these more efficient LED PAR20 bulbs.

FEATURES

- Efficiently replaces a 50W halogen PAR20 bulb
- High color rendering index (CRI) of 90 makes color appear more accurate
- Standard household medium (E26) base
- Dimmable; see dimmer compatibility sheet for a full list of dimmers

LISTINGS

- UL Listed for wet locations
- Title 20
- JA8
- RoHS
- Energy Star Part Number PLTLP6111123

PERFORMANCE


- CRI: 90
- CCT: 2700K
- Rated Lifetime L70: 25,000 hours

WARRANTY

• 3-year limited warranty; see pltsolutions.com for warranty details

APPLICATIONS

- Track Lights
- Recessed Cans







| | Power Consumption | 5.5 Watt | | | | |
|--------------|-------------------|---------------------------------------|--|--|--|--|
| PERFORMANCE | Lumens | 500 | | | | |
| | Efficacy (LPW) | 91 | | | | |
| | CRI | 90 | | | | |
| | Beam Angle | 40 Degrees | | | | |
| | ССТ | 2700K | | | | |
| | Life (L70) | 25000 | | | | |
| ELECTRICAL | Input Voltage | 120V | | | | |
| | Power Factor | 0.9 | | | | |
| | Shape | PAR20 | | | | |
| CONSTRUCTION | Base | E26 | | | | |
| | Finish | Frosted | | | | |
| | Certifications | UL Listed; Title 20; JA8; Energy Star | | | | |
| LISTINGS | Material Usage | RoHS – No mercury or lead | | | | |
| | Environment | Wet Location Rated | | | | |

PLTS-12024



PERFORMANCE SUMMARY

| Item # | UPC | Shape | Lumens | Wattage | LPW | Voltage | Replaces | ССТ | CRI | Finish | Life/ Hours | Dimmable |
|------------|--------------|-------|--------|---------|-----|---------|-------------|-------|-----|---------|----------------|----------|
| PLTS-12024 | 842821113732 | PAR20 | 500 | 5.5 | 91 | 120V | 50W Halogen | 2700K | 90 | Frosted | 25000 | Yes |

DIMENSIONS



DIMENSIONS

Height: 3.19" Diameter: 2.48"

WARNINGS

- Only use this LED PAR20 bulb with the dimmers listed in the compatibility list. Using this bulb with incompatible dimmers may cause performance issues including humming, buzzing, flickering, and poor dimming performance.
- Not rated for use in enclosed fixtures.