# **DesignLights Consortium**





Classification	Standard
Primary Use	Direct Linear Ambient Luminaires
Reported Input Wattage	54 W
Reported Light Output	7182 lm
Reported CCT	3500 K
Reported CRI (Ra)	82
Product ID	PXDZNT4T
DLC Family Code	EEEGKF
Listing Status	Listed
Date Qualified	2021-09-03

#### PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	PXDZNT4T
Manufacturer	Precision Lighting & Transformer, Inc
Brand	PLT
Model Number	PLTM288142
Parent	Yes
Classification	Standard
DLC Family Code	EEEGKF
Length	8 ft
Input Power Type	AC

#### PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	Linear Ambient
Primary Use Designation	Direct Linear Ambient Luminaires

#### PRODUCT CAPABILITIES VIEW DETAILS

Integral Controls	No
Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	No Sensor
Wired Communication Protocol	0-10V Analog
Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	TRUE
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

#### REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	7182 lm
Reported Efficacy (AC)	133 lm/W
Reported CCT	3500 K
Reported CRI (Ra)	82
Reported R9	16
Reported IES Rf	80
Reported IES Rg	90
Reported IES Rcs,h1	-12
Reported Default Light Output	7182 lm

### REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	54 W
Reported Total Harmonic Distortion	10 %
Reported Power Factor	0.9
Reported Minimum Input Wattage	38
Reported Maximum Input Wattage	54
Reported Default Input Wattage	54
Voltage Range	120-277 V

# **TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS**

Tested Light Output	5106.69 lm
Tested Efficacy (AC)	140.22 lm/W
Tested CCT	3397 K
Tested CRI (Ra)	84

Tested R9	14
Tested IES Rf	84
Tested IES Rg	94
Tested IES Rcs,h1	-11 %
Tested Duv	0.0003

# **TESTED ELECTRICAL PERFORMANCE VIEW DETAILS**

Tested Voltage	120
Tested Input Wattage	36.42 W
Tested Total Harmonic Distortion	4.99 %
Tested Power Factor	0.9532

## **VERSION HISTORY VIEW DETAILS**