# **DesignLights Consortium**





| Classification         | Standard                         |
|------------------------|----------------------------------|
| Primary Use            | Direct Linear Ambient Luminaires |
| Reported Input Wattage | 90 W                             |
| Reported Light Output  | 11880 lm                         |
| Reported CCT           | 3500 K                           |
| Reported CRI (Ra)      | 82                               |
| Product ID             | PJ30IZDQ                         |
| DLC Family Code        | EEEGKE                           |
| Listing Status         | Listed                           |
| Date Qualified         | 2021-09-03                       |

#### **PRODUCT INFORMATION VIEW DETAILS**

| Qualified Product List         | Solid State Lighting                  |
|--------------------------------|---------------------------------------|
| Technical Requirements Version | 5.1                                   |
| Product ID                     | PJ30IZDQ                              |
| Manufacturer                   | Precision Lighting & Transformer, Inc |
| Brand                          | PLT                                   |
| Model Number                   | PLTM289142                            |
| Parent                         | Yes                                   |
| Classification                 | Standard                              |
| DLC Family Code                | EEEGKE                                |
| Length                         | 8 ft                                  |
| Input Power Type               | AC                                    |

#### PRODUCT CATEGORIZATION VIEW DETAILS

| Category                | Indoor Luminaires                |  |  |
|-------------------------|----------------------------------|--|--|
| General Application     | Linear Ambient                   |  |  |
| Primary Use Designation | Direct Linear Ambient Luminaires |  |  |

# PRODUCT CAPABILITIES VIEW DETAILS

| Integral Controls                   | No                                 |
|-------------------------------------|------------------------------------|
| Dimming Capability and Range        | Continuous Dimming to 10% or below |
| Integral Control Capability         | No Control Capability              |
| Sensor Type                         | No Sensor                          |
| Wired Communication Protocol        | 0-10V Analog                       |
| Wireless Communication Protocol     | No Wireless Protocol               |
| Field Adjustable Light Output       | TRUE                               |
| White-Tunable                       | Yes                                |
| Warm-Dimming                        | No                                 |
| Field Adjustable Light Distribution | No                                 |

## **REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS**

| Reported Light Output         | 11880 lm |
|-------------------------------|----------|
| Reported Efficacy (AC)        | 132 lm/W |
| Reported CCT                  | 3500 K   |
| Reported CRI (Ra)             | 82       |
| Reported R9                   | 14       |
| Reported IES Rf               | 80       |
| Reported IES Rg               | 90       |
| Reported IES Rcs,h1           | -12      |
| Reported Default Light Output | 11880 lm |

# REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

| Reported Input Wattage             | 90 W      |
|------------------------------------|-----------|
| Reported Total Harmonic Distortion | 10 %      |
| Reported Power Factor              | 0.9       |
| Reported Minimum Input Wattage     | 65        |
| Reported Maximum Input Wattage     | 90        |
| Reported Default Input Wattage     | 90        |
| Voltage Range                      | 120-277 V |

# TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

| Tested Light Output  | 11581.3 lm  |
|----------------------|-------------|
| Tested Efficacy (AC) | 132.85 lm/W |
| Tested CCT           | 3357 K      |
| Tested CRI (Ra)      | 83.4        |
|                      |             |

| Tested R9         | 14       |
|-------------------|----------|
| Tested IES Rf     | 84       |
| Tested IES Rg     | 97       |
| Tested IES Rcs,h1 | -11 %    |
| Tested Duv        | -0.00081 |

### **TESTED ELECTRICAL PERFORMANCE VIEW DETAILS**

| Tested Voltage                   | 120     |
|----------------------------------|---------|
| Tested Input Wattage             | 87.18 W |
| Tested Total Harmonic Distortion | 5.58 %  |
| Tested Power Factor              | 0.9805  |

#### **VERSION HISTORY VIEW DETAILS**

| 2021-09-03 | Listed | 5.1 | Standard |
|------------|--------|-----|----------|
|------------|--------|-----|----------|