



**Notes**

**General**

Status	Active
Watts	13.5W
Volts	120V
Ballast Type	Type B
Shape	T8
Base	Medium Bi Pin
ANSI Base	G13
Nominal Length	48.00
Finish	Frost
CCT (Kelvin)	3000
Temperature	Warm White
CRI	82
Lumens	1700L
Beam Spread	220
Dimmable	Yes-Dimmable
Hours Rated	50000
Lamp Type	Linear
Technology	LED

**Electrical**

Ballasting Requirements	Ballast Bypass; Direct wire 120V line voltage; No ballast or external driver required
Dimming Type	Reverse Phase or Phase Selectable
Power Factor	0.9
Operating Temperature	-20C (-4F) to a maximum of +45C (+113F)

**Physical**

MOL	47.78
MOD	1
Material	Glass
Lens Finish	Frost
Lens Material	Glass
Housing Color	White

**Additional Information**

Additional Info	All glass tube
Tube Guard Use	Approved for use with tube guards
Installation Notes	Install only in non-shunted lampholders
Warranty	5 Year Limited - T8 LED Bulbs - Ballast Bypass

**Compliance**

Safety Listing	cULus Classified
Location Rating	Damp
Energy Star	No
DLC Approved	Yes
DLC ID	PLV12B1YBIYP
California Status	Lawful for sale
RoHS Compliant	Yes
FCC Compliant	Yes



## Dimmer Compatibility

Type	Brand	Model Number
Dimmer	Leviton	6615-P
Dimmer	Leviton	66ELV
Dimmer	LeGrand	ADTP703TU
Dimmer	Lutron	CTRP-253P
Dimmer	Leviton	DSE06-10Z
Dimmer	Lutron	DVELV-300P
Dimmer	Lutron	DVRP-253P
Dimmer	Leviton	IPE04
Dimmer	Lutron	NTELV-300
Dimmer	Lutron	NTRP-250
Dimmer	Lutron	RRD-6NA
Dimmer	Lutron	SELV-300P