

| | |
|---------------|-------|
| Project Name: | Type: |
| Part Number: | Date: |

PREMIUM FILAMENT DECO. FAMILY

FEATURES

- Suitable to replace 40W and 60W incandescent
- Vintage look fits most decorative applications
- 320° omnidirectional beam angle
- Smooth dimming with most forward and reverse phase controls*
- Comfortable warm diffused light
- Full glass construction
- Suitable for use in wet locations, not suitable for use in totally enclosed fixtures
- Fixture operating temperature: -13°F to 95°F (-25°C to 35°C)
- Lamp ambient temperature: -13°F to 113°F (-25°C to 45°C)
- Rated Lifetime (L70): 15,000hrs
- 3 year limited warranty**



073021



SPECIFICATIONS

| Product | Model | Equiv. | CCT | Finish | Wattage (W) | Lumens (LM) | Efficacy (LPW) | Power Factor | Input Voltage | CRI | Beam Angle | Dim.* | UL Location | Fixture Rating | ES / T20 |
|---------|------------------------|--------|-------|-------------|-------------|-------------|----------------|--------------|---------------|-----|------------|-------|-------------|----------------|-------------|
| 36061 | 3.3FB11DIM/927/R | 40W | 2700K | Clear | 3.3 | 300 | 91 | 0.7 | 120V | 92 | 320° | Yes | Wet | Non-Enclosed | ✓/✓ |
| 36062 | 3.3FB11DIM/927/E26/R | 40W | 2700K | Clear | 3.3 | 300 | 91 | 0.7 | 120V | 92 | 320° | Yes | Wet | Non-Enclosed | ✓/✓ |
| 36063 | 3.3FB11DIM/927/FR/R | 40W | 2700K | Frosted | 3.3 | 300 | 91 | 0.7 | 120V | 92 | 320° | Yes | Wet | Non-Enclosed | ✓/✓ |
| 36064 | 5.5FB11DIM/927/R | 60W | 2700K | Clear | 5.5 | 500 | 91 | 0.7 | 120V | 92 | 320° | Yes | Wet | Non-Enclosed | ✓/✓ |
| 36065 | 5.5FB11DIM/927/E26/R | 60W | 2700K | Clear | 5.5 | 500 | 91 | 0.7 | 120V | 92 | 320° | Yes | Wet | Non-Enclosed | ✓/✓ |
| 36066 | 3.5FBA11DIM/820/FT/A/R | 40W | 2000K | Amber | 3.5 | 240 | 69 | 0.7 | 120V | 82 | 320° | Yes | Wet | Non-Enclosed | N.A. / N.A. |
| 36067 | 3.8FG16.5DIM/927/R | 40W | 2700K | Clear | 3.8 | 350 | 91 | 0.7 | 120V | 92 | 320° | Yes | Wet | Non-Enclosed | ✓/✓ |
| 36068 | 3.8FG16.5DIM/927/E26/R | 40W | 2700K | Clear | 3.8 | 350 | 91 | 0.7 | 120V | 92 | 320° | Yes | Wet | Non-Enclosed | ✓/✓ |
| 36069 | 4FG16.5DIM/820/A/R | 40W | 2000K | Amber | 4 | 250 | 63 | 0.7 | 120V | 82 | 320° | Yes | Wet | Non-Enclosed | N.A. / N.A. |
| 36070 | 3.8FG25DIM/927/R | 40W | 2700K | Clear | 3.8 | 350 | 92 | 0.7 | 120V | 92 | 320° | Yes | Wet | Non-Enclosed | ✓/✓ |
| 36071 | 4FG25DIM/820/A/R | 40W | 2000K | Amber | 4 | 250 | 63 | 0.7 | 120V | 82 | 320° | Yes | Wet | Non-Enclosed | N.A. / N.A. |
| 36072 | 4.5FG25DIM/827/SB/R | 40W | 2700K | Silver Bowl | 4.5 | 400 | 89 | 0.7 | 120V | 82 | 320° | Yes | Wet | Non-Enclosed | N.A. / N.A. |
| 36073 | 5.5FG40DIM/927/R | 60W | 2700K | Clear | 5.5 | 500 | 91 | 0.7 | 120V | 92 | 320° | Yes | Wet | Non-Enclosed | ✓/✓ |


* This lamp might not be compatible with all dimmers. Please visit www.greencreative.com for compatibility information.

** Please visit www.greencreative.com for Limited Warranty terms.



PREMIUM FILAMENT DECO. FAMILY

DIMENSION & WEIGHT



| Product | Model | Base | MOL | Dia. | Weight |
|---------|------------------------|------|----------|----------|--------|
| 36061 | 3.3FB11DIM/927/R | E12 | 3-13/16" | 1-3/8" | 0.03lb |
| 36062 | 3.3FB11DIM/927/E26/R | E26 | 3-9/16" | 1-3/8" | 0.04lb |
| 36063 | 3.3FB11DIM/927/FR/R | E12 | 3-13/16" | 1-3/8" | 0.03lb |
| 36064 | 5.5FB11DIM/927/R | E12 | 3-13/16" | 1-3/8" | 0.03lb |
| 36065 | 5.5FB11DIM/927/E26/R | E26 | 3-9/16" | 1-3/8" | 0.04lb |
| 36066 | 3.5FBA11DIM/820/FT/A/R | E12 | 4-3/8" | 1-3/8" | 0.03lb |
| 36067 | 3.8FG16.5DIM/927/R | E12 | 3-3/16" | 1-15/16" | 0.04lb |
| 36068 | 3.8FG16.5DIM/927/E26/R | E26 | 3-1/4" | 2-1/16" | 0.04lb |
| 36069 | 4FG16.5DIM/820/A/R | E12 | 3-3/16" | 1-15/16" | 0.04lb |
| 36070 | 3.8FG25DIM/927/R | E26 | 4-5/16" | 3-1/8" | 0.09lb |
| 36071 | 4FG25DIM/820/A/R | E26 | 4-5/16" | 3-1/8" | 0.09lb |
| 36072 | 4.5FG25DIM/827/SB/R | E26 | 4-5/16" | 3-1/8" | 0.09lb |
| 36073 | 5.5FG40DIM/927/R | E26 | 6-7/8" | 4-15/16" | 0.22lb |

ORDERING INFORMATION

| Model | Product Series | Master Carton | | | Shipping Carton | | |
|-------|------------------------|---------------|--------------------------------|-------------|-----------------|--------------------------------|-------------|
| | | Case Qty | Case Dimensions (LxWxH) | Case Weight | Case Qty | Case Dimensions (LxWxH) | Case Weight |
| 36061 | 3.3FB11DIM/927/R | 6 PCS | 4-15/16" x 3-5/16" x 4-3/4" | 0.53lb | 24 PCS | 10-5/8" x 7-1/2" x 5-5/16" | 2.34lb |
| 36062 | 3.3FB11DIM/927/E26/R | 6 PCS | 4-15/16" x 3-5/16" x 4-3/4" | 0.53lb | 24 PCS | 10-5/8" x 7-1/2" x 5-5/16" | 2.34lb |
| 36063 | 3.3FB11DIM/927/FR/R | 6 PCS | 4-15/16" x 3-5/16" x 4-3/4" | 0.53lb | 24 PCS | 10-5/8" x 7-1/2" x 5-5/16" | 2.34lb |
| 36064 | 5.5FB11DIM/927/R | 6 PCS | 4-15/16" x 3-5/16" x 4-3/4" | 0.53lb | 24 PCS | 10-5/8" x 7-1/2" x 5-5/16" | 2.34lb |
| 36065 | 5.5FB11DIM/927/E26/R | 6 PCS | 4-15/16" x 3-5/16" x 4-3/4" | 0.53lb | 24 PCS | 10-5/8" x 7-1/2" x 5-5/16" | 2.34lb |
| 36066 | 3.5FBA11DIM/820/FT/A/R | 6 PCS | 4-15/16" x 3-5/16" x 5-1/8" | 0.59lb | 24 PCS | 6-7/8" x 7-11/16" x 5-7/8" | 2.65lb |
| 36067 | 3.8FG16.5DIM/927/R | 12 PCS | 6-7/8" x 4-3/4" x 8-7/16" | 1.32lb | 48 PCS | 14-3/8" x 10-1/16" x 9-1/16" | 5.69lb |
| 36068 | 3.8FG16.5DIM/927/E26/R | 12 PCS | 6-7/8" x 4-3/4" x 8-7/16" | 1.32lb | 48 PCS | 14-3/8" x 10-1/16" x 9-1/16" | 5.69lb |
| 36069 | 4FG16.5DIM/820/A/R | 12 PCS | 6-7/8" x 4-3/4" x 8-7/16" | 1.32lb | 48 PCS | 14-3/8" x 10-1/16" x 9-1/16" | 5.69lb |
| 36070 | 3.8FG25DIM/927/R | 6 PCS | 10-7/16" x 7-1/16" x 5-11/16" | 1.29lb | 24 PCS | 21-5/8" x 14-15/16" x 6-11/16" | 5.62lb |
| 36071 | 4FG25DIM/820/A/R | 6 PCS | 10-7/16" x 7-1/16" x 5-11/16" | 1.29lb | 24 PCS | 21-5/8" x 14-15/16" x 6-11/16" | 5.62lb |
| 36072 | 4.5FG25DIM/827/SB/R | 6 PCS | 10-5/8" x 7-1/4" x 5-5/16" | 1.29lb | 24 PCS | 21-13/16" x 14-7/8" x 6-1/8" | 5.62lb |
| 36073 | 5.5FG40DIM/927/R | 6 PCS | 15-15/16" x 10-13/16" x 7-7/8" | 2.31lb | 12 PCS | 16-9/16" x 11-1/4" x 16-9/16" | 9.70lb |



PREMIUM FILAMENT DECO. FAMILY

CERTIFICATION INFORMATION

| Product | Model | ES ID# |
|---------|------------------------|---------|
| 36061 | 3.3FB11DIM/927/R | 2329592 |
| 36062 | 3.3FB11DIM/927/E26/R | 2331414 |
| 36063 | 3.3FB11DIM/927/FR/R | 2378377 |
| 36064 | 5.5FB11DIM/927/R | 2378396 |
| 36065 | 5.5FB11DIM/927/E26/R | 2378395 |
| 36067 | 3.8FG16.5DIM/927/R | 2378394 |
| 36068 | 3.8FG16.5DIM/927/E26/R | 2378387 |
| 36070 | 3.8FG25DIM/927/R | 2331415 |
| 36073 | 5.5FG40DIM/927/R | 2381717 |

Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.



PREMIUM FILAMENT BULB & DECO

MODEL

- Model: 3.3FB11DIM/927/R
- 3.3FB11DIM/927/E26/R
- 3.3FB11DIM/927/FR/R
- 3.5FBA11DIM/820/FT/A/R
- 3.8FG16.5DIM/927/R
- 3.8FG16.5DIM/927/E26/R
- 4FG16.5DIM/820/A/R
- 3.8FG25DIM/927/R
- 4FG25DIM/820/A/R
- 4.5FG25DIM/827/SB/R
- 5.5FG40DIM/927/R
- 5.5FB11DIM/927/R
- 5.5FB11DIM/927/E26/R
- 3FT6DIM/820/A/R
- 5FA19DIM/927/R
- 5FA19DIM/927/FR/R
- 5FA19DIM/820/A/R
- 9FA19DIM/927/FR/R
- 9FA19DIM/927/R
- 7.5FA19DIM/827/SB/R



DIMMER COMPATIBILITY

| Brand | Series | Model | Load (W) | Dimming Range | Compatibility |
|---------|------------------|------------|----------|---------------|----------------|
| Lutron | Diva | DV-600P | 600 | 0-100% | Compatible |
| | Toggler | TG-600P | 600 | 0-100% | Compatible |
| | Skylark Contour | CTCL-153P | 150 | 0-100% | Compatible |
| | Diva | DVCL-153P | 150 | 0-100% | Compatible |
| | Maestro C•L | MACL-153P | 150 | 0-100% | Compatible |
| | Maestro | MAELV-600 | 600 | 0-100% | Compatible |
| | Skylark Contour | CTELV-303P | 300 | 0-100% | Compatible |
| | Diva | DVELV-300P | 300 | 0-100% | Compatible |
| | Nova | NTELV-600P | 600 | 0-100% | Compatible |
| | Caseta | PD-5NE | 250 | 0-100% | Compatible |
| Leviton | Sureslide Decora | 6674 | 600 | 0-100% | Compatible* |
| | Trimatron | 6602 | 600 | - | Not Compatible |
| | Illumatech | IPE04-1LZ | 300 | 0-100% | Compatible |
| Cooper | Aspire | 9536 | 1000 | - | Not Compatible |

*: Not compatible only for these models: 5FA19DIM/927/R; 5FA19DIM/927/FR/R; 5FA19DIM/820/A/R 4.5FG25DIM/827/SB/R; 5.5FG40DIM/927/R; 5.5FB11DIM/927/R; 5.5FB11DIM/927/E26/R.

GREEN CREATIVE has provided this dimmer switch compatibility chart for guidance when selecting a dimmer and lamp combination. Our lamps were tested for compatibility with the above listed dimmers. Dimmers that do not appear on the chart might still be compatible but have not been tested. All testing has been performed with a stable main supply. The quality of the local main, existing installation and wiring, as well as different manufacturer versions of the above dimmers may affect dimming performance. Since no assurance can be provided regarding these factors, it is a general recommendation to perform a test on-site prior to installing the LED lamps.