# **DesignLights Consortium**





Classification	Standard
Primary Use	High-Bay Luminaires for Commercial and Industrial Buildings
Reported Input Wattage	110 W
Reported Light Output	14850 lm
Reported CCT	5000 K
Reported CRI (Ra)	80
Product ID	PAC9CHY4
DLC Family Code	SSSEIP
Listing Status	Listed
Date Qualified	2021-07-29

#### PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting			
Technical Requirements Version	5.1			
Product ID	PAC9CHY4			
Manufacturer	Technical Consumer Products			
Brand	ТСР			
Model Number	QHB2UZDA250K[Blank, B][Blank, ALL CONTROLS]			
Parent	Yes			
Classification	Standard			
DLC Family Code	SSSEIP			
Input Power Type	AC			

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires		
General Application	High-Bay		
Primary Use Designation	High-Bay Luminaires for Commercial and Industrial Buildings		

#### PRODUCT CAPABILITIES VIEW DETAILS

Integral Controls	Yes
Dimming Capability and Range	Continuous Dimming to 10% or below

12/22/21, 2:28 PM	DLC Qualified Product List - Solid State Lighting	
Integral Control Capability	No Control Capability	
Sensor Type	Multifunction Sensor, Daylight Sensing, Occupancy Sensing	
Wired Communication Protocol	0-10V Analog	
Wireless Communication Protocol	Bluetooth	
Field Adjustable Light Output	No	
White-Tunable	No	
Warm-Dimming	No	
Field Adjustable Light Distribution	No	

## **REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS**

Reported Light Output	14850 lm
Reported Efficacy (AC)	135 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	80
Reported R9	3
Reported IES Rf	80
Reported IES Rg	96
Reported IES Rcs,h1	-13
Reported Default Light Output	14850 lm

## **REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS**

Reported Input Wattage	110 W
Reported Total Harmonic Distortion	7.9 %
Reported Power Factor	0.98
Reported Default Input Wattage	110
Voltage Range	120-277 V

## **TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS**

Tested Light Output	15612.59 lm
Tested Efficacy (AC)	147.4 lm/W
Tested CCT	4929 K
Tested CRI (Ra)	80.2
Tested R9	3
Tested IES Rf	80
Tested IES Rg	96
Tested IES Rcs,h1	-13 %
Tested Duv	0.00116

## **TESTED ELECTRICAL PERFORMANCE VIEW DETAILS**

Tested Voltage	120.1
Tested Input Wattage	105.92 W
Tested Total Harmonic Distortion	7.9 %
Tested Power Factor	0.98

#### **VERSION HISTORY VIEW DETAILS**

2021-10-19	Listed	5.1	Standard
2021-07-29	Listed	5.1	Standard