# PLT Solutions Strip Installation Instructions

## 120313-215x280mm

### **Installation Instruction**

#### **WARNING**

- To reduce the risk of death, personal injury or property damage from fire, electric shock, falling parts, cuts/abrasions, and other hazards read all warnings and instructions included with and on the fixture box and all fixture labels.
- Before installing, servicing, or performing routine maintenance upon this equipment, follow these general precautions.
- Commercial installation, service and maintenance of luminaires should be performed by a qualified licensed electrician.
- For the installation: If you are unsure about the installation or maintenance of the luminaires, consult a qualified licensed electrician and check your local electrical code.
- To prevent wiring damage or abrasion, do not expose wiring to edges of sheet metal or other sharp objects.
- Do not make or alter any open holes in an enclosure of wiring or electrical components during kit installation.

#### **WARNING**

- Turn off electrical power at fuse or circuit breaker box before wiring fixture to the power supply.
- Turn off the power when you perform any maintenance.
- Verify that supply voltage is correct by comparing it with the luminaire label information.
- All wiring connections should be capped with UL approved wire connectors.

#### **A** CAUTION

- Avoid direct eye exposure to the light source while it is on.
- Account for small parts and destroy packing material, as these may be hazardous to children.
- Risk of burn. Disconnect power and allow fixture to cool before handing fixture.


NOTICE: Green ground screw provided in proper location.Do not relocate.

**NOTICE**: Minimum 90° supply conductors.

NOTICE: Specifications and dimensions subject to change without notice.

**NOTICE**: Suitable for Dry or Damp location


#### **General Wiring Diagram**



Any further questions or interests, pls visit

www.pltsolutions.com

## **Installation Instruction**



Step1: Secure the provided brackets onto the ceiling with the provided accessories and screws.

Step2: Screw the covers at the outlet of the back of the housing.(Figure b)

Step3: Wire to main power through the junction box (figure c)

Step4: Then clip the brackets to the slots of fixture(figure d)



Any further questions or interests, pls visit

www.pltsolutions.com