# **DesignLights Consortium**





Classification	Premium
Primary Use	High-Bay Luminaires for Commercial and Industrial Buildings
Reported Input Wattage	395.98 W
Reported Light Output	54145.5 lm
Reported CCT	5000 K
Reported CRI (Ra)	83
Product ID	S-K4LMH0
DLC Family Code	<u>EMWAGP</u>
Listing Status	Listed
Date Qualified	2022-04-29

### PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-K4LMH0
Manufacturer	Precision Lighting & Transformer, Inc
Brand	PLT Solutions
Model Number	PLTSN1524[1;2;3]2[1;2;blank][1;blank]
Parent	No
Classification	Premium
DLC Family Code	EMWAGP
Input Power Type	AC

### PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	High-Bay
Primary Use Designation	High-Bay Luminaires for Commercial and Industrial Buildings

### PRODUCT CAPABILITIES VIEW DETAILS

|--|

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	Occupancy Sensing
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	Yes
Field Adjustable Distribution Type	Integral FALD

### REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	54145.5 lm
Reported Efficacy (AC)	136.74 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	83
Reported R9	9
Reported IES Rf	84
Reported IES Rg	95
Reported IES Rcs,h1	-12
Reported Default Light Output	54145.5 lm

### REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	395.98 W
Reported Total Harmonic Distortion	15 %
Reported Power Factor	0.9
Reported Maximum Input Wattage	403.4
Reported Default Input Wattage	395.98
Voltage Range	277-480 V

### **TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS**

Field Adjustable Light Distribution Setting
---

## **VERSION HISTORY VIEW DETAILS**

2022-04-29	Listed	5.1	Premium
------------	--------	-----	---------