

## Applications

The TCP LED T8 High Bay is ideal for replacing traditional metal halide and linear fluorescent high bay systems. Benefits include high efficiency, excellent color rendering, long life, instant on, and improved uniformity. Suggested mounting heights up to 40' with primary applications including warehousing, commercial facilities, manufacturing facilities, open and stack aisle applications.

## Construction

- Housing: durable code-grade steel
- Finish: powder coated, post-painted white
- Large wiring compartment and multiple knock-outs to accommodate lighting controls
- Lightweight design

## Electrical

- cULus damp location rated
- Easy-to-access wiring compartment
- LPW rating based on LED T8 used

Item Number	
Notes	Type



### Listings

UL and cUL listed  
RoHS Compliant

### Warranty

Five year limited warranty against defects in manufacturing.

## Catalog Ordering Matrix

Example: EL4WA6LT8B1

FAMILY	REFLECTOR	LAMP QUANTITY	LAMP TYPE	SINGLE END/DOUBLE END	OPTIONS
EL4 – LED 4' Elite	WA – White	4 – 4 Lamps 6 – 6 Lamps 8 – 8 Lamps	LT8 – LED T8	B1 – Single End B2 – Double End	See Below

**Available Accessories** (ordered separately; sensors can be installed at factory):

Options	Description
LS1	Leviton PIR Occupancy Sensor w/bracket and interchangeable lenses, 40' or less, 120V, 277V or 347V
10C	10' Power Cord 277V SJTOOW No Plug
Available Hanging Kits	Description
EZHANGER	15' adjustable aircraft cable hanging kit (ordered separately)


For the most up-to-date specs and warranty information, please visit [www.tcp.com](http://www.tcp.com)

## Dimensions and Mounting Data

### 4' LED T8-Ready High Bay - For 4 Single-Ended Direct Wire T8 LED Lamps



### 4' LED T8-Ready High Bay - For 6 Single-Ended Direct Wire T8 LED Lamps



## Dimensions and Mounting Data

### 4' LED T8-Ready High Bay - For 8 Single-Ended Direct Wire T8 LED Lamps

