# **DesignLights Consortium**





Classification	Standard
Primary Use	Direct Linear Ambient Luminaires
Reported Input Wattage	20 W
Reported Light Output	2640 lm
Reported CCT	5000 K
Reported CRI (Ra)	82
Product ID	PL8B2IYRU55J
DLC Family Code	DDDKUG
Listing Status	Listed
Date Qualified	2019-01-03

# PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting		
Technical Requirements Version	5.1		
Product ID	PL8B2IYRU55J		
Manufacturer	Precision Lighting & Transformer, Inc		
Brand	PLT		
Model Number	PLTM221132		
Parent	Yes		
Classification	Standard		
DLC Family Code	DDDKUG		
Length	2.0 ft		
Input Power Type	AC		

# PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires	
General Application	Linear Ambient	
Primary Use Designation	Direct Linear Ambient Luminaires	

#### **PRODUCT CAPABILITIES VIEW DETAILS**

Integral Controls	No
Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	No Sensor
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

### REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	2640 lm
Reported Efficacy (AC)	132 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	82
Reported R9	12
Reported IES Rf	80
Reported IES Rg	90
Reported IES Rcs,h1	-12
Reported Default Light Output	2640 lm

#### REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	20 W
Reported Total Harmonic Distortion	10 %
Reported Power Factor	0.9
Reported Default Input Wattage	20
Voltage Range	120-277 V

### **TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS**

Tested Light Output	2541 lm
Tested Efficacy (AC)	133.38 lm/W
Tested CCT	4931 K

Tested CRI (Ra)	83
Tested R9	12
Tested IES Rf	83
Tested IES Rg	96
Tested IES Rcs,h1	-12 %
Tested Duv	0.00172

#### **TESTED ELECTRICAL PERFORMANCE VIEW DETAILS**

Tested Voltage	120
Tested Input Wattage	19.1 W
Tested Total Harmonic Distortion	10.4 %
Tested Power Factor	0.943

# **VERSION HISTORY VIEW DETAILS**

2022-08-16	Listed	5.1	Standard
2022-06-30	Delisted	5	Premium
2020-03-30	Listed	5	Premium
2020-01-03	Listed	4.4	Premium