

WARNING


- Installation, service, and maintenance of luminaries should be performed by a qualified licensed electrician.
- If there is smoke or fire, please turn off the power immediately and consult a qualified electrician.

CAUTION

- Please use listed water proof strain relief busing when connecting the supply cord to the outlet box.
- Do not use an electric generator to test the LED light.


Installation: Hook Mount

1. Screw the hook into the fixture and tighten. (Figure 1)
2. Hang the fixture on the ceiling hook. (Figure 2)
3. Connect to the power according to local laws and regulations. Ensure the connect is stable and protected.




Installation: DC Motion Sensor

1. Use a screwdriver to remove the 1/2" NPT plug to expose the motion sensor receptacle.
2. Push the motion sensor into the receptacle.
3. Default programs have been set for motion sensor and PIR prior to shipment. It needs to be re-set by remote control if you need to change the working mode. The remote control is an optional accessory. (Figure 3-1)
4. Please Note: When the fixture is first turned on with the sensor installed, the sensor will perform the following self-test:
 - Brightness 100%, hold 10 seconds
 - Brightness 50%, hold 1 minute
 - Turn OFF if no motion detected



Optional Function

This fixture features 3 CCT selectable switching. Lift the water proof gasket to expose the CCT dip switch. Set the light to your desired CCT and push the water proof gasket back in place. (Figure 3-2)
 A dip switch allows you to choose between down-lighting or both up and down lighting.



⚠ WARNING

- Before installing, servicing, or performing routine maintenance upon this equipment, follow these general precautions.
- To reduce the risk of death, personal injury, or property damage from fire, electric shock, falling parts, cuts/abrasions, and other hazards, read all warnings and instructions included with and on the fixture box and all fixture labels.
- Proper grounding is required to ensure safety.
- Power must be turned off at the breaker before installation or maintenance.
- This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.
- Wear gloves and eye protection at all times while installing, servicing, or performing maintenance on the luminaire, and avoid direct eye exposure to the light source while it is on.
- To prevent wiring damage or abrasion, do not expose wiring to edges of sheet metal or other sharp objects.
- Do not install damaged product. Inspect luminaire for damage that may have occurred during transit. If damaged, contact the manufacturer immediately.
- These instructions do not purport to cover all details or variations in equipment nor to provide every possible contingency to meet in connection with installation, operation, or maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the purchaser's or owner's purposes, contact the manufacturer.

⚠ ADVERTENCIA

- Antes de instalar, reparar o realizar el mantenimiento de rutina de este equipo, siga estas precauciones generales.
- Para reducir el riesgo de muerte, lesiones personales o daños a la propiedad por fuego, descarga eléctrica, caída de piezas, cortes / abrasiones y otros peligros, lea todas las advertencias y instrucciones incluidas con y en la caja del dispositivo y todas las etiquetas del dispositivo.
- Se requiere una conexión a tierra adecuada para garantizar la seguridad.
- Se debe apagar la energía en el disyuntor antes de la instalación o el mantenimiento.

- Este producto debe ser instalado de acuerdo con el código de instalación aplicable por una persona familiarizada con la construcción y operación del producto y los peligros involucrados.
- Utilice guantes y protección para los ojos en todo momento durante la instalación, el servicio o el mantenimiento de la luminaria, y evite la exposición directa de los ojos a la fuente de luz mientras está encendida.
- Para evitar daños o abrasiones en el cableado, no exponga el cableado a bordes de láminas de metal u otros objetos afilados.
- No instale un producto dañado. Inspeccione la luminaria en busca de daños que puedan haber ocurrido durante el tránsito. Si está dañado, comuníquese con el fabricante de inmediato.
- Estas instrucciones no pretenden cubrir todos los detalles o variaciones en el equipo ni proporcionar todas las posibles contingencias a cumplir en relación con la instalación, operación o mantenimiento. Si desea obtener más información o si surgen problemas particulares que no están suficientemente cubiertos para los propósitos del comprador o propietario, comuníquese con el fabricante.