

DesignLights Consortium



Classification	Standard
Primary Use	Internal Driver/Line Voltage (UL Type B) Lamps
Reported Input Wattage	42 W
Reported Light Output	5400 lm
Reported CCT	4000 K
Reported CRI (Ra)	82
Product ID	PL34KBUQPWNM
DLC Family Code	HAHIQR
Listing Status	Listed
Date Qualified	2018-08-06

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	PL34KBUQPWNM
Manufacturer	Halco Lighting Technologies
Brand	Halco ProLED
Model Number	T896FR42/840/BYP2/SP/LED
Parent	No
Classification	Standard
DLC Family Code	HAHIQR
Length	8.0 ft
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Linear Replacement Lamp
General Application	T8 Eight-Foot
Primary Use Designation	Internal Driver/Line Voltage (UL Type B) Lamps

PRODUCT CAPABILITIES VIEW DETAILS

Integral Controls	No
Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	No Sensor
SSL V5 Wired Communication Protocol	Phase Cut
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Beam Angle	180 °
Reported Light Output	5400 lm
Reported Efficacy (AC)	129 lm/W
Reported CCT	4000 K
Reported CRI (Ra)	82
Reported R9	0
Reported IES Rf	85
Reported IES Rg	95
Reported IES Rcs,h1	-12
Reported Default Light Output	5400 lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	42 W
Reported Total Harmonic Distortion	20 %
Reported Power Factor	0.9
Reported Default Input Wattage	42
Voltage Range	120-277 V

VERSION HISTORY VIEW DETAILS

2022-07-14	Listed	5.1	Standard
2022-06-30	Delisted	5	Standard

2020-03-30	Listed	5	Standard
2018-11-02	Listed	4.4	Standard
2018-08-06	Listed	4.3	Standard