

# DesignLights Consortium



Classification	Standard
Primary Use	Direct Linear Ambient Luminaires
Reported Input Wattage	20 W
Reported Light Output	2600 lm
Reported CCT	4000 K
Reported CRI (Ra)	80
Product ID	PCXAHM59
DLC Family Code	<a href="#">IIIOFH</a>
Listing Status	Listed
Date Qualified	2020-08-14

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	PCXAHM59
Manufacturer	Technical Consumer Products
Brand	TCP
Model Number	TCPGPS2UZDA840K[Blank, All controls]
Parent	No
Classification	Standard
DLC Family Code	IIIOFH
Length	2.0 ft
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	Linear Ambient
Primary Use Designation	Direct Linear Ambient Luminaires

## PRODUCT CAPABILITIES VIEW DETAILS

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	Multifunction Sensor,Daylight Sensing,Occupancy Sensing
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	Bluetooth
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	2600 lm
Reported Efficacy (AC)	130 lm/W
Reported CCT	4000 K
Reported CRI (Ra)	80
Reported R9	8
Reported IES Rf	83
Reported IES Rg	96
Reported IES Rcs,h1	-12
Reported Default Light Output	2600 lm

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	20 W
Reported Total Harmonic Distortion	15 %
Reported Power Factor	0.9
Reported Default Input Wattage	20
Voltage Range	120-277 V

## VERSION HISTORY VIEW DETAILS

2020-08-14	Listed	5	Premium
------------	--------	---	---------