

COLOR SELECTABLE LED GIMBAL TRACK HEAD

DESCRIPTION

Reduce energy and maintenance costs by replacing existing HALO track heads with these more efficient color selectable LED gimbal track heads.

FEATURES

- Energy efficient replacement for 75W or 90W halogen lamps
- High color rendering index (CRI) of 90 helps makes colors appear brighter and more vivid
- Compatible with HALO single and dual circuit track
- Arm can spin up to 350-degrees horizontally; head can be adjusted up to 90-degrees vertically
- Lumen output varies depending on color temperature selected;
 see Selectable Table for full breakdown
- Dimmable; see Compatible Dimmers section for full list of compatible dimmers
- Color temperature can be adjusted via switch on back of fixture; see installation instructions for more information

LISTINGS

- ETL Listed for indoor/dry locations
- RoHS

PERFORMANCE

- CRI: 90
- CCT: 2700K, 3000K, 3500K, 4000K, and 5000K
- LED L70 Life Hours: >33,000 hours

ELECTRICAL

Power Factor: >0.89THD: 45% - 50%Input Voltage: 120V

CONSTRUCTION

- Aluminum housing with white or black finish
- Polycarbonate lens

| project name | type |
|----------------|---------|
| catalog number | |
| comments | voltage |
| approved by | date |







WARRANTY

5-year limited warranty;
 see pltsolutions.com for warranty details

APPLICATIONS

- Offices
- Lobbies
- Kitchens
- Art Galleries

| | Power Consumption* | 18 Watt |
|--------------|--------------------|-----------------------------------|
| PERFORMANCE | CRI | 90 |
| | CCT* | 2700K, 3000K, 3500K, 4000K, 5000K |
| | LED L70 Life Hours | >33,000 hours |
| | Beam Angle | 36° |
| ELECTRICAL | Power Factor | >0.89 |
| | THD | 45% - 50% |
| | Input Voltage | 120V |
| CONSTRUCTION | Finish | White, Black |
| CONSTRUCTION | Lens | Clear |
| LISTINGS | Certifications | ETL |
| | Material Usage | RoHS – No mercury or lead |
| | Environment | Indoor/Dry Location |

^{*} See Selectable Table for full breakdown

PERFORMANCE SUMMARY

| Item # | Wattage* | CCT* | Voltage | Replaces | CRI | LED L70 Life Hours | Dimmable | Finish |
|-----------|----------|--|---------|--------------|-----|-----------------------|----------|--------|
| PLT-12475 | 12 | 2700K / 3000K / 3500K / 4000K / 5000K | 120V | 75W Halogen | 90 | >33,000 | Yes | White |
| PLT-12476 | 12 | 2700K / 3000K / 3500K / 4000K / 5000K | 120V | 75W Halogen | 90 | >33,000 | Yes | Black |
| PLT-12477 | 17 | 2700K / 3000K / 3500K / 4000K / 5000K | 120V | 100W Halogen | 90 | >33,000 | Yes | White |
| PLT-12478 | 17 | 2700K / 3000K / 3500K / 4000K / 5000K | 120V | 100W Halogen | 90 | >33,000 | Yes | Black |

^{*}See Selectable Table for full breakdown

SELECTABLE TABLE

| Wattage | CCT | Lumens | LPW |
|---------|-------|--------|-----|
| 12 | 2700K | 750 | 63 |
| | 3000K | 768 | 64 |
| | 3500K | 798 | 67 |
| | 4000K | 805 | 67 |
| | 5000K | 787 | 66 |
| | 2700K | 1033 | 61 |
| | 3000K | 1078 | 63 |
| 17 | 3500K | 1133 | 67 |
| | 4000K | 1134 | 67 |
| | 5000K | 1090 | 64 |

COMPATIBLE DIMMERS

| Brand | Model |
|--------|-------------|
| Lutron | DVCL-253P |
| Lutron | DVSCCL-253P |
| Lutron | SCL-153P |
| Lutron | DVCL-153P |
| Lutron | CTCL-153P |
| Lutron | TGCL-153P |
| Lutron | DVSCCL-153P |
| Lutron | DVELV-300P |
| Lutron | AYCL-153P |
| Lutron | AYCL-253P |
| Lutron | GTJ-250M |
| Lutron | SELV-300P |
| Lutron | GT-150 |

DIMENSIONS

12W DIMENSIONS:

Track Head Length: 2.49" Track Head Height: 2.83" Height (with arm): 5.65" Width (with arm): 3.87"

Weight: 0.55 lbs



5.65"

3.87"

17W DIMENSIONS:

Track Head Length: 2.65" Track Head Height: 3.88" Height (with arm): 6.61" Width (with arm): 4.86"

Weight: 0.99 lbs



6.61"

WARNINGS

 Only use this LED track light head with the dimmers listed in the compatibility list. Using this downlight with incompatible dimmers may cause performance issues including humming, buzzing, flickering, and poor dimming performance.