

LED FILAMENT LAMP
T10 GLASS JA8 SERIES



PRODUCT DESCRIPTION:

MaxLite's energy-efficient dimmable LED filament T10 lamp is energy saving decorative lamp designed to reproduce the elegant ambient effect of incandescent lamps for hospitality, restaurant, residential and retail applications. Designed to meet Title 24 code for the State of California, our filament T10 lamp delivers an even lighting equivalent to that of a 40W incandescent bulb, while consuming nearly 90 percent less energy.

FEATURES:

- Wattage: 4W, replaces 40W Inc.
- Lumens: 300
- CRI: 90
- Color Temperature: 2700K
- Base: E26 base
- Volts: 120V
- Frequency: 60Hz
- Instant on
- Dimmable down to 10%
- Supports Compliance of JA8-2016-E
- Supports Compliance of CEC Title 20 2016
- Operating temperature range: -4° - 104°F
- Not suitable for use in enclosed luminaire
- Suitable for wet locations
- 3 year standard warranty
- 15,000 hour life at L70 standards

APPLICATIONS

- Chandeliers
- Decorative lighting fixtures

WARRANTY:

3-year standard warranty
(further details available at www.maxlite.com/warranties)

MODEL SELECTION (Full list of order codes on pg. 2)		Typical order example: F4T10DLED927/JA8	
F4T10	DLED	927/JA8	
FAMILY	DIMMABILITY	CRI & COLOR TEMPERATURE (CCT)	
F4T10= 4 Watts, T10, Glass	DLED= Dimmable	927/JA8= 90 CRI, 2700K	

NOTES:

1. Compatible dimmers list on page 3

SPECIFICATIONS:

SPECIFICATIONS:		F4T10DLED927/JA8
ITEM	SPECIFICATION	DETAILS
GENERAL PERFORMANCE	Watt (W)	4
	Lumens Delivered (lm)	300
	Efficacy (lm/W)	75
	Equivalency	40W
	CRI	90
	Color Temperature	2700K
	Lumen Maintenance (L70)	15,000 hours
ELECTRICAL	Power Factor	≥0.90
	Input Voltage	120V
PHYSICAL	Operating Temperature	-4°F to 104°F
	Tc Temperature	108° F
APPLICATION	Environment	Dry, Damp
	Certification	cULus Listed, Supports Compliance of CEC Title 20 2016, Supports Compliance of JA8-2016-E
	Warranty	3 Year standard warranty

ORDERING:

ORDER CODE	MODEL	ENERGY STAR	WATTAGE	DELIVERED LUMENS	INCANDESCENT EQUIVALENCY	CRI	CCT (K)	DIMENSION (MOL" X W")
1409894	F4T10DLED927/JA8	N/A	4	300	40W Inc.	90	2700K	5.35" x 1.30"

COMPATIBLE DIMMER LIST:

MANUFACTURE	DIMMER MODEL
AH	SDM/600
GENERAL PROTECHT	LUXDM600-12
LEGRAND	RHCL453PW
	RHCL453PTC
LEVITON	6681-I
	6674-PO
	6672-1L
	6631-LW
	IPI06-1LZ
	6683-10Z
	6631-LA
	S-600P
	6684-LW
	6631-LA

MANUFACTURE	DIMMER MODEL
LUTRON	AY-600P
	AY-600PH
	AYCL-153P
	AYCL-153PH
	CT-103P
	CT-600PR
	D-600R
	D-600PH-DK
	DV-600P
	DV-600PH
	DV-603P
	DV-603PH
	DV-603PR
	DV-603PH
	DVCL-153P
	DVCL-153P-3
	DVCL-153PH
	DVCL-253PH

MANUFACTURE	DIMMER MODEL
LUTRON	DVELV-303P
	DVW-600PH
	DVWCL-153PH
	LECL-153PH
	MACL-153M
	MACL-153MH
	MSCL-OP153MH
	MAELV-600
	S-600-AL
	S-600H
	S-600
	S-600P
	S-603PH
	SCL-153P
	SCL-153PH
MAXXIMA	TG-600PH
	TG-600PNLH
	TGCL-153PH
MEW-DM600	