

DesignLights Consortium



Classification	Premium
Primary Use	High-Bay Luminaires for Commercial and Industrial Buildings
Reported Input Wattage	216.9 W
Reported Light Output	30396 lm
Reported CCT	5000 K
Reported CRI (Ra)	84
Product ID	S-GO6BAE
DLC Family Code	SLFAIF
Listing Status	Listed
Date Qualified	2023-01-20

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-GO6BAE
Manufacturer	Precision Lighting & Transformer, Inc
Brand	PLT Solutions
Model Number	PLTSN4B52[1;2]5[1;2;3;4;5;blank]
Parent	No
Classification	Premium
DLC Family Code	SLFAIF
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	High-Bay
Primary Use Designation	High-Bay Luminaires for Commercial and Industrial Buildings

PRODUCT CAPABILITIES VIEW DETAILS

Integral Controls	Yes
Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	Multifunction Sensor, Sensor Receptacle, Daylight Sensing, Occupancy Sensing
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	Yes
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	30396 lm
Reported Efficacy (AC)	140.12 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	84
Reported R9	12
Reported IES Rf	84
Reported IES Rg	94
Reported IES Rcs,h1	-13
Reported Minimum Light Output	7759 lm
Reported Maximum Light Output	29953 lm
Reported Minimum CCT	4000 K
Reported Maximum CCT	5000 K
Reported Default Light Output	29953 lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	216.9 W
Reported Total Harmonic Distortion	15 %
Reported Power Factor	0.9
Reported Minimum Input Wattage	55 W
Reported Maximum Input Wattage	212.3

Reported Default Input Wattage	212.3
Voltage Range	120-277 V

VERSION HISTORY VIEW DETAILS

2023-01-20	Listed	5.1	Premium
------------	--------	-----	---------