

# DesignLights Consortium



Classification	Standard
Primary Use	Direct Linear Ambient Luminaires
Reported Input Wattage	75 W
Reported Light Output	9675 lm
Reported CCT	3500 K
Reported CRI (Ra)	83
Product ID	S-3W09PI
DLC Family Code	<a href="#">DDDLTQ</a>
Listing Status	Listed
Date Qualified	2023-01-03

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-3W09PI
Manufacturer	Precision Lighting & Transformer, Inc
Brand	PLT
Model Number	PLTM94B142
Parent	Yes
Classification	Standard
DLC Family Code	DDDLTQ
Length	4.0 ft
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	Linear Ambient
Primary Use Designation	Direct Linear Ambient Luminaires

## PRODUCT CAPABILITIES VIEW DETAILS

Integral Controls	No
Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	No Sensor
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	Yes
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	9675 lm
Reported Efficacy (AC)	129 lm/W
Reported CCT	3500 K
Reported CRI (Ra)	83
Reported R9	11
Reported IES Rf	84
Reported IES Rg	94
Reported IES Rcs,h1	-12
Reported Minimum Light Output	6028 lm
Reported Maximum Light Output	9675 lm
Reported Minimum CCT	3500 K
Reported Maximum CCT	5000 K
Reported Default Light Output	9675 lm

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	75 W
Reported Total Harmonic Distortion	3.9 %
Reported Power Factor	0.998
Reported Minimum Input Wattage	44 W
Reported Maximum Input Wattage	75
Reported Default Input Wattage	75

Voltage Range	120-277 V
---------------	-----------

## TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Light Output	9446 lm
Tested Efficacy (AC)	126.99 lm/W
Tested CCT	3333 K
Tested CRI (Ra)	83
Tested R9	11
Tested IES Rf	84
Tested IES Rg	94
Tested IES Rcs,h1	-12 %
Tested Duv	0.00049

## TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Voltage	120
Tested Input Wattage	74.4 W
Tested Total Harmonic Distortion	4.9 %
Tested Power Factor	0.974

## VERSION HISTORY VIEW DETAILS

2023-01-03	Listed	5.1	Standard
------------	--------	-----	----------