# **DesignLights Consortium**





Classification	Premium
Primary Use	Architectural Flood and Spot Luminaires
Reported Input Wattage	608.1 W
Reported Light Output	71981 lm
Reported CCT	5000 K
Reported CRI (Ra)	72
Product ID	S-9NOXBY
DLC Family Code	SLFAII
Listing Status	Listed
Date Qualified	2023-02-15

#### **PRODUCT INFORMATION VIEW DETAILS**

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-9NOXBY
Manufacturer	Precision Lighting & Transformer, Inc
Brand	PLT Solutions
Model Number	PLTSNL211[1;2,3]2[1;2,3;5;6;7;9;A;B;blank][1;2,3]2
Parent	No
Classification	Premium
DLC Family Code	SLFAII
Input Power Type	AC

#### PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires
General Application	Very High Output
Primary Use Designation	Architectural Flood and Spot Luminaires

#### **PRODUCT CAPABILITIES VIEW DETAILS**

Integral Controls	Yes
Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	Exterior Photocell, Sensor Receptacle
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	Yes
Field Adjustable Distribution Type	Integral FALD

#### REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	71981 lm
Reported Efficacy (AC)	118.37 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	72
Reported R9	-35
Reported IES Rf	75
Reported IES Rg	95
Reported IES Rcs,h1	-17
Reported Default Light Output	71981 lm

### REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	608.1 W
Reported Total Harmonic Distortion	15 %
Reported Power Factor	0.9
Reported Maximum Input Wattage	608.1
Reported Default Input Wattage	608.1 W
Voltage Range	120-277 V

#### **TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS**

Field Adjustable Light Distribution Setting	No restriction
---	----------------

## **VERSION HISTORY VIEW DETAILS**

2023-02-15 Listed 5.1 Premium	
-------------------------------	--