

Project Name

Location

Prepared By



# SATCO S11922

13.5T8/LED/48-840/DIM-BP

## Notes

[www] 10-11-2021 02:05:30

### General

Status	Active
Watts	13.5W
Volts	120V
Ballast Type	Type B
Shape	T8
Base	Medium Bi Pin
ANSI Base	G13
Nominal Length	48.00
Finish	Frost
CCT (Kelvin)	4000
Temperature	Cool White
CRI	82
Lumens	1800L
Beam Spread	220
Dimmable	Yes-Dimmable
Hours Rated	50000
Lamp Type	Linear
Technology	LED

### Electrical

Ballasting Requirements	Ballast Bypass; Direct wire 120V line voltage; No ballast or external driver required
Dimming Type	Reverse Phase or Phase Selectable
Power Factor	0.9
Operating Temperature	-20C (-4F) to a maximum of +45C (+113F)

### Physical

MOL	47.78
MOD	1
Material	Glass
Lens Finish	Frost
Lens Material	Glass
Housing Color	White

### Additional Information

Additional Info	All glass tube
Tube Guard Use	Approved for use with tube guards
Installation Notes	Install only in non-shunted lampholders
Warranty	5 Year Limited - T8 LED Bulbs - Ballast Bypass

### Compliance

Safety Listing	cULus Classified
Location Rating	Damp
Energy Star	No
DLC Approved	Yes
DLC ID	PLCHL8NP6U2O
California Status	Lawful for sale
RoHS Compliant	Yes
FCC Compliant	Yes

NSF Approved

Yes

Copyright 2020 Satco Products, Inc.  
All Rights Reserved

For More Information Visit:  
<http://www.satco.com/>



## Dimmer Compatibility

Type	Brand	Model Number
Dimmer	Leviton	6615-P
Dimmer	Leviton	66ELV
Dimmer	LeGrand	ADTP703TU
Dimmer	Lutron	CTRP-253P
Dimmer	Lutron	DVRP-253P
Dimmer	Leviton	IPE04
Dimmer	Lutron	NTRP-250