

# DesignLights Consortium



Classification	Premium
Primary Use	High-Bay Luminaires for Commercial and Industrial Buildings
Reported Input Wattage	255 W
Reported Light Output	34680 lm
Reported CCT	5000 K
Reported CRI (Ra)	80
Product ID	S-AE2QPB
DLC Family Code	<a href="#">EMWBKE</a>
Listing Status	Listed
Date Qualified	2023-11-30

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-AE2QPB
Manufacturer	Precision Lighting & Transformer, Inc
Brand	PLT
Model Number	PLTM17C312
Parent	Yes
Classification	Premium
DLC Family Code	EMWBKE
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	High-Bay
Primary Use Designation	High-Bay Luminaires for Commercial and Industrial Buildings

## CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
-------------------	-----

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	Daylight Sensing, Occupancy Sensing
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	34680 lm
Reported Efficacy (AC)	136 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	80
Reported R9	-11
Reported IES Rf	81
Reported IES Rg	94
Reported IES Rcs,h1	-15
Reported Default Light Output	34680 lm

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	255 W
Reported Total Harmonic Distortion	7.4 %
Reported Power Factor	0.984
Reported Default Input Wattage	255 W
Voltage Range	120-277 V

## TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Voltage for Minimum Efficacy	120
Tested Light Output	36092 lm
Tested Efficacy (AC)	141.26 lm/W
Tested CCT	5080 K
Tested CRI (Ra)	80
Tested R9	-11
Tested IES Rf	81
Tested IES Rg	94

Tested IES Rcs,h1	-0.2 %
Tested Duv	0.0022

### TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Input Wattage	255.5 W
Tested Total Harmonic Distortion	5.4 %
Tested Power Factor	0.998

### PHOTOMETRIC IMAGES AND FILES VIEW DETAILS

SPDX File	<a href="#">Download File</a>
-----------	-------------------------------

### VERSION HISTORY VIEW DETAILS

2023-11-30	Listed	5.1	Premium
------------	--------	-----	---------